

Index to volume 26

Author Index

- A**
- AAD Committee on Guidelines of Care. Guidelines of care for alopecia areata. 1992;26:247-50 (Acad. guidelines)
- . Guidelines of care for atopic dermatitis. 1992;26:485-8 (Acad. guidelines)
- . Guidelines of care for basal cell carcinoma. 1992;26:117-20 (Acad. guidelines)
- . Guidelines of care for nevi I (nevocellular nevi and seborrheic keratoses). 1992;26:629-31 (Acad. guidelines)
- . Guidelines of care for office surgical facilities. Part I. 1992;26:763-5 (Acad. guidelines)
- Akagi T (see Seno et al). 1992;26:338-42 (Case rep.)
- Aliaga A (see Botella-Estrada et al). 1992;26:777-8 (Brief comm.)
- Alvarez JA (see Manrique et al). 1992;26:122-3 (Brief comm.)
- Andersen WK, Knowles DM, Silvers DN. CD1 (OKT6)-positive juvenile xanthogranuloma. 1992;26:850-4 (Case rep.)
- Anderson LL, Thomas DE, Berger TG, Vukelja SJ. Cutaneous pigmentation after daunorubicin chemotherapy. 1992;26:255-6 (Brief comm.)
- André C (see Chosidow et al). 1992;26:49-55
- Arata J (see Seno et al). 1992;26:338-42 (Case rep.)
- Argenyi Z (see Whitaker et al). 1992;26:704-9
- Arias D (see Requena et al). 1992;26:860-2 (Case rep.)
- Arnall F (see Martinez et al). 1992;26:821-4 (Case rep.)
- Aronson PJ. Unmasking myelin proteins in neurothekeoma. 1992;26:659 (Letter)
- Arrowsmith DR (see AAD Committee on Guidelines of Care). 1992;26:629-31 (Acad. guidelines)
- Ashrafzadeh P (see Ostlere et al). 1992;26:782-3 (Brief comm.)
- Atherton DJ. How many epidermal nevus syndromes exist? 1992;26:1027-8 (Letter)
- Azaña JM (see de Misa et al). 1992;26:1011-2 (Brief comm.)
- B**
- Bagot M, Dubertret L. Lymphocytic infiltrates of the skin in association with cyclosporine therapy. 1992;26:283 (Letter)
- (see Chosidow et al). 1992;26:49-55
- Barat A (see Requena et al). 1992;26:860-2 (Case rep.)
- Barba-Gómez JF, Mayorga J, McGinnis MR, González-Mendoza A. Chromoblastomycosis caused by *Exophiala spinifera*. 1992;26:367-70 (Case rep.)
- Baričević B (see Eckert et al). 1992;26:870-5 (Case rep.)
- Barnhill RL, Roush GC, Ernstoff MS, Kirkwood JM. Interclinician agreement on the recognition of selected gross morphologic features of pigmented lesions. 1992;26:185-90
- Barr RJ (see Ross et al). 1992;26:128-9 (Brief comm.)
- Barron DR (see Langenberg et al). 1992;26:951-5
- Barron LA, Prendiville JS. The sign of Leser-Trélat in a young woman with osteogenic sarcoma. 1992;26:344-7 (Case rep.)
- Bart RS (see Lee et al). 1992;26:59-63
- (see Vossaert et al). 1992;26:429-40
- Baxter DL Jr, Utecht LM, Yeager JK, Cobb MW. Localized, perifollicular cold urticaria. 1992;26:306-8 (Case rep.)
- Baylock KW (see AAD Committee on Guidelines of Care). 1992;26:485-8 (Acad. guidelines)
- Bedane C (see Bernard et al). 1992;26:312-5 (Case rep.)
- Belaich S (see Maghraoui et al). 1992;26:490-2 (Brief comm.)
- Beltrani VP, Beltrani VS. Pruritic urticarial papules and plaques of pregnancy: a severe case requiring early delivery for relief of symptoms. 1992;26:266-7 (Brief comm.)
- Beltrani VS (see Beltrani and Beltrani). 1992;26:266-7 (Brief comm.)
- Ben-Arieh Y (see Bergman et al). 1992;26:462-6 (Dermatopathology)
- Ben-Haim SA (see Edoute et al). 1992;26:656-7 (Brief comm.)
- Benoldi D (see Manganelli et al). 1992;26:309-11 (Case rep.)
- Benson PM (see Malane et al). 1992;26:325-8 (Case rep.)
- Berg D (see Carpenter et al). 1992;26:45-8
- Berger TG, Franklin N. Anaphylactoid reaction to ciprofloxacin in a patient infected with the human immunodeficiency virus. 1992;26:256-7 (Brief comm.)
- (see Anderson et al). 1992;26:255-6 (Brief comm.)
- (see Langenberg et al). 1992;26:951-5
- (see Sharkey et al). 1992;26:273-4 (Brief comm.)
- Bergfeld WF (see Helm et al). 1992;26:315-8 (Case rep.)
- Bergman R, Katz I, Lichtig C, Ben-Arieh Y, Moscona AR, Friedman-Birnbaum R. Malignant melanomas with histologic diameters less than 6 mm. 1992;26:462-6 (Dermatopathology)
- (see Harth et al). 1992;26:132-3 (Brief comm.)
- Bergner T, Przybilla B. Photosensitization caused by ibuprofen. 1992;26:114-6 (Case rep.)
- Berman B, Ellis C, Leyden J, Lowe N, Savin R, Shupack J, Stiller M, Tschen E, Zaia N, Birnbaum JE. Efficacy of a 1-week, twice-daily regimen of terbinafine 1% cream in the treatment of interdigital tinea pedis. 1992;26:956-60 (Therapy)
- Bernal J (see Duran and Bernal). 1992;26:658 (Letter)
- Bernard P, Bedane C, Delrous J-L, Catanzano G, Bonnetblanc J-M. Erythema elevatum diutinum in a patient with relapsing polycondritis. 1992;26:312-5 (Case rep.)
- Berry AD III (see Hayes and Berry). 1992;26:846-50 (Case rep.)
- Berth-Jones J (see Cunliffe et al). 1992;26:736-43 (Therapy)
- Berwick M (see Bologna et al). 1992;26:198-202
- Bielek HC, Kirsner RS, Reyes BA, Garland LD. The use of Mohs micrographic surgery for determination of residual tumor in incompletely excised basal cell carcinoma. 1992;26:754-6 (Derm. surg.)
- Billis MM (see Olsen et al). 1992;26:215-24
- Binder M (see Petzelbauer et al). 1992;26:68-74
- Birnbaum JE (see Berman et al). 1992;26:956-60 (Therapy)
- Black MM. Nonhealing leg ulcers. 1992;26:792 (Letter)
- (see Shornick and Black). 1992;26:63-8
- (see Shornick and Black). 1992;26:563-6
- Blanchet P (see Maghraoui et al). 1992;26:490-2 (Brief comm.)
- Blauvelt A (see Nahass et al). 1992;26:574-8
- (see Nahass et al). 1992;26:509-10 (Letter)
- (see Zhu et al). 1992;26:710-4
- Blickstein D (see Yosipovitch et al). 1992;26:825-7 (Case rep.)
- Blumsack RF (see Breneman et al). 1992;26:91-4 (Therapy)
- Boehncke W-H, Kellner I, Kontor U, Sterry W. Differential expression of adhesion molecules on infiltrating cells in inflammatory dermatoses. 1992;26:907-13
- Bogaert MA (see Pardo et al). 1992;26:423-8
- Böhler K, Müller E, Huber-Spitzy V, Schuller-Petrovic S, Knobler R, Neumann R, Seidl K. Treatment of traumatic tattoos with various sterile brushes. 1992;26:749-53 (Derm. surg.)
- Bologna JL, Headley A, Fine J, Berwick M. Histologic evaluation of pigmented lesions in Connecticut and its influence on the reporting of melanoma. 1992;26:198-202
- Bonillo J (see Serrano et al). 1992;26:545-8
- Bonnetblanc J-M (see Bernard et al). 1992;26:312-5 (Case rep.)
- Borbujo J (see Martinez et al). 1992;26:821-4 (Case rep.)
- Borelli D, Jacobs PH, Nall L. Tinea versicolor: epidemiologic, clinical, and therapeutic aspects (1991;25:300-5). 1992;26:214 (Correction)
- January, pp. 1-152; February, part 1, pp. 153-284; February, part 2, pp. 285-370; March, pp. 371-520; April, pp. 521-660; May, part 1, pp. 661-798; May, part 2, pp. 799-884; June, pp. 885-1066.

- Borrero I (see Falabella et al). 1992;26:230-6 (Therapy)
- Botella R (see Serrano et al). 1992;26:502-4 (Brief comm.)
- Botella-Estrada R, Guillen C, Sanmartin O, Aliaga A. Disseminated granuloma annulare: resolution with tretinate therapy. 1992;26:777-8 (Brief comm.)
- Bottone EJ (see Diamond et al). 1992;26:1017-8 (Brief comm.)
- Boyd AS, Neldner KH, Menter A. Erythema gyratum repens: a paraneoplastic eruption. 1992;26:757-62 (Clin. rev.)
- , —, Zemtsov A, Shihada B. Photolocalized varicella. 1992;26:772-4 (Brief comm.)
- Braddock SW (see Parks et al). 1992;26:968-75 (Dermatopathology)
- Brancaccio RR (see James et al). 1992;26:991-4 (From the Academy)
- Brauner G (see Heimer et al). 1992;26:298-301 (Case rep.)
- Braun-Falco O (see Kárpáti et al). 1992;26:726-30
- Breneman DL, Cardone JS, Blumsack RF, Lather RM, Searle EA, Pollack VE. Topical capsaicin for treatment of hemodialysis-related pruritus. 1992;26:91-4 (Therapy)
- (see Smith et al). 1992;26:125-7 (Brief comm.)
- Brice SL, Stockert SS, Jester JD, Huff JC, Bunker JD, Weston WL. Detection of herpes simplex virus DNA in the peripheral blood during acute recurrent herpes labialis. 1992;26:594-8
- Brod BA, Rabkin M, Rhodes AR, Jegasothy BV. Mid-dermal elastolysis with inflammation. 1992;26:882-4 (Case rep.)
- Brodell RT, Torrence BP. Squish Ball dermatitis. 1992;26:641-2 (Brief comm.)
- Broecker A (see Mehregan et al). 1992;26:243-6 (Dermatopathology)
- Buchness MR (see May et al). 1992;26:352-5 (Case rep.)
- Buckley P (see Heald et al). 1992;26:865-70 (Case rep.)
- Bunker JD (see Brice et al). 1992;26:594-8
- Burgdorf WHC (see AAD Committee on Guidelines of Care). 1992;26:629-31 (Acad. guidelines)
- Burrows D. Is systemic nickel important? 1992;26:632-5 (Editorial)
- Burrows N, Jones RR. Vasculitis occurring after intravenous anistreplase. 1992;26:508 (Letter)
- Büttner P (see Krüger et al). 1992;26:920-6
- Byrne GE Jr (see Pardo et al). 1992;26:423-8
- Byrnes W (see Held et al). 1992;26:261-2 (Brief comm.)
- C
- Callen JP, Jorizzo JL. Amyopathic dermatomyositis (dermatomyositis sine myositis). 1992;26:505-6 (Letter)
- (see Cohen and Callen). 1992;26:653-4 (Brief comm.)
- (see Cohen et al). 1992;26:840-5 (Case rep.)
- (see Mangold and Callen). 1992;26:579-84
- Campana K (see Kwa et al). 1992;26:1-30 (CME article)
- Caplan RM. Sherlock Holmes, Arthur Conan Doyle, and Malcolm Morris. 1992;26:251-4 (Special article)
- Caputo R, Gelmetti C, Ermacora E, Gianni E, Silvestri A. Gianotti-Crosti syndrome: a retrospective analysis of 308 cases. 1992;26:207-10
- Cardelli M (see Langenberg et al). 1992;26:951-5
- Cardone JS (see Breneman et al). 1992;26:91-4 (Therapy)
- Carpenter S, Berg D, Sidhu-Malik N, Hall RP III, Rico MJ. Vancomycin-associated linear IgA dermatitis. 1992;26:45-8
- Carroll RJ (see Rowe et al). 1992;26:976-90 (Clin. rev.)
- Carruthers A (see Melandri and Carruthers). 1992;26:270-1 (Brief comm.)
- Casademont J (see Grau et al). 1992;26:505 (Letter)
- Casado M (see Martinez et al). 1992;26:821-4 (Case rep.)
- Cash TF. The psychological effects of androgenetic alopecia in men. 1992;26:926-31
- Catanzano G (see Bernard et al). 1992;26:312-5 (Case rep.)
- Cattaneo A (see Mozzanica et al). 1992;26:693-700
- Caumes E (see Saiag et al). 1992;26:567-74
- Cauwenbergh G (see Willemsen et al). 1992;26:731-5 (Therapy)
- Ceiley RI (see AAD Committee on Guidelines of Care). 1992;26:117-20 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:247-50 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:485-8 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:629-31 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:763-5 (Acad. guidelines)
- Chan A (see Stiller et al). 1992;26:775-6 (Brief comm.)
- Chan P. Antibiotic prophylaxis for patients with hereditary hemorrhagic telangiectasia. 1992;26:282 (Letter)
- Chandler FW (see Rabb et al). 1992;26:267-8 (Brief comm.)
- Charley MR (see Hunt et al). 1992;26:552-8
- Chavaz P (see Feldmann et al). 1992;26:833-5 (Case rep.)
- Chen J-S (see Tsai et al). 1992;26:31-8
- Cheng A-L (see Tsai et al). 1992;26:31-8
- Chiang C-P (see Lin et al). 1992;26:943-7
- Choong HL (see Tham and Choong). 1992;26:342-4 (Case rep.)
- Chosidow O, Bagot M, Vernant J-P, Roujeau J-C, Cordonnier C, Kuentz M, Wechsler J, André C, Touraine R, Revuz J. Scleroderma chronic graft-versus-host disease. 1992;26:49-55
- (see Saiag et al). 1992;26:567-74
- Christophers E, Mrowietz U, Henneicke H-H, Färber L, Welzel D. Cyclosporine in psoriasis: a multicenter dose-finding study in severe plaque psoriasis. 1992;26:86-90 (Therapy)
- Chu P, LeBoit PE. An eruptive vascular proliferation resembling acquired tufted angioma in the recipient of a liver transplant. 1992;26:322-5 (Case rep.)
- Chuang T-Y, Heinrich LA, Schultz MD, Reizner GT, Kumm RC, Cripps DJ. PUVA and skin cancer. 1992;26:173-7
- Clapp RW (see Koh et al). 1992;26:914-9
- Claudy A (see Cunliffe et al). 1992;26:736-43 (Therapy)
- Cobb MW (see Baxter et al). 1992;26:306-8 (Case rep.)
- Cockerell CJ, Dolan ET. Widespread cutaneous and systemic calcification (calciophylaxis) in patients with the acquired immunodeficiency syndrome and renal disease. 1992;26:559-62
- Cohen LM, Callen JP. Oral and labial melanotic macules in a patient infected with human immunodeficiency virus. 1992;26:653-4 (Brief comm.)
- , Tying SK, Rády P, Callen JP. Human papillomavirus type 11 in multiple squamous cell carcinomas in a patient with subacute cutaneous lupus erythematosus. 1992;26:840-5 (Case rep.)
- Cohen PR. Red lunulae: case report and literature review. 1992;26:292-4 (Case rep.)
- , Prystowsky JH. Pityriasis rubra pilaris: the problem of its classification. 1992;26:141-2 (Letter reply)
- , Scher RK. Geriatric nail disorders: diagnosis and treatment. 1992;26:521-34 (CME article)
- (see Cole et al). 1992;26:285-7 (Case rep.)
- Cohn BA. The significance of dark skin in photoprotection. 1992;26:281-2 (Letter)
- Cole C, VanFossen R. Measurement of sunscreen UVA protection: an unsensitized human model. 1992;26:178-84
- Cole MC, Cohen PR, Satra KH, Grossman ME. The concurrent presence of systemic disease pathogens and cutaneous Kaposi's sarcoma in the same lesion: *Histoplasma capsulatum* and Kaposi's sarcoma coexisting in a single skin lesion in a patient with AIDS. 1992;26:285-7 (Case rep.)
- Conlan MG, Hoots WK. Porphyria cutanea tarda in association with human immunodeficiency virus infection in a hemophiliac. 1992;26:857-9 (Case rep.)
- Connolly SM (see Quimby et al). 1992;26:79-85
- Cony M (see Taieb et al). 1992;26:1027 (Letter)
- Cordonnier C (see Chosidow et al). 1992;26:49-55
- Cornelison RL (see AAD Committee on Guidelines of Care). 1992;26:117-20 (Acad. guidelines)

- (see AAD Committee on Guidelines of Care). 1992;26:247-50 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:485-8 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:629-31 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:763-5 (Acad. guidelines)
- Cornell RC. Intralesional interferon therapy for basal cell carcinoma. 1992;26:143 (Letter reply)
- Coskey RJ (see AAD Committee on Guidelines of Care). 1992; 26:247-50 (Acad. guidelines)
- Cottenot F (see Descamps et al). 1992;26:651-2 (Brief comm.)
- Cox NH. Seidlmeier's syndrome: postinfectious cockade purpura of early childhood. 1992;26:275 (Letter)
- Cream JJ (see Sherman et al). 1992;26:105-9 (Case rep.)
- Crickx B (see Maghraoui et al). 1992;26:490-2 (Brief comm.)
- Cripps DJ (see Chuang et al). 1992;26:173-7
- Crovato F (see Nazzari et al). 1992;26:499-501 (Brief comm.)
- Cunliffe WJ, Berth-Jones J, Claudy A, Fairiss G, Goldin D, Gratton D, Henderson CA, Holden CA, Maddin WS, Ortonne J-P, Young M. Comparative study of calcipotriol (MC903) ointment and betamethasone 17-valerate ointment in patients with psoriasis vulgaris. 1992;26:736-43 (Therapy)
- , Hull SM. Spironolactone in dermatology. 1992;26:137 (Letter)
- (see Hull and Cunliffe). 1992;26:276-7 (Letter)
- Cyran S, Douglass MC, Silverstein JL. Chronic cutaneous lupus erythematosus presenting as periorbital edema and erythema. 1992; 26:334-8 (Case rep.)
- Czarnecki D, Lewis A, Nicholson I, Tait B, Nash C. HLA-DR1 is not a sign of poor prognosis for the development of multiple basal cell carcinomas. 1992;26:717-9
- Czech W (see Krutmann et al). 1992;26:225-30 (Therapy)
- D**
- Dahl MV (see Swanson and Dahl). 1992;26:283 (Letter reply)
- Dai WS, LaBraico JM, Stern RS. Epidemiology of isotretinoin exposure during pregnancy. 1992;26:599-606
- Dalton M (see Vincent et al). 1992;26:458-61 (Therapy)
- Daly TJ (see Osman et al). 1992;26:879-81 (Case rep.)
- Danby FW. Spironolactone. 1992;26:137 (Letter)
- Darwin BS, Herzberg AJ, Murray JC, Olsen EA. Generalized papular xanthomatosis in mycosis fungoides. 1992;26:828-32 (Case rep.)
- Day CL Jr (see Rowe et al). 1992;26:976-90 (Clin. rev.)
- De Doncker P (see Willemsen et al). 1992;26:731-5 (Therapy)
- DeGryse RE (see Smith et al). 1992;26:125-7 (Brief comm.)
- DeLeo VA (see Prystowsky et al). 1992;26:607-13 (Therapy)
- Delrous J-L (see Bernard et al). 1992;26:312-5 (Case rep.)
- de Misa RF, Suárez J, Medina S, Azafra JM, Navas G, Ledo A. Cutaneous T-cell lymphoma and autoimmune hemolytic anemia. 1992;26:1011-2 (Brief comm.)
- (see Martinez et al). 1992;26:494-6 (Brief comm.)
- Descamps V, Flageul B, Vignon-Pennamen D, Prigent F, Martinet C, Cottenot F, Dubertret L. Dyshidrosiform pemphigoid: report of three cases. 1992;26:651-2 (Brief comm.)
- Diamond HJ, Phelps RG, Gordon ML, Lambroza E, Namdari H, Bottone EJ. Combined *Aspergillus* and zygomycotic (*Rhizopus*) infection in a patient with acquired immunodeficiency syndrome. 1992;26:1017-8 (Brief comm.)
- Diepgen T (see Krutmann et al). 1992;26:225-30 (Therapy)
- Diez LI (see Hernando et al). 1992;26:124-5 (Brief comm.)
- Dijkstra J (see Helm et al). 1992;26:315-8 (Case rep.)
- Di Lernia V (see Patrizi et al). 1992;26:855-7 (Case rep.)
- Diotti R (see Mozzanica et al). 1992;26:693-700
- Dobes WA (see AAD Committee on Guidelines of Care). 1992; 26:117-20 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:485-8 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:629-31 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:763-5 (Acad. guidelines)
- Dobes WL (see AAD Committee on Guidelines of Care). 1992; 26:117-20 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:247-50 (Acad. guidelines)
- Dohi S (see Saida et al). 1992;26:744-8 (Dermatopathology)
- Dolan ET (see Cockerell and Dolan). 1992;26:559-62
- Don PC (see Osman et al). 1992;26:879-81 (Case rep.)
- Dorner W (see AAD Committee on Guidelines of Care). 1992;26: 117-20 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:247-50 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:485-8 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:629-31 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:763-5 (Acad. guidelines)
- Douglass MC (see Cyran et al). 1992;26:334-8 (Case rep.)
- Drake LA (see AAD Committee on Guidelines of Care). 1992;26: 117-20 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:247-50 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:485-8 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:629-31 (Acad. guidelines)
- (see AAD Committee on Guidelines of Care). 1992;26:763-5 (Acad. guidelines)
- Dromgoole SH (see Smith et al). 1992;26:125-7 (Brief comm.)
- Druker BJ (see Held et al). 1992;26:261-2 (Brief comm.)
- Dubertret L (see Bagot and Dubertret). 1992;26:283 (Letter)
- (see Descamps et al). 1992;26:651-2 (Brief comm.)
- Dudley C (see Hoffman and Dudley). 1992;26:496-7 (Brief comm.)
- Duran MM, Bernal J. HLA typing in actinic prurigo. 1992;26:658 (Letter)
- Dutrée-Meulenberg ROGM, Kozel MMA, van Joost Th. Burning mouth syndrome: a possible etiologic role for local contact hypersensitivity. 1992;26:935-40
- E**
- Eckert F, Baričević B, Landthaler M, Schmid U. Metastatic signet-ring cell melanoma in a patient with an unknown primary tumor. 1992;26:870-5 (Case rep.)
- Edelson R (see Heald et al). 1992;26:865-70 (Case rep.)
- Edoute Y, Ben-Haim SA, Malberger E. Umbilical metastasis from urinary bladder carcinoma. 1992;26:656-7 (Brief comm.)
- Efalth Multicenter Trial Group. A double-blind, placebo-controlled, multicenter trial of lithium succinate ointment in the treatment of seborrheic dermatitis. 1992;26:452-7 (Therapy)
- El-Azhary RA (see Yiannias et al). 1992;26:38-44
- Elgart ML (see Masri-Fridling and Elgart). 1992;26:780-2 (Brief comm.)
- Elias PM (see Ghadially et al). 1992;26:387-96
- Ellis C (see Berman et al). 1992;26:956-60 (Therapy)
- English JC (see Lui et al). 1992;26:805-13 (Case rep.)
- Epstein E. Intralesional interferon therapy for basal cell carcinoma. 1992;26:142-3 (Letter)
- Ermacor E (see Caputo et al). 1992;26:207-10
- Ernstoff MS (see Barnhill et al). 1992;26:185-90
- Escobar C (see Falabella et al). 1992;26:230-6 (Therapy)

- Estes S (see Langenberg et al). 1992;26:951-5
Euwer R, Sontheimer RD. Amyopathic dermatomyositis. 1992; 26:506-8 (Letter reply)

F

- Fairiss G (see Cunliffe et al). 1992;26:736-43 (Therapy)
Falabella R, Escobar C, Borrero I. Treatment of refractory and stable vitiligo by transplantation of in vitro cultured epidermal autografts bearing melanocytes. 1992;26:230-6 (Therapy)
Färber L (see Christophers et al). 1992;26:86-90 (Therapy)
Feldman SR, Silver RM, Maize JC. A histopathologic comparison of Shulman's syndrome (diffuse fasciitis with eosinophilia) and the fasciitis associated with the eosinophilia-myalgia syndrome. 1992;26:95-100 (Dermatopathology)
Feldmann R, Harms M, Chavaz P, Salomon D, Saurat J-H. Orbital and palpebral paraffinoma. 1992;26:833-5 (Case rep.)
Fine J (see Bologna et al). 1992;26:198-202
Fine J-D. Inherited epidermolysis bullosa. 1992;26:279 (Letter reply)
Finzi AF (see Mozzanica et al). 1992;26:693-700
Fishman SJ, McCormick CM, McBurney EI. Pulsed high-dose corticosteroids and melphalan as an alternative therapy for refractory cutaneous T-cell lymphoma. 1992;26:130-1 (Brief comm.)
Fivenson DP (see Peoples and Fivenson). 1992;26:498-9 (Brief comm.)
Flageul B (see Descamps et al). 1992;26:651-2 (Brief comm.)
Flores M (see Manrique et al). 1992;26:122-3 (Brief comm.)
Foppa S (see Mozzanica et al). 1992;26:693-700
Fortea JM (see Serrano et al). 1992;26:545-8
— (see Serrano et al). 1992;26:502-4 (Brief comm.)
Fowler JF Jr (see Klein and Fowler). 1992;26:645-6 (Brief comm.)
Fox JN (see Goldstein and Fox). 1992;26:700-3
— (see Kaplan et al). 1992;26:364-6 (Case rep.)
Frankel DH, Hanusa BH, Zitelli JA. New primary nonmelanoma skin cancer in patients with a history of squamous cell carcinoma of the skin. 1992;26:720-6
Franklin N (see Berger and Franklin). 1992;26:256-7 (Brief comm.)
Friedman RJ (see Vossaert et al). 1992;26:429-40
Friedman S (see Hatch et al). 1992;26:549-51
Friedman-Birnbaum R (see Bergman et al). 1992;26:462-6 (Dermatopathology)
— (see Harth et al). 1992;26:132-3 (Brief comm.)
Fryer JM, Werth VP. Pregnancy-associated hyperpigmentation: longitudinal melanonychia. 1992;26:493-4 (Brief comm.)
Fujita M. Does follicular mucinosis in Hodgkin's disease represent a sign of poor prognosis? 1992;26:659-60 (Letter)
Furie M (see Kurose et al). 1992;26:359-63 (Case rep.)

G

- Ganchegui X (see Manrique et al). 1992;26:122-3 (Brief comm.)
Garbe C (see Krüger et al). 1992;26:920-6
Garden J (see Pakula and Garden). 1992;26:139-40 (Letter)
Garfinkel L (see Lee et al). 1992;26:59-63
Garland LD (see Bielek et al). 1992;26:754-6 (Derm. surg.)
Garrett SJ, Roenigk HH Jr. Erythema gyratum repens in a healthy woman. 1992;26:121-2 (Brief comm.)
Gattuso P (see Schmidt et al). 1992;26:319-21 (Case rep.)
Gauthier Y, Surleve-Bazeille J-E. Autologous grafting with noncultured melanocytes: a simplified method for treatment of depigmented lesions. 1992;26:191-4
Gawkrödger DJ (see Sibenge and Gawkrödger). 1992;26:590-3
Geha RS. Aspartame-induced lobular panniculitis. 1992;26:277-8 (Letter)
Geller AC, Koh HK, Miller DR, Lew RA. Practices and beliefs concerning screening family members of patients with melanoma. 1992;26:419-22
— (see Koh et al). 1992;26:914-9
Gelmetti C (see Caputo et al). 1992;26:207-10
Ghadially R, Halkier-Sorensen L, Elias PM. Effects of petrolatum on stratum corneum structure and function. 1992;26:387-96
Gianni E (see Caputo et al). 1992;26:207-10
Gibson LE (see Mehregan et al). 1992;26:441-8
— (see Yiannias et al). 1992;26:38-44
Gilliam A (see Heald et al). 1992;26:865-70 (Case rep.)
Glanz S (see Helm et al). 1992;26:315-8 (Case rep.)
Glickman FS. Quantitative nailfold capillary microscopy. 1992;26:790-1 (Letter)
Gold JA, Nürnberger FG. A tribute to Abraham Buschke. 1992;26: 1019-22 (In memoriam)
— (see Olsen et al). 1992;26:215-24
Goldberg NS. What is segmental neurofibromatosis? 1992;26:638-40 (Brief comm.)
Goldin D (see Cunliffe et al). 1992;26:736-43 (Therapy)
Goldman MP. Nonhealing leg ulcers: a manifestation of basal cell carcinoma. 1992;26:791-2 (Letter)
Goldstein AMB, Fox JN. The hard penile circumferential fold as the presenting finding in primary syphilis: report of six cases. 1992; 26:700-3
Goldstein BA (see Zhu et al). 1992;26:710-4
Goltz RW (see AAD Committee on Guidelines of Care). 1992; 26:117-20 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1992;26:247-50 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1992;26:485-8 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1992;26:629-31 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1992;26:763-5 (Acad. guidelines)
González-Mendoza A (see Barba-Gómez et al). 1992;26:367-70 (Case rep.)
Goodman MM (see Ross et al). 1992;26:128-9 (Brief comm.)
Gordon ML (see Diamond et al). 1992;26:1017-8 (Brief comm.)
Gorsulowsky D (see Kanzler and Gorsulowsky). 1992;26:509 (Letter)
Grablowitz D, Micksche M, Soltz-Szöts J. Systemic treatment of extensive condylomata acuminata with interferon alfa 2b. 1992; 26:1009-10 (Brief comm.)
Grabski WJ (see Sharkey et al). 1992;26:273-4 (Brief comm.)
Graham GF (see AAD Committee on Guidelines of Care). 1992; 26:117-20 (Acad. guidelines)
Grant-Kels JM (see Maher-Wiese et al). 1992;26:620-8 (Clin. rev.)
Gratton D (see Cunliffe et al). 1992;26:736-43 (Therapy)
Graul JM, Hausmann G, Casademont J, Herrero C. Amyopathic dermatomyositis. 1992;26:505 (Letter)
Gregg LJ. Intralesional bleomycin and Raynaud's phenomenon. 1992;26:279-80 (Letter)
Gregory B, Ho VC. Cutaneous manifestations of gastrointestinal disorders. Part I. 1992;26:153-68 (CME article)
—, —. Cutaneous manifestations of gastrointestinal disorders. Part II. 1992;26:371-86 (CME article)
Griffith RF (see Smith et al). 1992;26:125-7 (Brief comm.)
Griffiths WAD. Pityriasis rubra pilaris: the problem of its classification. 1992;26:140-1 (Letter)
Grob JJ. Antiphospholipid antibody syndrome. 1992;26:139 (Letter reply)
Groppe C (see Shupack et al). 1992;26:785-6 (Brief comm.)
Grossin M (see Maghraoui et al). 1992;26:490-2 (Brief comm.)
Grossman ME (see Cole et al). 1992;26:285-7 (Case rep.)
— (see Marcus et al). 1992;26:295-7 (Case rep.)
Gruber BL (see Kaufman et al). 1992;26:789-90 (Letter reply)
Gruschwitz M (see von den Driesch et al). 1992;26:799-804 (Case rep.)
Gudmundsen KJ, O'Donnell BF, Powell FC. Schirmer testing for dry eyes in patients with rosacea. 1992;26:211-4

- Guggenmoos-Holzmann I (see Krüger et al). 1992;26:920-6
Guillen C (see Botella-Estrada et al). 1992;26:777-8 (Brief comm.)
Guillet G (see Plantin et al). 1992;26:268-9 (Brief comm.)
— (see Sassolas et al). 1992;26:501-2 (Brief comm.)
Guzzo C (see Margolis et al). 1992;26:195-7

H

- Haam IB (see Hann et al). 1992;26:646-8 (Brief comm.)
Halkier-Sorensen L (see Ghadially et al). 1992;26:387-96
Hall MJ (see Mehregan et al). 1992;26:441-8
Hall RP III (see Carpenter et al). 1992;26:45-8
Halperin A (see Nova et al). 1992;26:329-33 (Case rep.)
Hanifin JM (see AAD Committee on Guidelines of Care). 1992; 26:485-8 (Acad. guidelines)
Hann SK, Park Y-K, Im S, Koo S-W, Haam IB. The effect on liver transaminases by phototoxic drugs in systemic photochemotherapy. 1992;26:646-8 (Brief comm.)
Hansen HE (see Zachariae et al). 1992;26:415-9
Hanusa BH (see Frankel et al). 1992;26:720-6
Hanyaku H (see Konohana et al). 1992;26:1002-3 (Brief comm.)
Happle R. How many epidermal nevus syndromes exist? 1992;26:1028 (Letter reply)
— (see van der Steen and Happle). 1992;26:277 (Letter reply)
Harms M (see Feldmann et al). 1992;26:833-5 (Case rep.)
Harrington DS (see Parks et al). 1992;26:968-75 (Dermatopathology)
Harris B, Harris K, Penneys NS. Demonstration by S-100 protein staining of increased numbers of nerves in the papillary dermis of patients with prurigo nodularis. 1992;26:56-8
Harris D (see Ostlere et al). 1992;26:782-3 (Brief comm.)
Harris K (see Harris et al). 1992;26:56-8
Harth Y, Friedman-Birnbaum R, Lefler E, Bergman R. Two patients with simultaneous, unusually located primary cutaneous nocardiosis. 1992;26:132-3 (Brief comm.)
Hasegawa T (see Kaneko et al). 1992;26:397-403
Hasson A (see Requena et al). 1992;26:860-2 (Case rep.)
Hatch ML, Paradis C, Friedman S, Popkin M, Shalita AR. Obsessive-compulsive disorder in patients with chronic pruritic conditions: case studies and discussion. 1992;26:549-51
Hausmann G (see Grau et al). 1992;26:505 (Letter)
Hayakawa K, Shiohara T, Yagita A, Nagashima M. Linear IgA bullous dermatosis associated with rheumatoid arthritis. 1992;26:110-3 (Case rep.)
Hayes AG, Berry AD III. Cutaneous metastasis from squamous cell carcinoma of the cervix. 1992;26:846-50 (Case rep.)
Headley A (see Bologna et al). 1992;26:198-202
Heald P, Buckley P, Gilliam A, Perez M, Knobler R, Kacinski B, Edelson R. Correlations of unique clinical, immunotypic, and histologic findings in cutaneous gamma/delta T-cell lymphoma. 1992; 26:865-70 (Case rep.)
Hearing VJ (see Kameyama et al). 1992;26:817-20 (Case rep.)
Hebert AA (see Smith et al). 1992;26:125-7 (Brief comm.)
Heese A, Hintzenstern Jv, Peters K-P, Koch HU, Hornstein OP. Allergic and irritant reactions to rubber gloves in medical health services (1991;25:831-9). 1992;26:403 (Correction)
Heilman ER (see Pruzan et al). 1992;26:642-4 (Brief comm.)
Heimer WL II, Brauner G, James WD. Dermatopathia pigmentosa reticularis: a report of a family demonstrating autosomal dominant inheritance. 1992;26:298-301 (Case rep.)
Heinrich LA (see Chuang et al). 1992;26:173-7
Held JL, Druker BJ, Kohn SR, Byrnes W, Margolis RJ. Atypical, nonfatal, transfusion-associated, acute graft-versus-host disease in a patient with Hodgkin's disease. 1992;26:261-2 (Brief comm.)
Helm TN, Valenzuela R. Continuous dermoepidermal junction IgM detected by direct immunofluorescence: a report of nine cases. 1992;26:203-6

- , —, Glanz S, Parker L, Dijkstra J, Bergfeld WF. Relapsing polychondritis: a case diagnosed by direct immunofluorescence and coexisting with pseudocyst of the auricle. 1992;26:315-8 (Case rep.)
Helmold ME (see Thomas et al). 1992;26:863-5 (Case rep.)
Henderson CA (see Cunliffe et al). 1992;26:736-43 (Therapy)
Henneicke H-H (see Christophers et al). 1992;26:86-90 (Therapy)
Hern AE, Shwayder TA. Unilateral plantar erythema nodosum. 1992;26:259-60 (Brief comm.)
Hernandez D (see Penneys et al). 1992;26:940-2
Hernando LB, Sebastián FV, Sánchez JH, Romero PO, Diez LI. Lichen planus pemphigoides in a 10-year-old girl. 1992;26:124-5 (Brief comm.)
Herrero C (see Grau et al). 1992;26:505 (Letter)
Herzberg AJ (see Darwin et al). 1992;26:828-32 (Case rep.)
Heykants J (see Willemsen et al). 1992;26:731-5 (Therapy)
Heymann WR. Cutaneous manifestations of thyroid disease. 1992; 26:885-906 (CME article)
Hickman JG (see Smith et al). 1992;26:125-7 (Brief comm.)
Hirano N (see Seno et al). 1992;26:338-42 (Case rep.)
Ho VC (see Gregory and Ho). 1992;26:153-68 (CME article)
— (see Gregory and Ho). 1992;26:371-86 (CME article)
Hoffman MD, Dudley C. Suspected Alezzandrini's syndrome in a diabetic patient with unilateral retinal detachment and ipsilateral vitiligo and poliosis. 1992;26:496-7 (Brief comm.)
Hogan DJ (see Kraffert and Hogan). 1992;26:140 (Letter)
— (see Lane et al). 1992;26:658 (Letter reply)
— (see Lane et al). 1992;26:659 (Letter reply)
— (see Lane et al). 1992;26:683-92
Holden CA (see Cunliffe et al). 1992;26:736-43 (Therapy)
Holder WR (see AAD Committee on Guidelines of Care). 1992;26: 485-8 (Acad. guidelines)
Hollander E (see Stein and Hollander). 1992;26:237-42 (Clin. rev.)
Hönigsmann H (see Petzelbauer et al). 1992;26:68-74
Hoots WK (see Conlan and Hoots). 1992;26:857-9 (Case rep.)
Hordinsky MK (see AAD Committee on Guidelines of Care). 1992; 26:247-50 (Acad. guidelines)
Hsieh H-C (see Tsai et al). 1992;26:31-8
Huber-Spitzy V (see Böhrer et al). 1992;26:749-53 (Derm. surg.)
Huff JC (see Brice et al). 1992;26:594-8
Hull P (see Weiss and Hull). 1992;26:715-7
Hull SM, Cunliffe WJ. Treatment of alopecia areata with diphenylcyclopropenone. 1992;26:276-7 (Letter)
— (see Cunliffe and Hull). 1992;26:137 (Letter)
Hunt SJ, Charley MR, Jegasothy BV. Cutaneous T-cell lymphoma: utility of antibodies to the variable regions of the human T-cell antigen receptor. 1992;26:552-8
Hunziker T (see Mahler and Hunziker). 1992;26:791 (Letter reply)

I

- Ikegawa S (see Saida et al). 1992;26:744-8 (Dermatopathology)
Im S (see Hann et al). 1992;26:646-8 (Brief comm.)
Iozumi K (see Kurose et al). 1992;26:359-63 (Case rep.)
Irvine J (see Lane et al). 1992;26:683-92
Ishibashi Y (see Kurose et al). 1992;26:359-63 (Case rep.)

J

- James WD, Rosenthal LE, Brancaccio RR, Marks JG Jr. American Academy of Dermatology Patch Testing Survey: use and effectiveness of this procedure. 1992;26:991-4 (From the Academy)
— (see Heimer et al). 1992;26:298-301 (Case rep.)
Jansen GT (see AAD Committee on Guidelines of Care). 1992; 26:117-20 (Acad. guidelines)
Jegasothy BV (see Brod et al). 1992;26:882-4 (Case rep.)
— (see Hunt et al). 1992;26:552-8
Jensen GT (see AAD Committee on Guidelines of Care). 1992;26:485-8 (Acad. guidelines)

- Jester JD (see Brice et al). 1992;26:594-8
- Johnson J (see Margolis et al). 1992;26:195-7
- Johnson TM, Rowe DE, Nelson BR, Swanson NA. Squamous cell carcinoma of the skin (excluding lip and oral mucosa). 1992;26:467-84 (Clin. rev.)
- Jones G, McLean J, Rosenthal D, Roberts J, Sauder DN. Combined treatment with oral tretinoin and electron beam therapy in patients with cutaneous T-cell lymphoma (mycosis fungoides and Sézary syndrome). 1992;26:960-7 (Therapy)
- Jones RR (see Burrows and Jones). 1992;26:508 (Letter)
- Jorizzo JL (see Callen and Jorizzo). 1992;26:505-6 (Letter)
- Jucglà A (see Marcoval et al). 1992;26:404-7
- K**
- Kacinski B (see Heald et al). 1992;26:865-70 (Case rep.)
- Kadonaga JN (see Koo et al). 1992;26:836-40 (Case rep.)
- Kaidbey K (see Lavker et al). 1992;26:535-44
- Kaiserling E (see Meier et al). 1992;26:813-7 (Case rep.)
- Kameyama K, Morita M, Sugaya K, Nishiyama S, Hearing VJ. Treatment of reticulate acropigmentation of Kitamura with azelaic acid. 1992;26:817-20 (Case rep.)
- Kaneko F, Tanji O, Hasegawa T, Ohto H, Yamazaki K. Neonatal lupus erythematosus in Japan. 1992;26:397-403
- Kanzaki T, Morita A, Takashima A. Follicular keratosis of the chin. 1992;26:134-5 (Brief comm.)
- , Tsuda J. Bile pigment deposition at sweat pores of patients with liver disease. 1992;26:655-6 (Brief comm.)
- Kanzler MH, Gorsulowsky D. Serum aminoterminal propeptide of type III procollagen in psoriasis and psoriatic arthritis: relation to liver fibrosis. 1992;26:509 (Letter)
- Kaplan RP, Potter TS, Fox JN. Drug-induced pemphigus related to angiotensin-converting enzyme inhibitors. 1992;26:364-6 (Case rep.)
- Kapp A (see Krutmann et al). 1992;26:225-30 (Therapy)
- Kárpáti S, Stolz W, Meurer M, Braun-Falco O, Krieg T. In situ localization of IgG in epidermolysis bullosa acquisita by immunogold technique. 1992;26:726-30
- Katayama H (see Seno et al). 1992;26:338-42 (Case rep.)
- Katz HI (see Olsen et al). 1992;26:215-24
- Katz I (see Bergman et al). 1992;26:462-6 (Dermatopathology)
- Kaufman LD, Seidman RJ, Phillips ME, Gruber BL. Cutaneous toxic mucinoses. 1992;26:789-90 (Letter reply)
- Kaufman M (see Nova et al). 1992;26:329-33 (Case rep.)
- Keen MS (see Prystowsky et al). 1992;26:607-13 (Therapy)
- Kellner I (see Boehncke et al). 1992;26:907-13
- Kemmett D, Harrison DJ, Hunter JAA. Antibodies to neutrophil cytoplasmic antigens: a serologic marker for Sweet's syndrome (1991;24:967-9). 1992;26:214 (Correction)
- Kerdell FA (see Liang et al). 1992;26:779-80 (Brief comm.)
- Khatri ML, Shafi M, Mashina A. Xeroderma pigmentosum. 1992;26:75-8
- Killey FP (see Smith et al). 1992;26:125-7 (Brief comm.)
- Kim JM, Su WPD. Mid dermal elastolysis with wrinkling. 1992;26:169-73
- Kirkwood JM (see Barnhill et al). 1992;26:185-90
- Kirsner RS (see Bielek et al). 1992;26:754-6 (Derm. surg.)
- Klausner MA. Ketoconazole and hepatitis. 1992;26:1028-9 (Letter)
- Klein LR, Fowler JF Jr. Nickel dermatitis recall in disulfiram therapy for alcohol abuse. 1992;26:645-6 (Brief comm.)
- Knight TE. Ketoconazole and hepatitis. 1992;26:1029-30 (Letter reply)
- Knobler R (see Böhler et al). 1992;26:749-53 (Derm. surg.)
- (see Heald et al). 1992;26:865-70 (Case rep.)
- Knowles DM (see Andersen et al). 1992;26:850-4 (Case rep.)
- Koh HK, Miller DR, Geller AC, Clapp RW, Mercer MB, Lew RA. Who discovers melanoma? 1992;26:914-9
- (see Geller et al). 1992;26:419-22
- Kohn SR (see Held et al). 1992;26:261-2 (Brief comm.)
- Konohana A, Noda J, Shoji K, Hanyaku H. Primary tuberculosis of the glans penis. 1992;26:1002-3 (Brief comm.)
- Konter U (see Boehncke et al). 1992;26:907-13
- Koo JY, Kadonaga JN, Wintroub BV, Lozada-Nur FI. The development of B-cell lymphoma in a patient with psoriasis treated with cyclosporine. 1992;26:836-40 (Case rep.)
- Koo S-W (see Hann et al). 1992;26:646-8 (Brief comm.)
- Kopf AW (see Lee et al). 1992;26:59-63
- (see Vossaert et al). 1992;26:429-40
- Kozel MMA (see Dutrée-Meulenberg et al). 1992;26:935-40
- Kozłowski LM, Nigra TP. Esophageal acanthosis nigricans in association with adenocarcinoma from an unknown primary site. 1992;26:348-51 (Case rep.)
- Kraffert CA, Hogan DJ. *Vibrio vulnificus* infection and iron overload. 1992;26:140 (Letter)
- Kragballe K (see Zachariae et al). 1992;26:415-9
- Krause I (see Yosipovitch et al). 1992;26:825-7 (Case rep.)
- Krieg T (see Kárpáti et al). 1992;26:726-30
- Krüger S, Garbe C, Büttner P, Stadler R, Guggenmoos-Holzmann I, Orfanos CE. Epidemiologic evidence for the role of melanocytic nevi as risk markers and direct precursors of cutaneous malignant melanoma. 1992;26:920-6
- Krull EA (see AAD Committee on Guidelines of Care). 1992;26:117-20 (Acad. guidelines)
- Krutmann J, Czech W, Diepgen T, Niedner R, Kapp A, Schöpf E. High-dose UVA1 therapy in the treatment of patients with atopic dermatitis. 1992;26:225-30 (Therapy)
- Kubota Y (see Ohtake et al). 1992;26:876-8 (Case rep.)
- Kuentz M (see Chosidow et al). 1992;26:49-55
- Kuflik AS, Schwartz RA. Lymphocytoma cutis: a series of five patients successfully treated with cryosurgery. 1992;26:449-52 (Therapy)
- Kumm RC (see Chuang et al). 1992;26:173-7
- Kurose N, Nakagawa H, Iozumi K, Nogita T, Furue M, Ishibashi Y. Systemic elastolytic granulomatosis with cutaneous, ocular, lymph nodal, and intestinal involvement. 1992;26:359-63 (Case rep.)
- Kurtin PJ (see Landa et al). 1992;26:288-92 (Case rep.)
- Kwa RE, Campana K, Moy RL. Biology of cutaneous squamous cell carcinoma. 1992;26:1-30 (CME article)
- L**
- LaBraico JM (see Dai et al). 1992;26:599-606
- Lacour J-P, Vitetta A, Ortonne J-P. Linear IgA dermatitis and thyroid carcinoma. 1992;26:257-9 (Brief comm.)
- Lambroza E (see Diamond et al). 1992;26:1017-8 (Brief comm.)
- Landa NG, Zelikson BD, Kurtin PJ, Winkelmann RK. Primary B-cell lymphoma with histologic features of a T-cell neoplasm. 1992;26:288-92 (Case rep.)
- Landthaler M (see Eckert et al). 1992;26:870-5 (Case rep.)
- Lane PR, Hogan DJ, Martel MJ, Reeder B, Irvine J. Actinic prurigo: clinical features and prognosis. 1992;26:683-92
- , —, Sheridan DP. HLA typing in polymorphic light eruption. 1992;26:659 (Letter reply)
- , Sheridan DP, Hogan DJ, Moreland A. HLA typing in actinic prurigo. 1992;26:658 (Letter reply)
- Langenberg A, Berger TG, Cardelli M, Rodman OG, Estes S, Barron DR. Genital benign chronic pemphigus (Hailey-Hailey disease) presenting as condylomas. 1992;26:951-5
- Latasa JM (see Serrano et al). 1992;26:545-8
- (see Serrano et al). 1992;26:502-4 (Brief comm.)
- Lather RM (see Breneman et al). 1992;26:91-4 (Therapy)
- Lavker RM, Kaidbey K, Leyden JJ. Effects of topical ammonium lactate on cutaneous atrophy from a potent topical corticosteroid. 1992;26:535-44
- Lawrence CM, Shuster S. Therapeutic effect of anthralin. 1992;26:138 (Letter)
- Lazarus GS (see Margolis et al). 1992;26:195-7

- LeBoit PE (see Chu and LeBoit). 1992;26:322-5 (Case rep.)
 Ledo A (see de Misa et al). 1992;26:1011-2 (Brief comm.)
 — (see Martinez et al). 1992;26:494-6 (Brief comm.)
 Lee PY, Silverman MK, Rigel DS, Vossart KA, Kopf AW, Bart RS, Garfinkel L, Levenstein MJ. Level of education and the risk of malignant melanoma. 1992;26:59-63
 Lefler E (see Harth et al). 1992;26:132-3 (Brief comm.)
 Legrain V, Taieb A, Maleville J. Infantile acute hemorrhagic edema of the skin. 1992;26:276 (Letter reply)
 —, —, —. Seidlmayer's syndrome: postinfectious cockade purpura of early childhood. 1992;26:276 (Letter reply)
 Leonardi C (see Zhu et al). 1992;26:710-4
 Leroy JP (see Plantin et al). 1992;26:268-9 (Brief comm.)
 Leshner JL Jr (see Rabb et al). 1992;26:267-8 (Brief comm.)
 Levenstein MJ (see Lee et al). 1992;26:59-63
 — (see Vossart et al). 1992;26:429-40
 Levine N (see Olsen et al). 1992;26:215-24
 Lew RA (see Geller et al). 1992;26:419-22
 — (see Koh et al). 1992;26:914-9
 Lewis A (see Czarnecki et al). 1992;26:717-9
 Lewis CW (see AAD Committee on Guidelines of Care). 1992;26:117-20 (Acad. guidelines)
 — (see AAD Committee on Guidelines of Care). 1992;26:247-50 (Acad. guidelines)
 — (see AAD Committee on Guidelines of Care). 1992;26:485-8 (Acad. guidelines)
 — (see AAD Committee on Guidelines of Care). 1992;26:629-31 (Acad. guidelines)
 — (see AAD Committee on Guidelines of Care). 1992;26:763-5 (Acad. guidelines)
 Leyden JJ (see Berman et al). 1992;26:956-60 (Therapy)
 — (see Lavker et al). 1992;26:535-44
 Liang G, Nahass G, Kerdell FA. Pemphigus vulgaris treated with photopheresis. 1992;26:779-80 (Brief comm.)
 Liao SY (see Ross et al). 1992;26:128-9 (Brief comm.)
 Lichtig C (see Bergman et al). 1992;26:462-6 (Dermatopathology)
 Lignier KB. Minocycline in Lyme disease. 1992;26:263-4 (Brief comm.)
 Lim J, Ng SK. Oral tetracycline rinse improves symptoms in white sponge nevus. 1992;26:1003-5 (Brief comm.)
 Lin S-C, Sun A, Wu Y-C, Chiang C-P. Presence of anti-basal cell antibodies in oral lichen planus. 1992;26:943-7
 Lindelöf B, Sigurgeirsson B, Melander S. Seborrheic keratoses and cancer. 1992;26:947-50
 Lisi R (see Manganelli et al). 1992;26:309-11 (Case rep.)
 López-Gil F, Roura M, Umberto I, Umberto P. Malignant proliferative angioendotheliomatosis or angiotropic lymphoma associated with a soft-tissue lymphoma. 1992;26:101-4 (Case rep.)
 Lowe N (see Berman et al). 1992;26:956-60 (Therapy)
 Lozada-Nur FI (see Koo et al). 1992;26:836-40 (Case rep.)
 Lu Y-C (see Tsai et al). 1992;26:31-8
 Lufano L (see Olsen et al). 1992;26:215-24
 Lugo-Somolinos A, Sánchez JL. Prevalence of dermatophytosis in patients with diabetes. 1992;26:408-10
 Lui H, Stewart WD, English JC, Wood WS. Eccrine syringofibroadenomatosis: a clinical and histologic study and review of the literature. 1992;26:805-13 (Case rep.)
- M**
- Maddin WB (see Cunliffe et al). 1992;26:736-43 (Therapy)
 Maghraoui S, Grossin M, Crick B, Blanchet P, Belaich S. Mid dermal elastolysis. 1992;26:490-2 (Brief comm.)
 Maher-Wiese VL, Wenner NP, Grant-Kels JM. Metastatic cutaneous lesions in children and adolescents with a case report of metastatic neuroblastoma. 1992;26:620-8 (Clin. rev.)
 Mahler F, Hunziker T. Quantitative nailfold capillary microscopy. 1992;26:791 (Letter reply)
 Maize JC (see Feldman et al). 1992;26:95-100 (Dermatopathology)
 Malane SL, Sau P, Benson PM. Epithelioid hemangioendothelioma associated with reflex sympathetic dystrophy. 1992;26:325-8 (Case rep.)
 Malberger E (see Edoute et al). 1992;26:656-7 (Brief comm.)
 Maleville J (see Legrain et al). 1992;26:276 (Letter reply)
 — (see Taieb et al). 1992;26:1027 (Letter)
 Maloney JM (see Smith et al). 1992;26:125-7 (Brief comm.)
 Manganelli P, Lisi R, Saginario A, Benoldi D. Sneddon's syndrome and primary antiphospholipid syndrome: a case report. 1992;26:309-11 (Case rep.)
 Mangold MC, Callen JP. Cutaneous leukocytoclastic vasculitis associated with active Wegener's granulomatosis. 1992;26:579-84
 Manrique P, Mayo J, Alvarez JA, Ganchegui X, Zabalza I, Flores M. Polymorphous cutaneous cryptococcosis: nodular, herpes-like, and molluscum-like lesions in a patient with the acquired immunodeficiency syndrome. 1992;26:122-3 (Brief comm.)
 Marcoval J, Servitje O, Moreno A, Juglã A, Peyri J. Lupus vulgaris. 1992;26:404-7
 Marcus J, Grossman ME, Yunakov MJ, Rappaport F. Disseminated candidiasis, *Candida* arthritis, and unilateral skin lesions. 1992;26:295-7 (Case rep.)
 Margolis DJ, Guzzo C, Johnson J, Lazarus GS. Alterations in renal function in psoriasis patients treated with cyclosporine, 5 mg/kg/day. 1992;26:195-7
 Margolis RJ (see Held et al). 1992;26:261-2 (Brief comm.)
 Marks JG Jr (see James et al). 1992;26:991-4 (From the Academy)
 Maroon M. Polycythemia rubra vera presenting as livedo reticularis. 1992;26:264-5 (Brief comm.)
 Martel MJ (see Lane et al). 1992;26:683-92
 Martin L (see Requena et al). 1992;26:860-2 (Case rep.)
 Martinet C (see Descamps et al). 1992;26:651-2 (Brief comm.)
 Martinez J, de Misa RF, Torrolo A, Ledo A. Low-dose intravesicular interferon alfa for discoid lupus erythematosus. 1992;26:494-6 (Brief comm.)
 Martinez W, Yebra MT, Arnal F, Casado M, Borbujo J. Multiple linear cylindromas. 1992;26:821-4 (Case rep.)
 Mashina A (see Khatri et al). 1992;26:75-8
 Masih AS (see Parks et al). 1992;26:968-75 (Dermatopathology)
 Masri-Fridling GD, Elgart ML. Eccrine hidrocystomas. 1992;26:780-2 (Brief comm.)
 Massa M (see Schmidt et al). 1992;26:319-21 (Case rep.)
 May LP, Sidhu GS, Buchness MR. Diagnosis of *Acanthamoeba* infection by cutaneous manifestations in a man seropositive to HIV. 1992;26:352-5 (Case rep.)
 Mayo J (see Manrique et al). 1992;26:122-3 (Brief comm.)
 Mayorga J (see Barba-Gómez et al). 1992;26:367-70 (Case rep.)
 McBurney EI (see Fishman et al). 1992;26:130-1 (Brief comm.)
 McCarthy WH (see Shaw and McCarthy). 1992;26:281 (Letter)
 McCauliffe DP. Aspartame-induced lobular panniculitis. 1992;26:278 (Letter reply)
 McCollough ML (see Sharkey et al). 1992;26:273-4 (Brief comm.)
 McCormick CM (see Fishman et al). 1992;26:130-1 (Brief comm.)
 McGinnis MR (see Barba-Gómez et al). 1992;26:367-70 (Case rep.)
 McLean J (see Jones et al). 1992;26:960-7 (Therapy)
 Medina S (see de Misa et al). 1992;26:1011-2 (Brief comm.)
 Mehregan AH, Mehregan DR, Broecker A. Epithelioid cell histiocytoma. 1992;26:243-6 (Dermatopathology)
 Mehregan DR, Hall MJ, Gibson LE. Urticarial vasculitis: a histopathologic and clinical review of 72 cases. 1992;26:441-8
 — (see Mehregan et al). 1992;26:243-6 (Dermatopathology)
 Meier F, Schaumburg-Lever G, Kaiserling E, Scheel-Walter HG, Scherwitz C. Primary cutaneous large-cell anaplastic (Ki-1) lymphoma in a child. 1992;26:813-7 (Case rep.)

- Melander S (see Lindelöf et al). 1992;26:947-50
- Melandri D, Carruthers A. Widespread basal cell carcinoma of the scalp treated by dermabrasion. 1992;26:270-1 (Brief comm.)
- Menter A (see Boyd et al). 1992;26:757-62 (Clin. rev.)
- Mercer MB (see Koh et al). 1992;26:914-9
- Messmore H (see Schmidt et al). 1992;26:319-21 (Case rep.)
- Meurer M (see Kárpáti et al). 1992;26:726-30
- Micksche M (see Grablowitz et al). 1992;26:1009-10 (Brief comm.)
- Millan F (see Serrano et al). 1992;26:502-4 (Brief comm.)
- Miller DR (see Geller et al). 1992;26:419-22
- (see Koh et al). 1992;26:914-9
- Miller JL (see Salzman et al). 1992;26:411-4
- Millikan LE, Vincent J, Derbes (1912-1991). 1992;26:1023-4 (In memoriam)
- (see Smith et al). 1992;26:125-7 (Brief comm.)
- Minowa R (see Miyagawa et al). 1992;26:489-90 (Brief comm.)
- Miranda MA (see Serrano et al). 1992;26:545-8
- Miyagawa S, Okazaki A, Minowa R, Shirai T. Dermatomyositis presenting as erythroderma. 1992;26:489-90 (Brief comm.)
- Miyashita M (see Seno et al). 1992;26:338-42 (Case rep.)
- Moreland A (see Lane et al). 1992;26:658 (Letter reply)
- Moreno A (see Marcoval et al). 1992;26:404-7
- Morison WL. The significance of dark skin in photoprotection. 1992;26:282 (Letter reply)
- Morita A (see Kanazaki et al). 1992;26:134-5 (Brief comm.)
- Morita M (see Kameyama et al). 1992;26:817-20 (Case rep.)
- Moscona AR (see Bergman et al). 1992;26:462-6 (Dermatopathology)
- Moy RL (see Kwa et al). 1992;26:1-30 (CME article)
- Mozzanica N, Villa ML, Foppa S, Vignati G, Cattaneo A, Diotti R, Finzi AF. Plasma α -melanocyte-stimulating hormone, β -endorphin, met-enkephalin, and natural killer cell activity in vitiligo. 1992;26:693-700
- Mrowietz U (see Christophers et al). 1992;26:86-90 (Therapy)
- Müller E (see Böhler et al). 1992;26:749-53 (Derm. surg.)
- Murray JC (see Darwin et al). 1992;26:828-32 (Case rep.)
- Murray-Lyon IM (see Sherman et al). 1992;26:105-9 (Case rep.)
- Murrell DF (see Resnick et al). 1992;26:1013-4 (Brief comm.)
- N
- Nagashima M (see Hayakawa et al). 1992;26:110-3 (Case rep.)
- Nahass GT, Blauvelt A, Penneys NS. Basal cell carcinoma of the scrotum. 1992;26:574-8
- , —, —. Metastases from basal cell carcinoma of the scrotum. 1992;26:509-10 (Letter)
- (see Liang et al). 1992;26:779-80 (Brief comm.)
- Nakagawa H (see Kurose et al). 1992;26:359-63 (Case rep.)
- Nakajima H (see Sasaki and Nakajima). 1992;26:786-7 (Brief comm.)
- Nakamine H (see Parks et al). 1992;26:968-75 (Dermatopathology)
- Namdari H (see Diamond et al). 1992;26:1017-8 (Brief comm.)
- Nash C (see Czarnecki et al). 1992;26:717-9
- Navas G (see de Misa et al). 1992;26:1011-2 (Brief comm.)
- Nazzari G, Crovato F, Nigro A. Papuloerythroderma (Ofuji): two additional cases and review of the literature. 1992;26:499-501 (Brief comm.)
- Neldner KH (see Boyd et al). 1992;26:757-62 (Clin. rev.)
- (see Boyd et al). 1992;26:772-4 (Brief comm.)
- Nelson BR (see Johnson et al). 1992;26:467-84 (Clin. rev.)
- Neumann R (see Böhler et al). 1992;26:749-53 (Derm. surg.)
- Ng SK (see Lim and Ng). 1992;26:1003-5 (Brief comm.)
- Nicholson I (see Czarnecki et al). 1992;26:717-9
- Niedner R (see Krutmann et al). 1992;26:225-30 (Therapy)
- Nigra TP (see Kozłowski and Nigra). 1992;26:348-51 (Case rep.)
- Nigro A (see Nazzari et al). 1992;26:499-501 (Brief comm.)
- Nikolakis P (see Petzelbauer et al). 1992;26:68-74
- Nishiyama S (see Kameyama et al). 1992;26:817-20 (Case rep.)
- Noda J (see Konohana et al). 1992;26:1002-3 (Brief comm.)
- Nogita T (see Kurose et al). 1992;26:359-63 (Case rep.)
- Nova MP, Kaufman M, Halperin A. Scleroderma-like skin indurations in a child with phenylketonuria: a clinicopathologic correlation and review of the literature. 1992;26:329-33 (Case rep.)
- Nürnberg FG (see Gold and Nürnberg). 1992;26:1019-22 (In memoriam)
- Nychay S (see Thomas et al). 1992;26:863-5 (Case rep.)
- O
- O'Donnell BF (see Gudmundsen et al). 1992;26:211-4
- Ohtake N, Kubota Y, Takayama O, Shimada S, Tamaki K. Relationship between steatocystoma multiplex and eruptive vellus hair cysts. 1992;26:876-8 (Case rep.)
- Ohto H (see Kaneko et al). 1992;26:397-403
- Okatani A (see Seno et al). 1992;26:338-42 (Case rep.)
- Okazaki A (see Miyagawa et al). 1992;26:489-90 (Brief comm.)
- Olsen EA, Katz HI, Levine N, Shupack J, Billys MM, Prawer S, Gold J, Stiller M, Lufano L, Thorne EG. Tretinoin emollient cream: a new therapy for photodamaged skin. 1992;26:215-24
- (see Darwin et al). 1992;26:828-32 (Case rep.)
- Olsen TS (see Zachariae et al). 1992;26:415-9
- Orfanos CE (see Krüger et al). 1992;26:920-6
- Ortel B (see Petzelbauer et al). 1992;26:68-74
- Ortonne J-P (see Cunliffe et al). 1992;26:736-43 (Therapy)
- (see Lacour et al). 1992;26:257-9 (Brief comm.)
- Osman Y, Daly TJ, Don PC. Spiny keratoderma of the palms and soles. 1992;26:879-81 (Case rep.)
- Ostlere LS, Ashrafzadeh P, Harris D, Rustin MRA. Response of uremic follicular hyperkeratosis to peritoneal dialysis. 1992;26:782-3 (Brief comm.)
- P
- Pakula A, Garden J. Sebaceous hyperplasia and basal cell carcinoma in a renal transplant patient receiving cyclosporine. 1992;26:139-40 (Letter)
- Palazzolo JV (see Rohatgi et al). 1992;26:356-9 (Case rep.)
- Paradinas FP (see Sherman et al). 1992;26:105-9 (Case rep.)
- Paradis C (see Hatch et al). 1992;26:549-51
- Pardo RJ, Bogaert MA, Penneys NS, Byrne GE Jr, Ruiz P. UVB phototherapy of the pruritic papular eruption of the acquired immunodeficiency syndrome. 1992;26:423-8
- Park Y-K (see Hann et al). 1992;26:646-8 (Brief comm.)
- Parker L (see Helm et al). 1992;26:315-8 (Case rep.)
- Parks JD, Synovec MS, Masih AS, Braddock SW, Nakamine H, Sanger WG, Harrington DS, Weisenburger DD. Immunophenotypic and genotypic characterization of lymphomatoid papulosis. 1992;26:968-75 (Dermatopathology)
- Patrizi A, Di Lernia V, Patrone P. Palmoplantar keratoderma with sclerodactyly (Huriez syndrome). 1992;26:855-7 (Case rep.)
- Patrone P (see Patrizi et al). 1992;26:855-7 (Case rep.)
- Penneys NS, Taylor R, Hernandez D. Etrinate increases carcinoembryonic antigen in palmar scrapings. 1992;26:940-2
- (see Harris et al). 1992;26:56-8
- (see Nahass et al). 1992;26:509-10 (Letter)
- (see Nahass et al). 1992;26:574-8
- (see Pardo et al). 1992;26:423-8
- (see Zhu et al). 1992;26:710-4
- Peoples D, Fivenson DP. Linear IgA bullous dermatitis: successful treatment with tetracycline and niacinamide. 1992;26:498-9 (Brief comm.)
- Perez M (see Heald et al). 1992;26:865-70 (Case rep.)
- Petersen CS, Thomsen K. High-dose hydroxychloroquine treatment of porphyria cutanea tarda. 1992;26:614-9 (Therapy)
- Petzelbauer P, Binder M, Nikolakis P, Ortel B, Hönigsmann H. Severe sun sensitivity and the presence of antinuclear antibodies in patients with polymorphous light eruption-like lesions. 1992;26:68-74

- Peyri J (see Marcoval et al). 1992;26:404-7
Phelps RG (see Diamond et al). 1992;26:1017-8 (Brief comm.)
Phillips ME (see Kaufman et al). 1992;26:789-90 (Letter reply)
Phillips TJ, Rogers GS. Nonhealing leg ulcers. 1992;26:792 (Letter reply)
Plantin P, Leroy JP, Guillet G. Nevus oligemicus: a new case. 1992; 26:268-9 (Brief comm.)
— (see Sassolas et al). 1992;26:501-2 (Brief comm.)
Poehling G (see Zanolli et al). 1992;26:302-5 (Case rep.)
Pollack J (see Stiller et al). 1992;26:775-6 (Brief comm.)
Pollack VE (see Breneman et al). 1992;26:91-4 (Therapy)
Popkin M (see Hatch et al). 1992;26:549-51
Potter TS (see Kaplan et al). 1992;26:364-6 (Case rep.)
Powell FC (see Gudmundsen et al). 1992;26:211-4
Prawer S (see Olsen et al). 1992;26:215-24
Prendiville JS (see Barron and Prendiville). 1992;26:344-7 (Case rep.)
Prigent F (see Descamps et al). 1992;26:651-2 (Brief comm.)
Pruzan D, Rabin PE, Heilman ER. Periumbilical perforating pseudoxanthoma elasticum. 1992;26:642-4 (Brief comm.)
Prystowsky JH. MD-PhDs in dermatology. 1992;26:766-71 (Special article)
—, Keen MS, Rabinowitz AD, Stevens AW, DeLeo VA. Present status of eyelid phototherapy. 1992;26:607-13 (Therapy)
— (see Cohen and Prystowsky). 1992;26:141-2 (Letter reply)
Przybilla B (see Bergner and Przybilla). 1992;26:114-6 (Case rep.)

Q

- Quimby SR, Connolly SM, Winkelmann RK, Smilack JD. Clinicopathologic spectrum of specific cutaneous lesions of disseminated coccidioidomycosis. 1992;26:79-85

R

- Rabb DC, Leshner JL Jr, Chandler FW. Polymerase chain reaction confirmation of *Borrelia burgdorferi* in benign lymphocytic infiltrate of dermis. 1992;26:267-8 (Brief comm.)
Rabin PE (see Pruzan et al). 1992;26:642-4 (Brief comm.)
Rabinowitz AD (see Prystowsky et al). 1992;26:607-13 (Therapy)
Rabkin M (see Brod et al). 1992;26:882-4 (Case rep.)
Rády P (see Cohen et al). 1992;26:840-5 (Case rep.)
Ramsay B (see Sherman et al). 1992;26:105-9 (Case rep.)
Rappaport F (see Marcus et al). 1992;26:295-7 (Case rep.)
Rebora A (see Rongioletti and Rebora). 1992;26:648-50 (Brief comm.)
— (see Rongioletti and Rebora). 1992;26:284 (Letter)
— (see Rongioletti and Rebora). 1992;26:789 (Letter)
Reeder B (see Lane et al). 1992;26:683-92
Reizner GT (see Chuang et al). 1992;26:173-7
Requena L, Hasson A, Arias D, Martin L, Barat A. Acquired symmetric lipomatosis of the soles. 1992;26:860-2 (Case rep.)
Resnick SD, Murrell DF, Woosley J. Acne conglobata and a generalized lichen spinulosus-like eruption in a man seropositive for human immunodeficiency virus. 1992;26:1013-4 (Brief comm.)
Revuz J (see Chosidow et al). 1992;26:49-55
— (see Saia et al). 1992;26:567-74
Reyes BA (see Biele et al). 1992;26:754-6 (Derm. surg.)
Rhodes AR (see Brod et al). 1992;26:882-4 (Case rep.)
Rico MJ (see Carpenter et al). 1992;26:45-8
Rigel DS (see Lee et al). 1992;26:59-63
— (see Vossaert et al). 1992;26:429-40
Roberts J (see Jones et al). 1992;26:960-7 (Therapy)
Robins P (see AAD Committee on Guidelines of Care). 1992;26:763-5 (Acad. guidelines)
Rodman OG (see Langenberg et al). 1992;26:951-5
Roennigk HH Jr (see Garrett and Roennigk). 1992;26:121-2 (Brief comm.)
Rogers GS (see Phillips and Rogers). 1992;26:792 (Letter reply)
— (see Phillips and Rogers). 1992;26:792 (Letter reply)

- Rohatgi PK, Palazzolo JV, Saini NB. Acute miliary tuberculosis of the skin in acquired immunodeficiency syndrome. 1992;26:356-9 (Case rep.)
Romero PO (see Hernando et al). 1992;26:124-5 (Brief comm.)
Rongioletti F, Rebora A. Cutaneous toxic mucinosis. 1992;26:789 (Letter)
—, —. Eccrine squamous syringometaplasia in chemotherapy-induced acral erythema. 1992;26:284 (Letter)
—, —. Pseudoxanthoma elasticum-like papillary dermal elastolysis. 1992;26:648-50 (Brief comm.)
Rose LI (see Salman et al). 1992;26:411-4
Roseeuw D (see Willemsen et al). 1992;26:731-5 (Therapy)
Rosenberg EW (see AAD Committee on Guidelines of Care). 1992;26:247-50 (Acad. guidelines)
Rosenthal D (see Jones et al). 1992;26:960-7 (Therapy)
Rosenthal LE (see James et al). 1992;26:991-4 (From the Academy)
Rosenthal S (see Stiller et al). 1992;26:775-6 (Brief comm.)
Ross JB. HLA typing in polymorphic light eruption. 1992;26:658-9 (Letter)
— (see Vincent et al). 1992;26:458-61 (Therapy)
Ross M, Goodman MM, Barr RJ, Liao SY. Multiple eruptive benign keratoses associated with cyclosporine therapy for psoriasis. 1992; 26:128-9 (Brief comm.)
Rothenberg J. Leiomyosarcoma of the buttock. 1992;26:143 (Letter)
Rothstein MS. Poor prognosis or poor sign? 1992;26:280-1 (Letter)
Roujeau J-C (see Chosidow et al). 1992;26:49-55
— (see Saia et al). 1992;26:567-74
Roura M (see López-Gil et al). 1992;26:101-4 (Case rep.)
Roush GC (see Barnhill et al). 1992;26:185-90
Rowe DE, Carroll RJ, Day CL Jr. Prognostic factors for local recurrence, metastasis, and survival rates in squamous cell carcinoma of the skin, ear, and lip: implications for treatment modality selection. 1992;26:976-90 (Clin. rev.)
— (see Johnson et al). 1992;26:467-84 (Clin. rev.)
Rudolph RL. Lithium-induced psoriasis of the fingernails. 1992;26:135-6 (Brief comm.)
Ruiz P (see Pardo et al). 1992;26:423-8
Rustin MRA (see Ostlere et al). 1992;26:782-3 (Brief comm.)

S

- Sadaki M (see Saida et al). 1992;26:744-8 (Dermatopathology)
Saginario A (see Manganelli et al). 1992;26:309-11 (Case rep.)
Sahn EE, Smith DJ. Annular dystrophic calcinosis cutis in an infant. 1992;26:1015-7 (Brief comm.)
Saia P, Caumes E, Chosidow O, Revuz J, Roujeau J-C. Drug-induced toxic epidermal necrolysis (Lyell syndrome) in patients infected with the human immunodeficiency virus. 1992;26:567-74
Saida T, Dohi S, Sadaki M, Tokuda Y, Ikegawa S, Takasaki Y. Distribution patterns and rates of proliferating cells in cutaneous keratinocytic neoplasms. 1992;26:744-8 (Dermatopathology)
Saini NB (see Rohatgi et al). 1992;26:356-9 (Case rep.)
Salasche SJ (see AAD Committee on Guidelines of Care). 1992; 26:117-20 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1992;26:247-50 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1992;26:485-8 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1992;26:629-31 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1992;26:763-5 (Acad. guidelines)
Salman K, Spielvogel RL, Shulman LH, Miller JL, Vanderlinde RE, Rose LI. Serum androstanediol glucuronide in women with facial hirsutism. 1992;26:411-4
Salomon D (see Feldmann et al). 1992;26:833-5 (Case rep.)
Sánchez JH (see Hernando et al). 1992;26:124-5 (Brief comm.)

- Sánchez JL (see Lugo-Somolinos and Sánchez). 1992;26:408-10
- Sanders BB (see AAD Committee on Guidelines of Care). 1992;26:629-31 (Acad. guidelines)
- Sanger WG (see Parks et al). 1992;26:968-75 (Dermatopathology)
- Sanmartin O (see Botella-Estrada et al). 1992;26:777-8 (Brief comm.)
- (see Serrano et al). 1992;26:545-8
- Saraçlar Y, Tinaztepe K. Infantile acute hemorrhagic edema of the skin. 1992;26:275-6 (Letter)
- Sarma DP. Scrotal calcinosis. 1992;26:280 (Letter)
- Sasaki T, Nakajima H. Congenital neurolemmomatosis. 1992;26:786-7 (Brief comm.)
- Sassolas B, Plantin P, Guillet G. Confluent and reticulated papillomatosis: treatment with minocycline. 1992;26:501-2 (Brief comm.)
- Satra KH (see Cole et al). 1992;26:285-7 (Case rep.)
- Sau P (see Malane et al). 1992;26:325-8 (Case rep.)
- Sauder DN (see Jones et al). 1992;26:960-7 (Therapy)
- Saurat J-H (see Feldmann et al). 1992;26:833-5 (Case rep.)
- Savin R (see Berman et al). 1992;26:956-60 (Therapy)
- Schaumburg-Lever G (see Meier et al). 1992;26:813-7 (Case rep.)
- Scheel-Walter HG (see Meier et al). 1992;26:813-7 (Case rep.)
- Schell H (see von den Driesch et al). 1992;26:799-804 (Case rep.)
- Scher RK (see Cohen and Scher). 1992;26:521-34 (CME article)
- Scherwitz C (see Meier et al). 1992;26:813-7 (Case rep.)
- Schmid U (see Eckert et al). 1992;26:870-5 (Case rep.)
- Schmidt KT, Gattuso P, Messmore H, Shrit MA, Massa M, Welykyj S. Scleroderma and smoldering myeloma. 1992;26:319-21 (Case rep.)
- Schöpf E (see Krutmann et al). 1992;26:225-30 (Therapy)
- Schuller-Petrovic S (see Böhrer et al). 1992;26:749-53 (Derm. surg.)
- Schultz MD (see Chuang et al). 1992;26:173-7
- Schwartz RA (see Kuflik and Schwartz). 1992;26:449-52 (Therapy)
- Searle EA (see Breneman et al). 1992;26:91-4 (Therapy)
- Sebastián FV (see Hernando et al). 1992;26:124-5 (Brief comm.)
- Sebben JE (see AAD Committee on Guidelines of Care). 1992;26:763-5 (Acad. guidelines)
- Sefton J (see Smith et al). 1992;26:125-7 (Brief comm.)
- Seidl K (see Böhrer et al). 1992;26:749-53 (Derm. surg.)
- Seidman RJ (see Kaufman et al). 1992;26:789-90 (Letter reply)
- Seno A, Okatani A, Miyashita M, Hirano N, Arata J, Teramoto N, Yoshino T, Akagi T, Katayama H. Cutaneous T-cell lymphoma associated with granular lymphocytic leukemia in its terminal stage. 1992;26:338-42 (Case rep.)
- Serrano G, Fortea JM, Latasa JM, SanMartin O, Bonillo J, Miranda MA. Oxidant-induced photosensitivity. 1992;26:545-8
- , —, Millan F, Botella R, Latasa JM. Contact allergy to resorcinol in acne medications: report of three cases. 1992;26:502-4 (Brief comm.)
- Servitje O (see Marcoval et al). 1992;26:404-7
- Shafi M (see Khatri et al). 1992;26:75-8
- Shalita AR (see Hatch et al). 1992;26:549-51
- Sharkey MJ, Grabski WJ, McCollough ML, Berger TG. Postcoital appearance of a median raphe cyst. 1992;26:273-4 (Brief comm.)
- Shaw HM, McCarthy WH. Late recurrence of melanoma. 1992;26:281 (Letter)
- Shaw J (see Zanolli et al). 1992;26:302-5 (Case rep.)
- Shaw JC. Spironolactone. 1992;26:137-8 (Letter reply)
- Sheridan DP (see Lane et al). 1992;26:658 (Letter reply)
- (see Lane et al). 1992;26:659 (Letter reply)
- Sherman D, Ramsay B, Theodorou NA, Woodrow D, Paradinas FP, Cream JJ, Murray-Lyon IM. Reversible plane xanthoma, vasculitis, and peliosis hepatis in giant lymph node hyperplasia (Castleman's disease): a case report and review of the cutaneous manifestations of giant lymph node hyperplasia. 1992;26:105-9 (Case rep.)
- Shihada B (see Boyd et al). 1992;26:772-4 (Brief comm.)
- Shimada S (see Ohtake et al). 1992;26:876-8 (Case rep.)
- Shiohara T (see Hayakawa et al). 1992;26:110-3 (Case rep.)
- Shirai T (see Miyagawa et al). 1992;26:489-90 (Brief comm.)
- Shoji K (see Konohana et al). 1992;26:1002-3 (Brief comm.)
- Shornick JK, Black MM. Fetal risks in herpes gestationis. 1992;26:63-8
- , —. Secondary autoimmune diseases in herpes gestationis (pemphigoid gestationis). 1992;26:563-6
- Shrit MA (see Schmidt et al). 1992;26:319-21 (Case rep.)
- Shulman LH (see Salman et al). 1992;26:411-4
- Shupack JL, Stiller MJ, Gropper C, Slue W Jr. High-tech dermatology. 1992;26:785-6 (Brief comm.)
- (see Berman et al). 1992;26:956-60 (Therapy)
- (see Olsen et al). 1992;26:215-24
- Shuster S (see Lawrence and Shuster). 1992;26:138 (Letter)
- Shwyder TA (see Hern and Shwyder). 1992;26:259-60 (Brief comm.)
- Sibenge S, Gawkrödger DJ. Rosacea: a study of clinical patterns, blood flow, and the role of *Demodex folliculorum*. 1992;26:590-3
- Sidhu GS (see May et al). 1992;26:352-5 (Case rep.)
- Sidhu-Malik N (see Carpenter et al). 1992;26:45-8
- Sigurgeirsson B (see Lindelöf et al). 1992;26:947-50
- Silver RM (see Feldman et al). 1992;26:95-100 (Dermatopathology)
- Silverman MK (see Lee et al). 1992;26:59-63
- (see Vossaert et al). 1992;26:429-40
- Silvers DN (see Andersen et al). 1992;26:850-4 (Case rep.)
- Silverstein JL (see Cyran et al). 1992;26:334-8 (Case rep.)
- Silvestri A (see Caputo et al). 1992;26:207-10
- Slue W Jr (see Shupack et al). 1992;26:785-6 (Brief comm.)
- Smilack JD (see Quimby et al). 1992;26:79-85
- Smith AC (see Whitaker et al). 1992;26:704-9
- Smith DJ (see Sahn and Smith). 1992;26:1015-7 (Brief comm.)
- Smith EB, Breneman DL, Griffith RF, Hebert AA, Hickman JG, Maloney JM, Millikan LE, Sulica VI, Dromgoole SH, Sefton J, DeGryse RE, Killey FP. Double-blind comparison of naftifine cream and clotrimazole/betamethasone dipropionate cream in the treatment of tinea pedis. 1992;26:125-7 (Brief comm.)
- Smith JG Jr (see AAD Committee on Guidelines of Care). 1992;26:763-5 (Acad. guidelines)
- Smoller BR (see Stewart and Smoller). 1992;26:660 (Letter reply)
- Solomon AR (see AAD Committee on Guidelines of Care). 1992;26:247-50 (Acad. guidelines)
- Söltz-Szöts J (see Grablowitz et al). 1992;26:1009-10 (Brief comm.)
- Sontheimer RD (see Euwer and Sontheimer). 1992;26:506-8 (Letter reply)
- Spielvogel RL (see Salman et al). 1992;26:411-4
- Stadler R (see Krüger et al). 1992;26:920-6
- Stegman SJ (see AAD Committee on Guidelines of Care). 1992;26:117-20 (Acad. guidelines)
- Stein DJ, Hollander E. Dermatology and conditions related to obsessive-compulsive disorder. 1992;26:237-42 (Clin. rev.)
- Stern RS. The prevalence of acne on the basis of physical examination. 1992;26:931-5
- (see Dai et al). 1992;26:599-606
- Sterry W (see Boehncke et al). 1992;26:907-13
- (see von den Driesch et al). 1992;26:799-804 (Case rep.)
- Stevanović D. Inherited epidermolysis bullosa. 1992;26:278-9 (Letter)
- Stevens AW (see Prystowsky et al). 1992;26:607-13 (Therapy)
- Stewart MI, Smoller BR. Does follicular mucinosis in Hodgkin's disease represent a sign of poor prognosis? 1992;26:660 (Letter reply)
- Stewart WD (see Lui et al). 1992;26:805-13 (Case rep.)
- Stiller MJ, Rosenthal S, Summerbell RC, Pollack J, Chan A. Onychomycosis of the toenails caused by *Chaetomium globosum*. 1992;26:775-6 (Brief comm.)
- (see Berman et al). 1992;26:956-60 (Therapy)
- (see Olsen et al). 1992;26:215-24
- (see Shupack et al). 1992;26:785-6 (Brief comm.)
- Stockert SS (see Brice et al). 1992;26:594-8

- Stolz W (see Kárpáti et al). 1992;26:726-30
Storrs FJ. Allergic contact dermatitis to latex glove antioxidants: an update. 1992;26:144 (Letter)
Studer A, Hunziker T, Lütolf O, Schmidli J, Chen D, Mahler F. Quantitative nailfold capillary microscopy in cutaneous and systemic lupus erythematosus and localized and systemic scleroderma (1991; 24:941-5). 1992;26:214 (Correction)
Su I-J (see Tsai et al). 1992;26:31-8
Su WPD (see Kim and Su). 1992;26:169-73
Suárez J (see de Misa et al). 1992;26:1011-2 (Brief comm.)
Sugaya K (see Kameyama et al). 1992;26:817-20 (Case rep.)
Sulica VI (see Smith et al). 1992;26:125-7 (Brief comm.)
Summerbell RC (see Stiller et al). 1992;26:775-6 (Brief comm.)
Sun A (see Lin et al). 1992;26:943-7
Surleve-Bazeille J-E (see Gauthier and Surleve-Bazeille). 1992;26:191-4
Swanson DL, Dahl MV. Antibiotic prophylaxis for patients with hereditary hemorrhagic telangiectasia. 1992;26:283 (Letter reply)
Swanson NA (see Johnson et al). 1992;26:467-84 (Clin. rev.)
Synovec MS (see Parks et al). 1992;26:968-75 (Dermatopathology)

T

- Taib A, Cony M, Maleville J. Treatment of leg ulcers with allogeneic cultured keratinocyte-collagen dressings. 1992;26:1027 (Letter)
— (see Legrain et al). 1992;26:276 (Letter reply)
Tait B (see Czarnecki et al). 1992;26:717-9
Takasaki Y (see Saida et al). 1992;26:744-8 (Dermatopathology)
Takashima A (see Kanzaki et al). 1992;26:134-5 (Brief comm.)
Takayama O (see Ohtake et al). 1992;26:876-8 (Case rep.)
Tamaki K (see Ohtake et al). 1992;26:876-8 (Case rep.)
Tanji O (see Kaneko et al). 1992;26:397-403
Taylor R (see Penneys et al). 1992;26:940-2
Teramoto N (see Seno et al). 1992;26:338-42 (Case rep.)
Tham SN, Choong HL. Primary tuberculous chancre in a renal transplant patient. 1992;26:342-4 (Case rep.)
Theodorou NA (see Sherman et al). 1992;26:105-9 (Case rep.)
Thomas DE (see Anderson et al). 1992;26:255-6 (Brief comm.)
Thomas I, Helms ME, Nychay S. Behçet's disease presenting as superior vena cava syndrome. 1992;26:863-5 (Case rep.)
Thomsen K (see Petersen and Thomsen). 1992;26:614-9 (Therapy)
Thorne EG (see Olsen et al). 1992;26:215-24
Tien H-F (see Tsai et al). 1992;26:31-8
Tillés G (see Wallach and Tillés). 1992;26:995-1001 (Special article)
Tinaztepe K (see Saraçlar and Tinaztepe). 1992;26:275-6 (Letter)
Tokuda Y (see Saida et al). 1992;26:744-8 (Dermatopathology)
Torrelo A (see Martínez et al). 1992;26:494-6 (Brief comm.)
Torrence BP (see Brodell and Torrence). 1992;26:641-2 (Brief comm.)
Touraine R (see Chosidow et al). 1992;26:49-55
Tsai T-F, Su I-J, Lu Y-C, Cheng A-L, Yeh H-P, Hsieh H-C, Tien H-F, Chen J-S, Uen W-C. Cutaneous angiocentric T-cell lymphoma associated with Epstein-Barr virus. 1992;26:31-8
Tschen E (see Berman et al). 1992;26:956-60 (Therapy)
Tsuda J (see Kanzaki and Tsuda). 1992;26:655-6 (Brief comm.)
Turner MLC (see AAD Committee on Guidelines of Care). 1992;26: 117-20 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1992;26:247-50 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1992;26:485-8 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1992;26:629-31 (Acad. guidelines)
— (see AAD Committee on Guidelines of Care). 1992;26:763-5 (Acad. guidelines)
Tyring SK (see Cohen et al). 1992;26:840-5 (Case rep.)

U

- Uen W-C (see Tsai et al). 1992;26:31-8
Umbert I (see López-Gil et al). 1992;26:101-4 (Case rep.)
Umbert P (see López-Gil et al). 1992;26:101-4 (Case rep.)
Utecht LM (see Baxter et al). 1992;26:306-8 (Case rep.)

V

- Valenzuela R (see Helm and Valenzuela). 1992;26:203-6
— (see Helm et al). 1992;26:315-8 (Case rep.)
Van Cutsem J (see Willemsen et al). 1992;26:731-5 (Therapy)
Vanderlinde RE (see Salman et al). 1992;26:411-4
van der Steen PHM, Happle R. Treatment of alopecia areata with diphenylcyclopropenone. 1992;26:277 (Letter reply)
Van de Velde V (see Willemsen et al). 1992;26:731-5 (Therapy)
VanFossen R (see Cole and VanFossen). 1992;26:178-84
van Joost Th (see Dutré-Meulenberg et al). 1992;26:935-40
Veitschegger M (see Zemtsov and Veitschegger). 1992;26:784-5 (Brief comm.)
Venning VA, Wojnarowska F. Lack of predictive factors for the clinical course of bullous pemphigoid. 1992;26:585-9
Vermant J-P (see Chosidow et al). 1992;26:49-55
Vignati G (see Mozzanica et al). 1992;26:693-700
Vignon-Pennamen D (see Descamps et al). 1992;26:651-2 (Brief comm.)
Villa ML (see Mozzanica et al). 1992;26:693-700
Vincent F, Ross JB, Dalton M, Wort AJ. A therapeutic trial of the use of penicillin V or erythromycin with or without rifampin in the treatment of psoriasis. 1992;26:458-61 (Therapy)
Vitetta A (see Lacour et al). 1992;26:257-9 (Brief comm.)
von den Driesch P, Gruschwitz M, Schell H, Sterry W. Distribution of adhesion molecules, IgE, and CD23 in a case of angiolymphoid hyperplasia with eosinophilia. 1992;26:799-804 (Case rep.)
Vossart KA, Silverman MK, Kopf AW, Bart RS, Rigel DS, Friedman RJ, Levenstein M. Influence of gender on survival with stage I malignant melanoma. 1992;26:429-40
— (see Lee et al). 1992;26:59-63
Vukelj SJ (see Anderson et al). 1992;26:255-6 (Brief comm.)

W

- Wagner RF Jr. Coronal axis symmetry in basal and squamous cell carcinomas. 1992;26:271-3 (Brief comm.)
— CPT codes are needed for dermatologic photography. 1992;26:788 (Editorial)
Wahba-Yahav AV. Chronic leukocytoclastic vasculitis associated with polycythemia vera: effective control with pentoxifylline. 1992;26: 1006-7 (Brief comm.)
Wallach D, Tillés G. First International Congress of Dermatology and Syphilology, Paris, Aug. 5-10, 1889. 1992;26:995-1001 (Special article)
Warren R, Gartstein V, Kligman AM, Montagna W, Allendorf RA, Ridder GM. Age, sunlight, and facial skin: a histologic and quantitative study (1991;25:751-60). 1992;26:558 (Correction)
Wechsler J (see Chosidow et al). 1992;26:49-55
Weisenburger DD (see Parks et al). 1992;26:968-75 (Dermatopathology)
Weiss R, Hull P. Familial occurrence of pruritic urticarial papules and plaques of pregnancy. 1992;26:715-7
Welykyj S (see Schmidt et al). 1992;26:319-21 (Case rep.)
Welzel D (see Christophers et al). 1992;26:86-90 (Therapy)
Wenner NP (see Maher-Wiese et al). 1992;26:620-8 (Clin. rev.)
Werth VP (see Fryer and Werth). 1992;26:493-4 (Brief comm.)
Weston WL (see Brice et al). 1992;26:594-8
Whitaker DC, Argenyi Z, Smith AC. Desmoplastic malignant melanoma: rare and difficult to diagnose. 1992;26:704-9
White WL (see Zanolli et al). 1992;26:302-5 (Case rep.)

- Wilkinson D. Arthur James Rook (1918-1991). 1992;26:1024-6 (In memoriam)
- Willems J (see Willemsen et al). 1992;26:731-5 (Therapy)
- Willemsen M, De Doncker P, Willems J, Woestenborghs R, Van de Velde V, Heykants J, Van Cutsem J, Cauwenbergh G, Roseeuw D. Posttreatment itraconazole levels in the nail. 1992;26:731-5 (Therapy)
- Wilmoth G (see Zanolli et al). 1992;26:302-5 (Case rep.)
- Winkelmann RK (see Landa et al). 1992;26:288-92 (Case rep.)
- (see Quimby et al). 1992;26:79-85
- Wintroub BV (see Koo et al). 1992;26:836-40 (Case rep.)
- Woestenborghs R (see Willemsen et al). 1992;26:731-5 (Therapy)
- Wojnarowska F (see Venning and Wojnarowska). 1992;26:585-9
- Wolverton SE. Monitoring for adverse effects from systemic drugs used in dermatology. 1992;26:661-79 (CME article)
- Wong C-K. Asian Dermatological Association. 1992;26:636-7 (Meeting rep.)
- Wood WS (see Lui et al). 1992;26:805-13 (Case rep.)
- Woodrow D (see Sherman et al). 1992;26:105-9 (Case rep.)
- Woosley J (see Resnick et al). 1992;26:1013-4 (Brief comm.)
- Wort AJ (see Vincent et al). 1992;26:458-61 (Therapy)
- Wortman PD. Antiphospholipid antibody syndrome. 1992;26:139 (Letter)
- Wright S. Scrotal calcinosis. 1992;26:280 (Letter reply)
- Wu Y-C (see Lin et al). 1992;26:943-7

Y

- Yagita A (see Hayakawa et al). 1992;26:110-3 (Case rep.)
- Yamazaki K (see Kaneko et al). 1992;26:397-403
- Yarrow M. Therapeutic effect of anthralin. 1992;26:138-9 (Letter reply)
- Yeager JK (see Baxter et al). 1992;26:306-8 (Case rep.)
- Yebra MT (see Martinez et al). 1992;26:821-4 (Case rep.)

- Yeh H-P (see Tsai et al). 1992;26:31-8
- Yiannias JA, El-Azhary RA, Gibson LE. Erythema elevatum diutinum: a clinical and histopathologic study of 13 patients. 1992;26:38-44
- Yoshino T (see Seno et al). 1992;26:338-42 (Case rep.)
- Yosipovitch G, Krause I, Blickstein D. Erythromelalgia in a patient with thrombotic thrombocytopenic purpura. 1992;26:825-7 (Case rep.)
- Young M (see Cunliffe et al). 1992;26:736-43 (Therapy)
- Yunakov MJ (see Marcus et al). 1992;26:295-7 (Case rep.)

Z

- Zabalza I (see Manrique et al). 1992;26:122-3 (Brief comm.)
- Zachariae H. Serum aminoterminal propeptide of type III procollagen in psoriasis and psoriatic arthritis: relation to liver fibrosis. 1992;26:509 (Letter reply)
- , Hansen HE, Kragballe K, Olsen TS. Morphologic renal changes during cyclosporine treatment of psoriasis. 1992;26:415-9
- Zackheim HS. Subcutaneous administration of methotrexate. 1992;26:1008 (Brief comm.)
- Zaias N (see Berman et al). 1992;26:956-60 (Therapy)
- Zanolli MD, Wilmoth G, Shaw J, Poehling G, White WL. Epithelioid sarcoma: clinical and histologic characteristics. 1992;26:302-5 (Case rep.)
- Zelickson BD (see Landa et al). 1992;26:288-92 (Case rep.)
- Zemtsov A, Veitschegger M. *Staphylococcus aureus*-induced blistering distal dactylitis in an adult immunosuppressed patient. 1992;26:784-5 (Brief comm.)
- (see Boyd et al). 1992;26:772-4 (Brief comm.)
- Zhu W-Y, Blauvelt A, Goldstein BA, Leonardi C, Penneys NS. Detection of human papillomavirus DNA in condylomata acuminata treated in vitro with liquid nitrogen, trichloroacetic acid, and podophyllin with the polymerase chain reaction. 1992;26:710-4
- Zitelli JA. Cryosurgery for skin cancer. 1992;26:283-4 (Letter)
- (see Frankel et al). 1992;26:720-6

Subject Index

A

Academy guidelines

Academy guidelines. 1992;26:117-20, 247-50, 485-8, 629-31, 763-5

Acanthamoeba

Diagnosis of *Acanthamoeba* infection by cutaneous manifestations in a man seropositive to HIV (May et al). 1992;26:352-5 (Case rep.)

Acanthosis nigricans

Esophageal acanthosis nigricans in association with adenocarcinoma from an unknown primary site (Kozłowski and Nigra). 1992;26:348-51 (Case rep.)

Acne

Acne conglobata and a generalized lichen spinulosus-like eruption in a man seropositive for human immunodeficiency virus (Resnick et al). 1992;26:1013-4 (Brief comm.)

Contact allergy to resorcinol in acne medications: report of three cases (Serrano et al). 1992;26:502-4 (Brief comm.)

The prevalence of acne on the basis of physical examination (Stern). 1992;26:931-5

Spiroclonolactone in dermatology (Cunliffe and Hull) (Letter); (Shaw) (Reply). 1992;26:137-8

Acquired immunodeficiency syndrome

Acute miliary tuberculosis of the skin in acquired immunodeficiency syndrome (Rohatgi et al). 1992;26:356-9 (Case rep.)

Combined *Aspergillus* and zygomycotic (*Rhizopus*) infection in a patient with acquired immunodeficiency syndrome (Diamond et al). 1992;26:1017-8 (Brief comm.)

The concurrent presence of systemic disease pathogens and cutaneous Kaposi's sarcoma in the same lesion: *Histoplasma capsulatum* and Kaposi's sarcoma coexisting in a single skin lesion in a patient with AIDS (Cole et al). 1992;26:285-7 (Case rep.)

Diagnosis of *Acanthamoeba* infection by cutaneous manifestations in a man seropositive to HIV (May et al). 1992;26:352-5 (Case rep.)

Drug-induced toxic epidermal necrolysis (Lyell syndrome) in patients infected with the human immunodeficiency virus (Saiag et al). 1992;26:567-74

Oral and labial melanotic macules in a patient infected with human immunodeficiency virus (Cohen and Callen). 1992;26:653-4 (Brief comm.)

Polymorphous cutaneous cryptococcosis: nodular, herpes-like, and molluscum-like lesions in a patient with the acquired immunodeficiency syndrome (Manrique et al). 1992;26:122-3 (Brief comm.)

UVB phototherapy of the pruritic papular eruption of the acquired immunodeficiency syndrome (Pardo et al). 1992;26:423-8

Widespread cutaneous and systemic calcification (calciophylaxis) in patients with the acquired immunodeficiency syndrome and renal disease (Cockerell and Dolan). 1992;26:559-62

Acrodermatitis

Gianotti-Crosti syndrome: a retrospective analysis of 308 cases (Caputo et al). 1992;26:207-10

Acropigmentation of Kitamura; see Pigmentation disorders

January, pp. 1-152; February, part 1, pp. 153-284; February, part 2, pp. 285-370; March, pp. 371-520; April, pp. 521-660; May, part 1, pp. 661-798; May, part 2, pp. 799-884; June, pp. 885-1066.

Actinic prurigo; see Prurigo

Adenocarcinoma

Esophageal acanthosis nigricans in association with adenocarcinoma from an unknown primary site (Kozłowski and Nigra). 1992;26:348-51 (Case rep.)

Adhesion molecules; see Cell adhesion molecules

Adipose tissue

Acquired symmetric lipomatosis of the soles (Requena et al). 1992;26:860-2 (Case rep.)

Administration, oral

Combined treatment with oral tretinoin and electron beam therapy in patients with cutaneous T-cell lymphoma (mycosis fungoides and Sézary syndrome) (Jones et al). 1992;26:960-7 (Therapy)

Oral tetracycline rinse improves symptoms in white sponge nevus (Lim and Ng). 1992;26:1003-5 (Brief comm.)

Administration, topical

Efficacy of a 1-week, twice-daily regimen of terbinafine 1% cream in the treatment of interdigital tinea pedis (Berman et al). 1992;26:956-60 (Therapy)

Topical capsaicin for treatment of hemodialysis-related pruritus (Breneman et al). 1992;26:91-4 (Therapy)

Tretinoin emollient cream: a new therapy for photodamaged skin (Olsen et al). 1992;26:215-24

Adolescence

Metastatic cutaneous lesions in children and adolescents with a case report of metastatic neuroblastoma (Maher-Wiese et al). 1992;26:620-8 (Clin. rev.)

Adrenal cortex hormones

Effects of topical ammonium lactate on cutaneous atrophy from a potent topical corticosteroid (Lavker et al). 1992;26:535-44

Monitoring for adverse effects from systemic drugs used in dermatology (Wolverton). 1992;26:661-79 (CME article)

Pulsed high-dose corticosteroids and melphalan as an alternative therapy for refractory cutaneous T-cell lymphoma (Fishman et al). 1992;26:130-1 (Brief comm.)

Red lunulae: casereport and literature review (Cohen). 1992;26:292-4 (Case rep.)

Adverse effects of drugs; see Drugs, adverse effects

Aged

Geriatric nail disorders: diagnosis and treatment (Cohen and Scher). 1992;26:521-34 (CME article)

AIDS; see Acquired immunodeficiency syndrome

Alcoholism

Nickel dermatitis recall in disulfiram therapy for alcohol abuse (Klein and Fowler). 1992;26:645-6 (Brief comm.)

Alezzandrini's syndrome

Suspected Alezzandrini's syndrome in a diabetic patient with unilateral retinal detachment and ipsilateral vitiligo and poliosis (Hoffman and Dudley). 1992;26:496-7 (Brief comm.)

Allergic contact dermatitis; see Dermatitis, contact

Alopecia

Dermatopathia pigmentosa reticularis: a report of a family demonstrating autosomal dominant inheritance (Heimer et al). 1992;26:298-301 (Case rep.)

The psychological effects of androgenetic alopecia in men (Cash). 1992;26:926-31

Alopecia areata

Guidelines of care for alopecia areata (AAD Committee on Guidelines of Care). 1992;26:247-50 (Acad. guidelines)

Treatment of alopecia areata with diphenylcyclopropenone (Hull and Cunliffe) (Letter); (van der Steen and Happle) (Reply). 1992;26:276-7

Ambulatory care facilities

Guidelines of care for office surgical facilities. Part I (AAD Committee on Guidelines of Care). 1992;26:763-5 (Acad. guidelines)

American Academy of Dermatology

American Academy of Dermatology Patch Testing Survey: use and effectiveness of this procedure (James et al). 1992;26:991-4 (From the Academy)

Guidelines of care for alopecia areata (AAD Committee on Guidelines of Care). 1992;26:247-50 (Acad. guidelines)

Guidelines of care for atopic dermatitis (AAD Committee on Guidelines of Care). 1992;26:485-8 (Acad. guidelines)

Guidelines of care for basal cell carcinoma (AAD Committee on Guidelines of Care). 1992;26:117-20 (Acad. guidelines)

Guidelines of care for nevi I (nevocellular nevi and seborrheic keratoses) (AAD Committee on Guidelines of Care). 1992;26:629-31 (Acad. guidelines)

Guidelines of care for office surgical facilities. Part I (AAD Committee on Guidelines of Care). 1992;26:763-5 (Acad. guidelines)

Aminoterminal propeptide; see Peptides**Aminotransferases**

The effect on liver transaminases by phototoxic drugs in systemic photochemotherapy (Hann et al). 1992;26:646-8 (Brief comm.)

Ammonium compounds

Effects of topical ammonium lactate on cutaneous atrophy from a potent topical corticosteroid (Lavker et al). 1992;26:535-44

Amyopathic dermatomyositis; see Dermatomyositis**Anaphylaxis**

Anaphylactoid reaction to ciprofloxacin in a patient infected with the human immunodeficiency virus (Berger and Franklin). 1992;26:256-7 (Brief comm.)

Anaplastic (Ki-1) lymphoma, large-cell; see Lymphoma, large-cell Androgens

The psychological effects of androgenetic alopecia in men (Cash). 1992;26:926-31

Serum androstenediol glucuronide in women with facial hirsutism (Salman et al). 1992;26:411-4

Androstenediols

Serum androstenediol glucuronide in women with facial hirsutism (Salman et al). 1992;26:411-4

Anemia, hemolytic, autoimmune

Cutaneous T-cell lymphoma and autoimmune hemolytic anemia (de Misa et al). 1992;26:1011-2 (Brief comm.)

Angioendothelioma; see Hemangioendothelioma**Angiolymphoid hyperplasia with eosinophilia**

Distribution of adhesion molecules, IgE, and CD23 in a case of angiolymphoid hyperplasia with eosinophilia (von den Driesch et al). 1992;26:799-804 (Case rep.)

Angioma; see Hemangioma**Angiotensin-converting enzyme inhibitors**

Drug-induced pemphigus related to angiotensin-converting enzyme inhibitors (Kaplan et al). 1992;26:364-6 (Case rep.)

Angiotropic lymphoma; see Lymphoma**Anistreplase**

Vasculitis occurring after intravenous anistreplase (Burrows and Jones). 1992;26:508 (Letter)

Annular dystrophic calcinosis cutis; see Calcinosis**Annular elastolytic giant cell granuloma; see Granuloma, giant cell Anthralin**

Therapeutic effect of anthralin (Lawrence and Shuster) (Letter); (Yarrow) (Reply). 1992;26:138-9

Anti-antibodies

Presence of anti-basal cell antibodies in oral lichen planus (Lin et al). 1992;26:943-7

Antibiotics

Antibiotic prophylaxis for patients with hereditary hemorrhagic telangiectasia (Chan) (Letter); (Swanson and Dahl) (Reply). 1992;26:282-3

Lupus vulgaris (Marcoval et al). 1992;26:404-7

Antibodies

Antiphospholipid antibody syndrome (Wortman) (Letter); (Grob) (Reply). 1992;26:139

Cutaneous T-cell lymphoma: utility of antibodies to the variable regions of the human T-cell antigen receptor (Hunt et al). 1992;26:552-8

Sneddon's syndrome and primary antiphospholipid syndrome: a case report (Manganelli et al). 1992;26:309-11 (Case rep.)

Antibodies, antinuclear

Severe sun sensitivity and the presence of antinuclear antibodies in patients with polymorphous light eruption-like lesions (Petzelbauer et al). 1992;26:68-74

Antibodies, monoclonal

CD1 (OKT6)-positive juvenile xanthogranuloma (Andersen et al). 1992;26:850-4 (Case rep.)

Distribution patterns and rates of proliferating cells in cutaneous keratinocytic neoplasms (Saida et al). 1992;26:744-8 (Dermatopathology)

Antigens

Differential expression of adhesion molecules on infiltrating cells in inflammatory dermatoses (Boehncke et al). 1992;26:907-13

Distribution patterns and rates of proliferating cells in cutaneous keratinocytic neoplasms (Saida et al). 1992;26:744-8 (Dermatopathology)

Antigens, CD

CD1 (OKT6)-positive juvenile xanthogranuloma (Andersen et al). 1992;26:850-4 (Case rep.)

Antinuclear antibodies; see Antibodies, antinuclear**Antioxidants**

Allergic contact dermatitis to latex glove antioxidants: an update (Storrs). 1992;26:144 (Letter)

Antiphospholipid antibody syndrome; see Antibodies**Antitubercular antibiotics; see Antibiotics****Arm**

Epithelioid sarcoma: clinical and histologic characteristics (Zanolli et al). 1992;26:302-5 (Case rep.)

Arthritis

Cutaneous manifestations of gastrointestinal disorders. Part II (Gregory and Ho). 1992;26:371-86 (CME article)

Disseminated candidiasis, *Candida* arthritis, and unilateral skin lesions (Marcus et al). 1992;26:295-7 (Case rep.)

Arthritis, psoriatic

Serum aminoterminal propeptide of type III procollagen in psoriasis and psoriatic arthritis: relation to liver fibrosis (Kanzler and Gorsulowsky) (Letter); (Zachariae) (Reply). 1992;26:509

Arthritis, rheumatoid

Linear IgA bullous dermatosis associated with rheumatoid arthritis (Hayakawa et al). 1992;26:110-3 (Case rep.)

Asian Dermatological Association

Asian Dermatological Association (Wong). 1992;26:636-7 (Meeting rep.)

Aspartame

Aspartame-induced lobular panniculitis (Geha) (Letter); (McCauliffe) (Reply). 1992;26:277-8

Aspergillus

Combined *Aspergillus* and zygomycotic (*Rhizopus*) infection in a patient with acquired immunodeficiency syndrome (Diamond et al). 1992;26:1017-8 (Brief comm.)

Atopic dermatitis; see Dermatitis, atopic

Atrophy

Effects of topical ammonium lactate on cutaneous atrophy from a potent topical corticosteroid (Lavker et al). 1992;26:535-44

Atropine

Eccrine hidrocystomas (Masri-Fridling and Elgart). 1992;26:780-2 (Brief comm.)

Auricle; see Ear

Autografts; see Transplantation, autologous

Autoimmune diseases

Dyshidrosiform pemphigoid: report of three cases (Descamps et al). 1992;26:651-2 (Brief comm.)

Lack of predictive factors for the clinical course of bullous pemphigoid (Venning and Wojnarowska). 1992;26:585-9

Presence of anti-basal cell antibodies in oral lichen planus (Lin et al). 1992;26:943-7

Red lunulae: case report and literature review (Cohen). 1992;26:292-4 (Case rep.)

Secondary autoimmune diseases in herpes gestationis (pemphigoid gestationis) (Shornick and Black). 1992;26:563-6

Autoimmune hemolytic anemia; see Anemia, hemolytic, autoimmune

Autologous grafting; see Transplantation, autologous

Azelaic acid

Treatment of reticulate acropigmentation of Kitamura with azelaic acid (Kameyama et al). 1992;26:817-20 (Case rep.)

B

B-cell lymphoma; see Lymphoma, B-cell

Bacterial infections

Diagnosis of *Acanthamoeba* infection by cutaneous manifestations in a man seropositive to HIV (May et al). 1992;26:352-5 (Case rep.)

Seidlmayer's syndrome: postinfectious cockade purpura of early childhood (Cox) (Letter); (Legrain et al) (Reply). 1992;26:275-6

Two patients with simultaneous, unusually located primary cutaneous nocardiosis (Harth et al). 1992;26:132-3 (Brief comm.)

Vibrio vulnificus infection and iron overload (Krafft and Hogan). 1992;26:140 (Letter)

Baldness; see Alopecia

Basal cell carcinoma; see Carcinoma, basal cell

Behçet's syndrome

Behçet's disease presenting as superior vena cava syndrome (Thomas et al). 1992;26:863-5 (Case rep.)

Benign keratoses; see Keratosis

Beta-endorphin

Plasma α -melanocyte-stimulating hormone, β -endorphin, met-enkephalin and natural killer cell activity in vitiligo (Mozzanica et al). 1992;26:693-700

Betamethasone

Double-blind comparison of naftifine cream and clotrimazole/betamethasone dipropionate cream in the treatment of tinea pedis (Smith et al). 1992;26:125-7 (Brief comm.)

Betamethasone 17-valerate

Comparative study of calcipotriol (MC903) ointment and betamethasone 17-valerate ointment in patients with psoriasis vulgaris (Cunliffe et al). 1992;26:736-43 (Therapy)

Bile pigments

Bile pigment deposition at sweat pores of patients with liver disease (Kanzaki and Tsuda). 1992;26:655-6 (Brief comm.)

Biological dressings

Treatment of leg ulcers with allogeneic cultured keratinocyte-collagen dressings (Taieb et al). 1992;26:1027 (Letter)

Bladder neoplasms

Umbilical metastasis from urinary bladder carcinoma (Edoute et al). 1992;26:656-7 (Brief comm.)

Bleomycins

Intralesional bleomycin and Raynaud's phenomenon (Gregg). 1992;26:279-80 (Letter)

Blister

Dyshidrosiform pemphigoid: report of three cases (Descamps et al). 1992;26:651-2 (Brief comm.)

Inherited epidermolysis bullosa (Stevanović) (Letter); (Fine) (Reply). 1992;26:278-9

Lack of predictive factors for the clinical course of bullous pemphigoid (Venning and Wojnarowska). 1992;26:585-9

Lichen planus pemphigoides in a 10-year-old girl (Hernando et al). 1992;26:124-5 (Brief comm.)

Linear IgA bullous dermatosis associated with rheumatoid arthritis (Hayakawa et al). 1992;26:110-3 (Case rep.)

Linear IgA dermatosis and thyroid carcinoma (Lacour et al). 1992;26:257-9 (Brief comm.)

Staphylococcus aureus-induced blistering distal dactylitis in an adult immunosuppressed patient (Zemtsov and Veitschegger). 1992;26:784-5 (Brief comm.)

Vancomycin-associated linear IgA dermatosis (Carpenter et al). 1992;26:45-8

Blood

Detection of herpes simplex virus DNA in the peripheral blood during acute recurrent herpes labialis (Brice et al). 1992;26:594-8

Blood flow, regional; see Regional blood flow

Blood transfusion

Atypical, nonfatal, transfusion-associated, acute graft-versus-host disease in a patient with Hodgkin's disease (Held et al). 1992;26:261-2 (Brief comm.)

Bone marrow transplantation

Sclerodermatous chronic graft-versus-host disease (Chosidow et al). 1992;26:49-55

Book reviews

Book reviews. 1992;26:511-2

Borrelia burgdorferi

Minocycline in Lyme disease (Liegner). 1992;26:263-4 (Brief comm.)

Polymerase chain reaction confirmation of *Borrelia burgdorferi* in benign lymphocytic infiltrate of dermis (Rabb et al). 1992;26:267-8 (Brief comm.)

Brief communications

Brief communications. 1992;26:121-36, 255-74, 489-504, 638-57, 772-87, 1002-18

Brushes; see Equipment and supplies

Bullae; see Blister

Bullous dermatosis; see Skin diseases, vesiculobullous

Bullous pemphigoid; see Pemphigoid, bullous

Burning mouth syndrome

Burning mouth syndrome: a possible etiologic role for local contact hypersensitivity (Dutrée-Meulenberg et al). 1992;26:935-40

Buschke, Abraham

A tribute to Abraham Buschke (Gold and Nürnberger). 1992;26:1019-22 (In memoriam)

Buttocks

Leiomyosarcoma of the buttock (Rothenberg). 1992;26:143 (Letter)

C

Calcinosis

Annular dystrophic calcinosis cutis in an infant (Sahn and Smith). 1992;26:1015-7 (Brief comm.)

Scrotal calcinosis (Sarma) (Letter); (Wright) (Reply). 1992;26:280

Calciophylaxis

Widespread cutaneous and systemic calcification (calciophylaxis) in patients with the acquired immunodeficiency syndrome and renal disease (Cockerell and Dolan). 1992;26:559-62

Calcipotriol

Comparative study of calcipotriol (MC903) ointment and beta-methasone 17-valerate ointment in patients with psoriasis vulgaris (Cunliffe et al). 1992;26:736-43 (Therapy)

Caliper; see Equipment and supplies**Cancer; see Neoplasms****Cancer, skin; see Skin neoplasms****Candida**

Disseminated candidiasis, *Candida* arthritis, and unilateral skin lesions (Marcus et al). 1992;26:295-7 (Case rep.)

Candidiasis

Disseminated candidiasis, *Candida* arthritis, and unilateral skin lesions (Marcus et al). 1992;26:295-7 (Case rep.)

Capillaries

Quantitative nailfold capillary microscopy (Glickman) (Letter); (Mahler and Hunziker) (Reply). 1992;26:790-1

Capsaicin

Topical capsaicin for treatment of hemodialysis-related pruritus (Breneman et al). 1992;26:91-4 (Therapy)

Captopril

Drug-induced pemphigus related to angiotensin-converting enzyme inhibitors (Kaplan et al). 1992;26:364-6 (Case rep.)

Carcinoembryonic antigen

Etretinate increases carcinoembryonic antigen in palmar scrapings (Penneys et al). 1992;26:940-2

Carcinoma

Linear IgA dermatosis and thyroid carcinoma (Lacour et al). 1992;26:257-9 (Brief comm.)

Carcinoma, basal cell

Basal cell carcinoma of the scrotum (Nahass et al). 1992;26:574-8

Coronal axis symmetry in basal and squamous cell carcinomas (Wagner). 1992;26:271-3 (Brief comm.)

Guidelines of care for basal cell carcinoma (AAD Committee on Guidelines of Care). 1992;26:117-20 (Acad. guidelines)

HLA-DR1 is not a sign of poor prognosis for the development of multiple basal cell carcinomas (Czarnecki et al). 1992;26:717-9

Intralesional interferon therapy for basal cell carcinoma (Epstein) (Letter); (Cornell) (Reply). 1992;26:142-3

Metastases from basal cell carcinoma of the scrotum (Nahass et al). 1992;26:509-10 (Letter)

Nonhealing leg ulcers (Black) (Letter); (Phillips and Rogers) (Reply). 1992;26:792

Nonhealing leg ulcers: a manifestation of basal cell carcinoma (Goldman) (Letter); (Phillips and Rogers) (Reply). 1992;26:791-2

The use of Mohs micrographic surgery for determination of residual tumor in incompletely excised basal cell carcinoma (Bielek et al). 1992;26:754-6 (Derm. surg.)

Widespread basal cell carcinoma of the scalp treated by dermabrasion (Melandri and Carruthers). 1992;26:270-1 (Brief comm.)

Carcinoma, squamous cell

Biology of cutaneous squamous cell carcinoma (Kwa et al). 1992;26:1-30 (CME article)

Carcinoma, squamous cell—cont'd

Coronal axis symmetry in basal and squamous cell carcinomas (Wagner). 1992;26:271-3 (Brief comm.)

Cutaneous metastasis from squamous cell carcinoma of the cervix (Hayes and Berry). 1992;26:846-50 (Case rep.)

Human papillomavirus type 11 in multiple squamous cell carcinomas in a patient with subacute cutaneous lupus erythematosus (Cohen et al). 1992;26:840-5 (Case rep.)

New primary nonmelanoma skin cancer in patients with a history of squamous cell carcinoma of the skin (Frankel et al). 1992;26:720-6

Prognostic factors for local recurrence, metastasis, and survival rates in squamous cell carcinoma of the skin, ear, and lip: implications for treatment modality selection (Rowe et al). 1992;26:976-90 (Clin. rev.)

PUVA and skin cancer (Chuang et al). 1992;26:173-7

Squamous cell carcinoma of the skin (excluding lip and oral mucosa) (Johnson et al). 1992;26:467-84 (Clin. rev.)

Carcinoma, transitional cell

Umbilical metastasis from urinary bladder carcinoma (Edoute et al). 1992;26:656-7 (Brief comm.)

Career choice

MD-PhDs in dermatology (Prystowsky). 1992;26:766-71 (Special article)

Case reports

Case reports. 1992;26:101-16, 285-370, 799-884

Castleman's disease; see Giant lymph node hyperplasia**CD1; see Antigens, CD****CD23**

Distribution of adhesion molecules, IgE, and CD23 in a case of angiolymphoid hyperplasia with eosinophilia (von den Driesch et al). 1992;26:799-804 (Case rep.)

Cefuroxime

Unilateral plantar erythema nodosum (Hern and Shwayder). 1992;26:259-60 (Brief comm.)

Celiac disease

Cutaneous manifestations of gastrointestinal disorders. Part II (Gregory and Ho). 1992;26:371-86 (CME article)

Cell adhesion molecules

Differential expression of adhesion molecules on infiltrating cells in inflammatory dermatoses (Boehncke et al). 1992;26:907-13

Distribution of adhesion molecules, IgE, and CD23 in a case of angiolymphoid hyperplasia with eosinophilia (von den Driesch et al). 1992;26:799-804 (Case rep.)

Cells

Distribution patterns and rates of proliferating cells in cutaneous keratinocytic neoplasms (Saida et al). 1992;26:744-8 (Dermatopathology)

Cervix neoplasms

Cutaneous metastasis from squamous cell carcinoma of the cervix (Hayes and Berry). 1992;26:846-50 (Case rep.)

Chaetomium

Onychomycosis of the toenails caused by *Chaetomium globosum* (Stiller et al). 1992;26:775-6 (Brief comm.)

Chancere

Primary tuberculous chancre in a renal transplant patient (Tham and Choong). 1992;26:342-4 (Case rep.)

Cheilitis

Actinic prurigo: clinical features and prognosis (Lane et al). 1992;26:683-92

Chemotherapy; see Drug therapy**Chickenpox**

Photolocalized varicella (Boyd et al). 1992;26:772-4 (Brief comm.)

Child

- Gianotti-Crosti syndrome: a retrospective analysis of 308 cases (Caputo et al). 1992;26:207-10
- Lichen planus pemphigoides in a 10-year-old girl (Hernando et al). 1992;26:124-5 (Brief comm.)
- Metastatic cutaneous lesions in children and adolescents with a case report of metastatic neuroblastoma (Maher-Wiese et al). 1992;26:620-8 (Clin. rev.)
- Primary cutaneous large-cell anaplastic (Ki-1) lymphoma in a child (Meier et al). 1992;26:813-7 (Case rep.)
- Scleroderma-like skin indurations in a child with phenylketonuria: a clinicopathologic correlation and review of the literature (Nova et al). 1992;26:329-33 (Case rep.)

Chin

- Follicular keratosis of the chin (Kanzaki et al). 1992;26:134-5 (Brief comm.)

Chromoblastomycosis

- Chromoblastomycosis caused by *Exophiala spinifera* (Barba-Gómez et al). 1992;26:367-70 (Case rep.)

Chronic cutaneous lupus erythematosus; see Lupus erythematosus, discoid

Ciprofloxacin

- Anaphylactoid reaction to ciprofloxacin in a patient infected with the human immunodeficiency virus (Berger and Franklin). 1992;26:256-7 (Brief comm.)

Clinical reviews

- Clinical reviews. 1992;26:237-42, 467-84, 620-8, 757-62, 976-90

Clotrimazole

- Double-blind comparison of naftifine cream and clotrimazole/betamethasone dipropionate cream in the treatment of tinea pedis (Smith et al). 1992;26:125-7 (Brief comm.)

Coccidioidomycosis

- Clinicopathologic spectrum of specific cutaneous lesions of disseminated coccidioidomycosis (Quimby et al). 1992;26:79-85

Cockade purpura; see Purpura

Coitus

- Postcoital appearance of a median raphe cyst (Sharkey et al). 1992;26:273-4 (Brief comm.)

Cold

- Localized, perifollicular cold urticaria (Baxter et al). 1992;26:306-8 (Case rep.)

Collagen

- In situ localization of IgG in epidermolysis bullosa acquisita by immunogold technique (Kárpáti et al). 1992;26:726-30
- Treatment of leg ulcers with allogeneic cultured keratinocyte-collagen dressings (Taieb et al). 1992;26:1027 (Letter)

Committee on Guidelines of Care

- Guidelines of care for alopecia areata (AAD Committee on Guidelines of Care). 1992;26:247-50 (Acad. guidelines)
- Guidelines of care for atopic dermatitis (AAD Committee on Guidelines of Care). 1992;26:485-8 (Acad. guidelines)
- Guidelines of care for basal cell carcinoma (AAD Committee on Guidelines of Care). 1992;26:117-20 (Acad. guidelines)
- Guidelines of care for nevocellular nevi (AAD Committee on Guidelines of Care). 1992;26:629-31 (Acad. guidelines)
- Guidelines of care for office surgical facilities. Part I (AAD Committee on Guidelines of Care). 1992;26:763-5 (Acad. guidelines)

Condylomata acuminata

- Detection of human papillomavirus DNA in condylomata acuminata treated in vitro with liquid nitrogen, trichloroacetic acid, and podophyllin with the polymerase chain reaction (Zhu et al). 1992;26:710-4

Condylomata acuminata—cont'd

- Genital benign chronic pemphigus (Hailey-Hailey disease) presenting as condylomas (Langenberg et al). 1992;26:951-5
- Systemic treatment of extensive condylomata acuminata with interferon alpha 2b (Grablowitz et al). 1992;26:1009-10 (Brief comm.)

Confluent papillomatosis; see Papilloma

Congenital neurilemmomatosis; see Neurilemmoma

Contact allergy; see Dermatitis, contact

Contact dermatitis; see Dermatitis, contact

Contact hypersensitivity; see Dermatitis, contact

Continuing medical education

- Continuing medical education. 1992;26:1-27, 153-66, 371-83, 521-31, 661-79, 885-902
- Continuing medical education examinations. 1992;26:27-9, 167-8, 384-5, 532-3, 680-1, 903-5
- Continuing medical education examinations answers. 1992;26:30, 166, 386, 534, 682, 906

Contraceptives, oral

- Spironolactone (Danby) (Letter); (Shaw) (Reply). 1992;26:137-8

Coronal axis

- Coronal axis symmetry in basal and squamous cell carcinomas (Wagner). 1992;26:271-3 (Brief comm.)

Corrections

- Age, sunlight, and facial skin: a histologic and quantitative study (Warren et al) (1991;25:751-60). 1992;26:558
- Allergic and irritant reactions to rubber gloves in medical health services (Heese et al) (1991;25:831-9). 1992;26:403
- Antibodies to neutrophil cytoplasmic antigens: a serologic marker for Sweet's syndrome (Kemmett et al) (1991;24:967-9). 1992;26:214
- Quantitative nailfold capillary microscopy in cutaneous and systemic lupus erythematosus and localized and systemic scleroderma (Studer et al) (1991;24:941-5). 1992;26:214
- Self-assessment examinations answers (1991;24:156-9). 1992;26:149
- Tinea versicolor: epidemiologic, clinical, and therapeutic aspects (Borelli et al) (1991;25:300-5). 1992;26:214

Correspondence

- Correspondence. 1992;26:137-44, 275-84, 505-10, 658-60, 789-92, 1027-30

Corticosteroids; see Adrenal cortex hormones

Cryosurgery

- Cryosurgery for skin cancer (Zitelli). 1992;26:283-4 (Letter)
- Lymphocytoma cutis: a series of five patients successfully treated with cryosurgery (Kuflik and Schwartz). 1992;26:449-52 (Therapy)

Cryptococcosis

- Polymorphous cutaneous cryptococcosis: nodular, herpes-like, and molluscum-like lesions in a patient with the acquired immunodeficiency syndrome (Manrique et al). 1992;26:122-3 (Brief comm.)

Current Procedural Terminology

- CPT codes are needed for dermatologic photography (Wagner). 1992;26:788 (Editorial)

Cutaneous atrophy; see Atrophy

Cutaneous leukocytoclastic vasculitis; see Vasculitis

Cutaneous lupus erythematosus; see Lupus erythematosus, cutaneous

Cutaneous metastasis; see Neoplasm metastasis

Cutaneous pigmentation; see Skin pigmentation

Cutaneous T-cell lymphoma; see Lymphoma, T-cell, cutaneous

Cutis lymphocytoma; see Lymphoma, small lymphocytic

Cyclosporine

- Alterations in renal function in psoriasis patients treated with cyclosporine, 5 mg/kg/day (Margolis et al). 1992;26:195-7
- Cyclosporine in psoriasis: a multicenter dose-finding study in severe plaque psoriasis (Christophers et al). 1992;26:86-90 (Therapy)

Cyclosporine—cont'd

- The development of B-cell lymphoma in a patient with psoriasis treated with cyclosporine (Koo et al). 1992;26:836-40 (Case rep.)
- Lymphocytic infiltrates of the skin in association with cyclosporine therapy (Bagot and Dubertret). 1992;26:283 (Letter)
- Monitoring for adverse effects from systemic drugs used in dermatology (Wolverton). 1992;26:661-79 (CME article)
- Morphologic renal changes during cyclosporine treatment of psoriasis (Zachariae et al). 1992;26:415-9
- Multiple eruptive benign keratoses associated with cyclosporine therapy for psoriasis (Ross et al). 1992;26:128-9 (Brief comm.)
- Sebaceous hyperplasia and basal cell carcinoma in a renal transplant patient receiving cyclosporine (Pakula and Garden). 1992;26:139-40 (Letter)

Cylindroma

- Multiple linear cylindromas (Martinez et al). 1992;26:821-4 (Case rep.)

Cysts

- Postcoital appearance of a median raphe cyst (Sharkey et al). 1992;26:273-4 (Brief comm.)
- Relapsing polychondritis: a case diagnosed by direct immunofluorescence and coexisting with pseudocyst of the auricle (Helm et al). 1992;26:315-8 (Case rep.)
- Relationship between steatocystoma multiplex and eruptive vellus hair cysts (Ohtake et al). 1992;26:876-8 (Case rep.)

D**Dapsone**

- Monitoring for adverse effects from systemic drugs used in dermatology (Wolverton). 1992;26:661-79 (CME article)

Dark skin; see Skin pigmentation**Daunorubicin**

- Cutaneous pigmentation after daunorubicin chemotherapy (Anderson et al). 1992;26:255-6 (Brief comm.)

Debridement

- Treatment of traumatic tattoos with various sterile brushes (Böhler et al). 1992;26:749-53 (Derm. surg.)

Demodex folliculorum; see Mites**Denture**

- Burning mouth syndrome: a possible etiologic role for local contact hypersensitivity (Dutrée-Meulenberg et al). 1992;26:935-40

Depigmented lesions; see Pigmentation disorders**Derbes, Vincent J.**

- Vincent J. Derbes (1912-1991) (Millikan). 1992;26:1023-4 (In memoriam)

Dermabrasion

- Widespread basal cell carcinoma of the scalp treated by dermabrasion (Melandri and Carruthers). 1992;26:270-1 (Brief comm.)

Dermatitis, atopic

- Guidelines of care for atopic dermatitis (AAD Committee on Guidelines of Care). 1992;26:485-8 (Acad. guidelines)
- High-dose UVA1 therapy in the treatment of patients with atopic dermatitis (Krutmann et al). 1992;26:225-30 (Therapy)

Dermatitis, contact

- Allergic contact dermatitis to latex glove antioxidants: an update (Storrs). 1992;26:144 (Letter)
- Burning mouth syndrome: a possible etiologic role for local contact hypersensitivity (Dutrée-Meulenberg et al). 1992;26:935-40
- Contact allergy to resorcinol in acne medications: report of three cases (Serrano et al). 1992;26:502-4 (Brief comm.)
- Squish Ball dermatitis (Brodell and Torrence). 1992;26:641-2 (Brief comm.)

Dermatologic surgery

- Dermatologic surgery. 1992;26:749-56

Dermatology

- First International Congress of Dermatology and Syphilology, Paris, Aug. 5-10, 1889 (Wallach and Tillés). 1992;26:995-1001 (Special article)

Dermatomycoses

- Disseminated candidiasis, *Candida* arthritis, and unilateral skin lesions (Marcus et al). 1992;26:295-7 (Case rep.)

Dermatomyositis

- Amyopathic dermatomyositis (Grau et al) (Letter); (Euwer and Sontheimer) (Reply). 1992;26:505-8
- Amyopathic dermatomyositis (dermatomyositis sine myositis) (Callen and Jorizzo) (Letter); (Euwer and Sontheimer) (Reply). 1992;26:506-8
- Dermatomyositis presenting as erythroderma (Miyagawa et al). 1992;26:489-90 (Brief comm.)

Dermatopathia pigmentosa reticularis; see Pigmentation disorders**Dermatopathology**

- Dermatopathology. 1992;26:95-100, 243-6, 462-6, 744-8, 968-75

Dermatophytes

- Prevalence of dermatophytosis in patients with diabetes (Lugo-Somolinos and Sánchez). 1992;26:408-10

Dermatoses; see Skin diseases entries**Dermatosis, bullous; see Skin diseases, vesiculobullous****Dermoepidermal junction IgM; see IgM****Desmoplastic malignant melanoma; see Melanoma****Diabetes mellitus**

- Prevalence of dermatophytosis in patients with diabetes (Lugo-Somolinos and Sánchez). 1992;26:408-10

Diabetes mellitus, insulin dependent

- Suspected Aizzandri's syndrome in a diabetic patient with unilateral retinal detachment and ipsilateral vitiligo and poliosis (Hoffman and Dudley). 1992;26:496-7 (Brief comm.)

Dialysis, peritoneal; see Peritoneal dialysis, continuous ambulatory**Didymediosis; see Mites****Diffuse fasciitis; see Fasciitis****Diphenylcyclopropenone**

- Treatment of alopecia areata with diphenylcyclopropenone (Hull and Cunliffe) (Letter); (van der Steen and Happle) (Reply). 1992;26:276-7

Direct immunofluorescence; see Fluorescent antibody technique**Discoid lupus erythematosus; see Lupus erythematosus, discoid****Disseminated candidiasis; see Candidiasis****Disseminated coccidioidomycosis; see Coccidioidomycosis****Disseminated granuloma annulare; see Granuloma****Disulfiram**

- Nickel dermatitis recall in disulfiram therapy for alcohol abuse (Klein and Fowler). 1992;26:645-6 (Brief comm.)

DNA, viral

- Detection of herpes simplex virus DNA in the peripheral blood during acute recurrent herpes labialis (Brice et al). 1992;26:594-8
- Detection of human papillomavirus DNA in condylomata acuminata treated in vitro with liquid nitrogen, trichloroacetic acid, and podophyllin with the polymerase chain reaction (Zhu et al). 1992;26:710-4

Dose-response relationship, drug

- Cyclosporine in psoriasis: a multicenter dose-finding study in severe plaque psoriasis (Christophers et al). 1992;26:86-90 (Therapy)

Doyle, Arthur Conan

- Sherlock Holmes, Arthur Conan Doyle, and Malcolm Morris (Caplan). 1992;26:251-4 (Special article)

Dressings, biological; see Biological dressings

Drug hypersensitivity

- Anaphylactoid reaction to ciprofloxacin in a patient infected with the human immunodeficiency virus (Berger and Franklin). 1992; 26:256-7 (Brief comm.)
Contact allergy to resorcinol in acne medications: report of three cases (Serrano et al). 1992;26:502-4 (Brief comm.)
Drug-induced pemphigus related to angiotensin-converting enzyme inhibitors (Kaplan et al). 1992;26:364-6 (Case rep.)

Drug therapy

- Cutaneous pigmentation after daunorubicin chemotherapy (Anderson et al). 1992;26:255-6 (Brief comm.)
Eccrine squamous syringometaplasia in chemotherapy-induced acral erythema (Rongioletti and Rebra). 1992;26:284 (Letter)

Drugs, adverse effects

- Monitoring for adverse effects from systemic drugs used in dermatology (Wolverton). 1992;26:661-79 (CME article)

Dry eye syndromes

- Schirmer testing for dry eyes in patients with rosacea (Gudmundsen et al). 1992;26:211-4

Dyshidrosiform pemphigoid; see Pemphigoid, bullous

Dystrophic calcinosis cutis; see Calcinosis

Dystrophy, reflex sympathetic; see Reflex sympathetic dystrophy

E

Ear

- Relapsing polychondritis: a case diagnosed by direct immunofluorescence and coexisting with pseudocyst of the auricle (Helm et al). 1992;26:315-8 (Case rep.)

Ear neoplasms

- Prognostic factors for local recurrence, metastasis, and survival rates in squamous cell carcinoma of the skin, ear, and lip: implications for treatment modality selection (Rowe et al). 1992;26:976-90 (Clin. rev.)

Eccrine glands

- Eccrine hidrocystomas (Masri-Fridling and Elgart). 1992;26:780-2 (Brief comm.)
Eccrine squamous syringometaplasia in chemotherapy-induced acral erythema (Rongioletti and Rebra). 1992;26:284 (Letter)
Eccrine syringofibroadenomatosis: a clinical and histologic study and review of the literature (Lui et al). 1992;26:805-13 (Case rep.)

Edema

- Chronic cutaneous lupus erythematosus presenting as periorbital edema and erythema (Cyran et al). 1992;26:334-8 (Case rep.)
Infantile acute hemorrhagic edema of the skin (Saraçlar and Tinaztepe) (Letter); (Legrain et al) (Reply). 1992;26:275-6
Seidlmayer's syndrome: postinfectious cockade purpura of early childhood (Cox) (Letter); (Legrain et al) (Reply). 1992;26:275-6

Editorials

- Editorials. 1992;26:632-5, 788

Education

- Level of education and the risk of malignant melanoma (Lee et al). 1992;26:59-63
Who discovers melanoma? (Koh et al). 1992;26:914-9

Elastic tissue

- Mid dermal elastolysis (Maghraoui et al). 1992;26:490-2 (Brief comm.)
Mid dermal elastolysis with wrinkling (Kim and Su). 1992;26:169-73
Pseudoxanthoma elasticum-like papillary dermal elastolysis (Rongioletti and Rebra). 1992;26:648-50 (Brief comm.)

Elastolysis; see Skin aging

Elastolysis, mid-dermal; see Skin aging

Elastolytic giant cell granuloma; see Granuloma, giant cell

Elastolytic granulomatosis; see Granulomatosis

Electron beam therapy; see Radiation

Electron microscopy; see Microscopy, electron

Emollients

- Tretinoin emollient cream: a new therapy for photodamaged skin (Olsen et al). 1992;26:215-24

Enkephalin, methionine

- Plasma α -melanocyte-stimulating hormone, β -endorphin, met-enkephalin, and natural killer cell activity in vitiligo (Mozzanica et al). 1992;26:693-700

Eosinophilia

- Cutaneous toxic mucinosis (Rongioletti and Rebra) (Letter); (Kaufman et al) (Reply). 1992;26:789-80
A histopathologic comparison of Shulman's syndrome (diffuse fasciitis with eosinophilia) and the fasciitis associated with the eosinophilia-myalgia syndrome (Feldman et al). 1992;26:95-100 (Dermatopathology)
Papulocystic erythroderma (Ofuji): two additional cases and review of the literature (Nazzari et al). 1992;26:499-501 (Brief comm.)

Epidermal autografts; see Skin transplantation

Epidermal necrolysis, toxic

- Drug-induced toxic epidermal necrolysis (Lyell syndrome) in patients infected with the human immunodeficiency virus (Saiag et al). 1992;26:567-74

Epidermal nevus syndrome

- How many epidermal nevus syndromes exist? (Atherton) (Letter); (Happle) (Reply). 1992;26:1027-8

Epidermis

- Effects of petrolatum on stratum corneum structure and function (Ghadially et al). 1992;26:387-96

Epidermolysis bullosa

- Inherited epidermolysis bullosa (Stevanović) (Letter); (Fine) (Reply). 1992;26:278-9

Epidermolysis bullosa acquisita

- In situ localization of IgG in epidermolysis bullosa acquisita by immunogold technique (Kárpáti et al). 1992;26:726-30

Epithelioid cells

- Epithelioid cell histiocytoma (Mehregan et al). 1992;26:243-6 (Dermatopathology)

Epithelioid hemangioendothelioma; see Hemangioendothelioma

Epithelioid sarcoma; see Sarcoma

Epstein-Barr virus

- Cutaneous angiocentric T-cell lymphoma associated with Epstein-Barr virus (Tsai et al). 1992;26:31-8

Equipment and supplies

- High-tech dermatology (Shupack et al). 1992;26:785-6 (Brief comm.)
Treatment of traumatic tattoos with various sterile brushes (Böhler et al). 1992;26:749-53 (Derm. surg.)

Eruptive benign keratoses; see Keratosis

Eruptive vellus hair cysts; see Cysts

Erythema

- Chronic cutaneous lupus erythematosus presenting as periorbital edema and erythema (Cyran et al). 1992;26:334-8 (Case rep.)
Eccrine squamous syringometaplasia in chemotherapy-induced acral erythema (Rongioletti and Rebra). 1992;26:284 (Letter)
Erythema elevatum diutinum: a clinical and histopathologic study of 13 patients (Yiannias et al). 1992;26:38-44
Erythema elevatum diutinum in a patient with relapsing polychondritis (Bernard et al). 1992;26:312-5 (Case rep.)
Erythema gyratum repens: a paraneoplastic eruption (Boyd et al). 1992;26:757-62 (Clin. rev.)

1052 Subject index

Erythema—cont'd

Erythema gyratum repens in a healthy woman (Garrett and Roenigk). 1992;26:121-2 (Brief comm.)

Erythema elevatum diutinum; see Erythema

Erythema gyratum repens; see Erythema

Erythema nodosum

Unilateral plantar erythema nodosum (Hern and Shwayder). 1992;26:259-60 (Brief comm.)

Erythroderma

Dermatomyositis presenting as erythroderma (Miyagawa et al). 1992;26:489-90 (Brief comm.)

Papuloerythroderma (Ofuji): two additional cases and review of the literature (Nazzari et al). 1992;26:499-501 (Brief comm.)

Erythromelalgia

Erythromelalgia in a patient with thrombotic thrombocytopenic purpura (Yosipovitch et al). 1992;26:825-7 (Case rep.)

Erythromycin

A therapeutic trial of the use of penicillin V or erythromycin with or without rifampin in the treatment of psoriasis (Vincent et al). 1992;26:458-61 (Therapy)

Esophagus

Esophageal acanthosis nigricans in association with adenocarcinoma from an unknown primary site (Kozlowski and Nigra). 1992;26:348-51 (Case rep.)

Etretinate

Disseminated granuloma annulare: resolution with etretinate therapy (Botella-Estrada et al). 1992;26:777-8 (Brief comm.)

Etretinate increases carcinoembryonic antigen in palmar scrapings (Penneys et al). 1992;26:940-2

Exophiala

Chromoblastomycosis caused by *Exophiala spinifera* (Barba-Gómez et al). 1992;26:367-70 (Case rep.)

Eye

Schirmer testing for dry eyes in patients with rosacea (Gudmundsen et al). 1992;26:211-4

Eyelid diseases

Present status of eyelid phototherapy (Prystowsky et al). 1992;26:607-13 (Therapy)

Eyelid neoplasms

Orbital and palpebral paraffinoma (Feldmann et al). 1992;26:833-5 (Case rep.)

Eyelids

Chronic cutaneous lupus erythematosus presenting as periorbital edema and erythema (Cyran et al). 1992;26:334-8 (Case rep.)

F

Facial hirsutism; see Hirsutism

Fasciitis

A histopathologic comparison of Shulman's syndrome (diffuse fasciitis with eosinophilia) and the fasciitis associated with the eosinophilia-myalgia syndrome (Feldman et al). 1992;26:95-100 (Dermatopathology)

Fetus

Fetal risks in herpes gestationis (Shornick and Black). 1992;26:63-8

Fingernails; see Nails

Fingers

Epithelioid sarcoma: clinical and histologic characteristics (Zanolli et al). 1992;26:302-5 (Case rep.)

Staphylococcus aureus-induced blistering distal dactylitis in an adult immunosuppressed patient (Zemtsov and Veitschegger). 1992;26:784-5 (Brief comm.)

Fluorescent antibody technique

Continuous dermoepidermal junction IgM detected by direct immunofluorescence: a report of nine cases (Helm and Valenzuela). 1992;26:203-6

Relapsing polychondritis: a case diagnosed by direct immunofluorescence and coexisting with pseudocyst of the auricle (Helm et al). 1992;26:315-8 (Case rep.)

Fluorouracil

Spiny keratoderma of the palms and soles (Osman et al). 1992;26:879-81 (Case rep.)

Follicular hyperkeratosis; see Keratosis follicularis

Follicular keratosis; see Keratosis follicularis

Foot

Acquired symmetric lipomatosis of the soles (Requena et al). 1992;26:860-2 (Case rep.)

Epithelioid hemangioendothelioma associated with reflex sympathetic dystrophy (Malane et al). 1992;26:325-8 (Case rep.)

Spiny keratoderma of the palms and soles (Osman et al). 1992;26:879-81 (Case rep.)

Unilateral plantar erythema nodosum (Hern and Shwayder). 1992;26:259-60 (Brief comm.)

Foreign bodies

Treatment of traumatic tattoos with various sterile brushes (Böhler et al). 1992;26:749-53 (Derm. surg.)

From the Academy

From the Academy. 1992;26:991-4

Fungi

Chromoblastomycosis caused by *Exophiala spinifera* (Barba-Gómez et al). 1992;26:367-70 (Case rep.)

Clinicopathologic spectrum of specific cutaneous lesions of disseminated coccidioidomycosis (Quimby et al). 1992;26:79-85

Disseminated candidiasis, *Candida* arthritis, and unilateral skin lesions (Marcus et al). 1992;26:295-7 (Case rep.)

Onychomycosis of the toenails caused by *Chaetomium globosum* (Stiller et al). 1992;26:775-6 (Brief comm.)

Posttreatment itraconazole levels in the nail (Willemsen et al). 1992;26:731-5 (Therapy)

Prevalence of dermatophytosis in patients with diabetes (Lugo-Somolinos and Sánchez). 1992;26:408-10

G

Gamma/delta T-cell lymphoma; see Lymphoma

Gastrointestinal diseases

Cutaneous manifestations of gastrointestinal disorders. Part I (Gregory and Ho). 1992;26:153-68 (CME article)

Cutaneous manifestations of gastrointestinal disorders. Part II (Gregory and Ho). 1992;26:371-86 (CME article)

Gastrointestinal neoplasms

Cutaneous manifestations of gastrointestinal disorders. Part I (Gregory and Ho). 1992;26:153-68 (CME article)

Gender characteristics; see Sex characteristics

Gene rearrangement, T-lymphocyte

Cutaneous T-cell lymphoma: utility of antibodies to the variable regions of the human T-cell antigen receptor (Hunt et al). 1992;26:552-8

Genetics

Dermatopathia pigmentosa reticularis: a report of a family demonstrating autosomal dominant inheritance (Heimer et al). 1992;26:298-301 (Case rep.)

Genital diseases

Genital benign chronic pemphigus (Hailey-Hailey disease) presenting as condylomas (Langenberg et al). 1992;26:951-5

Genotype

Immunophenotypic and genotypic characterization of lymphomatoid papulosis (Parks et al). 1992;26:968-75 (Dermatopathology)

Geriatrics; see Aged

Gianotti-Crosti syndrome

Gianotti-Crosti syndrome: a retrospective analysis of 308 cases (Caputo et al). 1992;26:207-10

Giant cell granuloma; see Granuloma, giant cell

Giant lymph node hyperplasia

Reversible plane xanthoma, vasculitis, and peliosis hepatis in giant lymph node hyperplasia (Castleman's disease): a case report and review of the cutaneous manifestations of giant lymph node hyperplasia (Sherman et al). 1992;26:105-9 (Case rep.)

Glans penis; see Penis

Gloves, surgical

Allergic contact dermatitis to latex glove antioxidants: an update (Storrs). 1992;26:144 (Letter)

Graft vs host disease

Atypical, nonfatal, transfusion-associated, acute graft-versus-host disease in a patient with Hodgkin's disease (Held et al). 1992; 26:261-2 (Brief comm.)

Sclerodermatous chronic graft-versus-host disease (Chosidow et al). 1992;26:49-55

Granular lymphocytic leukemia; see Leukemia, lymphocytic

Granuloma

Disseminated granuloma annulare: resolution with tretinate therapy (Botella-Estrada et al). 1992;26:777-8 (Brief comm.)

Granuloma, giant cell

Systemic elastolytic granulomatosis with cutaneous, ocular, lymph nodal, and intestinal involvement (Kurose et al). 1992;26:359-63 (Case rep.)

Granulomatosis

Systemic elastolytic granulomatosis with cutaneous, ocular, lymph nodal, and intestinal involvement (Kurose et al). 1992;26:359-63 (Case rep.)

Graves' disease

Secondary autoimmune diseases in herpes gestationis (pemphigoid gestationis) (Shornick and Black). 1992;26:563-6

H

Hair

Guidelines of care for alopecia areata (AAD Committee on Guidelines of Care). 1992;26:247-50 (Acad. guidelines)

Relationship between steatocystoma multiplex and eruptive vellus hair cysts (Ohtake et al). 1992;26:876-8 (Case rep.)

Treatment of alopecia areata with diphenylcyclopropenone (Hull and Cunliffe) (Letter); (van der Steen and Happle) (Reply). 1992; 26:276-7

Hand

Efficacy of a 1-week, twice-daily regimen of terbinafine 1% cream in the treatment of interdigital tinea pedis (Berman et al). 1992; 26:956-60 (Therapy)

Etretinate increases carcinoembryonic antigen in palmar scrapings (Penneys et al). 1992;26:940-2

Spiny keratoderma of the palms and soles (Osman et al). 1992; 26:879-81 (Case rep.)

Hemangioendothelioma

Epithelioid hemangioendothelioma associated with reflex sympathetic dystrophy (Malane et al). 1992;26:325-8 (Case rep.)

Malignant proliferative angioendotheliomatosis or angiotropic lymphoma associated with a soft-tissue lymphoma (López-Gil et al). 1992;26:101-4 (Case rep.)

Hemangioma

An eruptive vascular proliferation resembling acquired tufted angioma in the recipient of a liver transplant (Chu and LeBoit). 1992;26:322-5 (Case rep.)

Hematologic diseases

Erythema elevatum diutinum: a clinical and histopathologic study of 13 patients (Yiannias et al). 1992;26:38-44

Hemochromatosis

Vibrio vulnificus infection and iron overload (Kraffert and Hogan). 1992;26:140 (Letter)

Hemodialysis

Topical capsaicin for treatment of hemodialysis-related pruritus (Breneman et al). 1992;26:91-4 (Therapy)

Hemolytic anemia, autoimmune; see Anemia, hemolytic, autoimmune

Hemophilia

Porphyria cutanea tarda in association with human immunodeficiency virus infection in a hemophiliac (Conlan and Hoots). 1992;26:857-9 (Case rep.)

Hemorrhagic edema; see Edema

Hemorrhagic telangiectasia, hereditary; see Telangiectasia, hereditary hemorrhagic

Hepatitis

Ketoconazole and hepatitis (Klausner) (Letter); (Knight) (Reply). 1992;26:1028-30

Hepatitis B virus

Gianotti-Crosti syndrome: a retrospective analysis of 308 cases (Caputo et al). 1992;26:207-10

Hereditary diseases

Congenital neurilemmomatosis (Sasaki and Nakajima). 1992;26: 786-7 (Brief comm.)

Hereditary hemorrhagic telangiectasia; see Telangiectasia, hereditary hemorrhagic

Herpes gestationis

Fetal risks in herpes gestationis (Shornick and Black). 1992;26:63-8

Secondary autoimmune diseases in herpes gestationis (pemphigoid gestationis) (Shornick and Black). 1992;26:563-6

Herpes labialis

Detection of herpes simplex virus DNA in the peripheral blood during acute recurrent herpes labialis (Brice et al). 1992;26:594-8

Herpes simplex

Polymorphous cutaneous cryptococcosis: nodular, herpes-like, and molluscum-like lesions in a patient with the acquired immunodeficiency syndrome (Manrique et al). 1992;26:122-3 (Brief comm.)

Herpesvirus hominis

Detection of herpes simplex virus DNA in the peripheral blood during acute recurrent herpes labialis (Brice et al). 1992;26:594-8

Hidradenoma

Multiple linear cylindromas (Martinez et al). 1992;26:821-4 (Case rep.)

Hidrocystomas; see Sweat gland neoplasms

High-dose corticosteroids; see Adrenal cortex hormones

High-tech dermatology; see Technology, medical

Hirsutism

Serum androstenediol glucuronide in women with facial hirsutism (Salman et al). 1992;26:411-4

Spirolactone in dermatology (Cunliffe and Hull) (Letter); (Shaw) (Reply). 1992;26:137-8

Histiocytoma

Epithelioid cell histiocytoma (Mehregan et al). 1992;26:243-6 (Dermatopathology)

Histiocytosis, Langerhans-cell

CD1 (OKT6)-positive juvenile xanthogranuloma (Andersen et al). 1992;26:850-4 (Case rep.)

Histological techniques

Malignant melanomas with histologic diameters less than 6 mm (Bergman et al). 1992;26:462-6 (Dermatopathology)

Histoplasma

The concurrent presence of systemic disease pathogens and cutaneous Kaposi's sarcoma in the same lesion: *Histoplasma capsulatum* and Kaposi's sarcoma coexisting in a single skin lesion in a patient with AIDS (Cole et al). 1992;26:285-7 (Case rep.)

Historical articles

First International Congress of Dermatology and Syphilology, Paris, Aug. 5-10, 1889 (Wallach and Tillés). 1992;26:995-1001 (Special article)

A tribute to Abraham Buschke (Gold and Nürnberg). 1992;26:1019-22 (In memoriam)

HIV

Acne conglobata and a generalized lichen spinulosus-like eruption in a man seropositive for human immunodeficiency virus (Resnick et al). 1992;26:1013-4 (Brief comm.)

Acute miliary tuberculosis of the skin in acquired immunodeficiency syndrome (Rohatgi et al). 1992;26:356-9 (Case rep.)

Anaphylactoid reaction to ciprofloxacin in a patient infected with the human immunodeficiency virus (Berger and Franklin). 1992;26:256-7 (Brief comm.)

The concurrent presence of systemic disease pathogens and cutaneous Kaposi's sarcoma in the same lesion: *Histoplasma capsulatum* and Kaposi's sarcoma coexisting in a single skin lesion in a patient with AIDS (Cole et al). 1992;26:285-7 (Case rep.)

Diagnosis of *Acanthamoeba* infection by cutaneous manifestations in a man seropositive to HIV (May et al). 1992;26:352-5 (Case rep.)

Drug-induced toxic epidermal necrolysis (Lyell syndrome) in patients infected with the human immunodeficiency virus (Saia et al). 1992;26:567-74

Oral and labial melanotic macules in a patient infected with human immunodeficiency virus (Cohen and Callen). 1992;26:653-4 (Brief comm.)

Porphyrria cutanea tarda in association with human immunodeficiency virus infection in a hemophiliac (Conlan and Hoots). 1992;26:857-9 (Case rep.)

UVB phototherapy of the pruritic papular eruption of the acquired immunodeficiency syndrome (Pardo et al). 1992;26:423-8

Widespread cutaneous and systemic calcification (calciophylaxis) in patients with the acquired immunodeficiency syndrome and renal disease (Cockerell and Dolan). 1992;26:559-62

HLA antigens

HLA typing in actinic prurigo (Duran and Bernal) (Letter); (Lane et al) (Reply). 1992;26:658

HLA typing in polymorphic light eruption (Ross) (Letter); (Lane et al) (Reply). 1992;26:658-9

HLA-DR1 antigen

HLA-DR1 is not a sign of poor prognosis for the development of multiple basal cell carcinomas (Czarnecki et al). 1992;26:717-9

Hodgkin's disease

Atypical, nonfatal, transfusion-associated, acute graft-versus-host disease in a patient with Hodgkin's disease (Held et al). 1992;26:261-2 (Brief comm.)

Does follicular mucinosis in Hodgkin's disease represent a sign of poor prognosis? (Fujita) (Letter); (Stewart and Smoller) (Reply). 1992;26:659-60

Holmes, Sherlock

Sherlock Holmes, Arthur Conan Doyle, and Malcolm Morris (Caplan). 1992;26:251-4 (Special article)

Human immunodeficiency virus; see HIV**Human papillomavirus; see Papillomaviruses****Human papillomavirus type 11; see Papillomaviruses****Huriez syndrome; see Scleroderma, circumscribed****Hydroxychloroquine**

High-dose hydroxychloroquine treatment of porphyria cutanea tarda (Petersen and Thomsen). 1992;26:614-9 (Therapy)

Hyperpigmentation; see Pigmentation disorders**Hyperplasia**

Demonstration by S-100 protein staining of increased numbers of nerves in the papillary dermis of patients with prurigo nodularis (Harris et al). 1992;26:56-8

Hypersensitivity

Allergic contact dermatitis to latex glove antioxidants: an update (Storrs). 1992;26:144 (Letter)

Is systemic nickel important? (Burrows). 1992;26:632-5 (Editorial)
Nickel dermatitis recall in disulfiram therapy for alcohol abuse (Klein and Fowler). 1992;26:645-6 (Brief comm.)

Hyperthyroidism

Cutaneous manifestations of thyroid disease (Heymann). 1992;26:885-906 (CME article)

Hypothermia

Nevus oligemicus: a new case (Plantin et al). 1992;26:268-9 (Brief comm.)

Hypothyroidism

Cutaneous manifestations of thyroid disease (Heymann). 1992;26:885-906 (CME article)

I

Ibuprofen

Photosensitization caused by ibuprofen (Bergner and Przybilla). 1992;26:114-6 (Case rep.)

IgA

Linear IgA bullous dermatitis: successful treatment with tetracycline and niacinamide (Peoples and Fivenson). 1992;26:498-9 (Brief comm.)

Linear IgA bullous dermatitis associated with rheumatoid arthritis (Hayakawa et al). 1992;26:110-3 (Case rep.)

Linear IgA dermatitis and thyroid carcinoma (Lacour et al). 1992;26:257-9 (Brief comm.)

Vancomycin-associated linear IgA dermatitis (Carpenter et al). 1992;26:45-8

IgE

Distribution of adhesion molecules, IgE, and CD23 in a case of angiolymphoid hyperplasia with eosinophilia (von den Driesch et al). 1992;26:799-804 (Case rep.)

IgG

In situ localization of IgG in epidermolysis bullosa acquisita by immunogold technique (Kárpáti et al). 1992;26:726-30

IgM

Continuous dermoepidermal junction IgM detected by direct immunofluorescence: a report of nine cases (Helm and Valenzuela). 1992;26:203-6

Immunofluorescence; see Fluorescent antibody technique**Immunoglobulins, light chain**

Scleroderma and smoldering myeloma (Schmidt et al). 1992;26:319-21 (Case rep.)

Immunogold technique; see Immunohistochemistry

Immunohistochemistry

- Distribution patterns and rates of proliferating cells in cutaneous keratinocytic neoplasms (Saida et al). 1992;26:744-8 (Dermatopathology)
- Epithelioid cell histiocytoma (Mehregan et al). 1992;26:243-6 (Dermatopathology)
- In situ localization of IgG in epidermolysis bullosa acquisita by immunogold technique (Kárpáti et al). 1992;26:726-30
- Metastatic signet-ring cell melanoma in a patient with an unknown primary tumor (Eckert et al). 1992;26:870-5 (Case rep.)
- Treatment of reticulate acropigmentation of Kitamura with azelaic acid (Kameyama et al). 1992;26:817-20 (Case rep.)

Immunologic diseases

- Erythema gyratum repens in a healthy woman (Garrett and Roenigk). 1992;26:121-2 (Brief comm.)

Immunophenotype; see Phenotype

Immunosuppression

- Staphylococcus aureus*-induced blistering distal dactylitis in an adult immunosuppressed patient (Zemtsov and Veitschegger). 1992;26:784-5 (Brief comm.)

Immunotherapy

- Pemphigus vulgaris treated with photopheresis (Liang et al). 1992;26:779-80 (Brief comm.)

In memoriam

- Arthur James Rook (1918-1991) (Wilkinson). 1992;26:1024-6
- A tribute to Abraham Buschke (Gold and Nürnberg). 1992;26:1019-22
- Vincent J. Derbes (1912-1991) (Millikan). 1992;26:1023-4

Infant

- Annular dystrophic calcinosis cutis in an infant (Sahn and Smith). 1992;26:1015-7 (Brief comm.)
- Infantile acute hemorrhagic edema of the skin (Saraçlar and Tinaztepe) (Letter); (Legrain et al) (Reply). 1992;26:275-6
- Seidlmayer's syndrome: postinfectious cockade purpura of early childhood (Cox) (Letter); (Legrain et al) (Reply). 1992;26:275-6

Infant, newborn

- Neonatal lupus erythematosus in Japan (Kaneko et al). 1992;26:397-403

Infant, premature

- Fetal risks in herpes gestationis (Shornick and Black). 1992;26:63-8

Infant, small for gestational age

- Fetal risks in herpes gestationis (Shornick and Black). 1992;26:63-8

Inflammation

- Differential expression of adhesion molecules on infiltrating cells in inflammatory dermatoses (Boehncke et al). 1992;26:907-13
- Mid-dermal elastolysis with inflammation (Brod et al). 1992;26:882-4 (Case rep.)

Inflammatory bowel diseases

- Cutaneous manifestations of gastrointestinal disorders. Part II (Gregory and Ho). 1992;26:371-86 (CME article)

Injections, intralesional

- Intralesional bleomycin and Raynaud's phenomenon (Gregg). 1992;26:279-80 (Letter)
- Low-dose intralesional interferon alfa for discoid lupus erythematosus (Martínez et al). 1992;26:494-6 (Brief comm.)

Injections, intravenous

- Vasculitis occurring after intravenous anistreplase (Burrows and Jones). 1992;26:508 (Letter)

Injections, subcutaneous

- Subcutaneous administration of methotrexate (Zackheim). 1992;26:1008 (Brief comm.)

Interferon alfa-2b

- Systemic treatment of extensive condylomata acuminata with interferon alfa 2b (Grablowitz et al). 1992;26:1009-10 (Brief comm.)

Interferon type I

- Low-dose intralesional interferon alfa for discoid lupus erythematosus (Martínez et al). 1992;26:494-6 (Brief comm.)

Interferons

- Intralesional interferon therapy for basal cell carcinoma (Epstein) (Letter); (Cornell) (Reply). 1992;26:142-3

International Congress of Dermatology and Syphilology

- First International Congress of Dermatology and Syphilology, Paris, Aug. 5-10, 1889 (Wallach and Tillès). 1992;26:995-1001 (Special article)

Intralesional injections; see Injections, intralesional

Intralesional interferon therapy; see Interferons

Ipsilateral vitiligo; see Vitiligo

Iron

- Vibrio vulnificus* infection and iron overload (Kraffert and Hogan). 1992;26:140 (Letter)

Isotretinoin

- Epidemiology of isotretinoin exposure during pregnancy (Dai et al). 1992;26:599-606

Itraconazole

- Posttreatment itraconazole levels in the nail (Willemsen et al). 1992;26:731-5 (Therapy)

J

Japan

- Neonatal lupus erythematosus in Japan (Kaneko et al). 1992;26:397-403

Juvenile xanthogranuloma; see Xanthoma, juvenile

K

Keratinocytes

- Distribution patterns and rates of proliferating cells in cutaneous keratinocytic neoplasms (Saida et al). 1992;26:744-8 (Dermatopathology)
- Treatment of leg ulcers with allogeneic cultured keratinocyte-collagen dressings (Taïeb et al). 1992;26:1027 (Letter)

Keratoderma, palmoplantar, diffuse

- Palmoplantar keratoderma with sclerodactyly (Huriez syndrome) (Patrizi et al). 1992;26:855-7 (Case rep.)

Keratosis

- Multiple eruptive benign keratoses associated with cyclosporine therapy for psoriasis (Ross et al). 1992;26:128-9 (Brief comm.)
- Seborrheic keratoses and cancer (Lindelföf et al). 1992;26:947-50
- The sign of Leser-Trélat in a young woman with osteogenic sarcoma (Barron and Prendiville). 1992;26:344-7 (Case rep.)

Keratosis follicularis

- Follicular keratosis of the chin (Kanzaki et al). 1992;26:134-5 (Brief comm.)
- Response of uremic follicular hyperkeratosis to peritoneal dialysis (Ostlere et al). 1992;26:782-3 (Brief comm.)

Keratosis palmaris et plantaris

- Spiny keratoderma of the palms and soles (Osman et al). 1992;26:879-81 (Case rep.)

Ketoconazole

- Ketoconazole and hepatitis (Klausner) (Letter); (Knight) (Reply). 1992;26:1028-30

Kidney

- Alterations in renal function in psoriasis patients treated with cyclosporine, 5 mg/kg/day (Margolis et al). 1992;26:195-7

Kidney—cont'd

Morphologic renal changes during cyclosporine treatment of psoriasis (Zachariae et al). 1992;26:415-9

Kidney failure, chronic

Response of uremic follicular hyperkeratosis to peritoneal dialysis (Ostlere et al). 1992;26:782-3 (Brief comm.)

Widespread cutaneous and systemic calcification (calciophylaxis) in patients with the acquired immunodeficiency syndrome and renal disease (Cockerell and Dolan). 1992;26:559-62

Kidney transplantation

Primary tuberculous chancre in a renal transplant patient (Tham and Choong). 1992;26:342-4 (Case rep.)

Sebaceous hyperplasia and basal cell carcinoma in a renal transplant patient receiving cyclosporine (Pakula and Garden). 1992;26:139-40 (Letter)

Killer cells, natural

Plasma α -melanocyte-stimulating hormone, β -endorphin, met-enkephalin and natural killer cell activity in vitiligo (Mozzanica et al). 1992;26:693-700

L

Lactates

Effects of topical ammonium lactate on cutaneous atrophy from a potent topical corticosteroid (Lavker et al). 1992;26:535-44

Langerhans cell histiocytosis; see Histiocytosis, Langerhans-cell

Large-cell anaplastic (Ki-1) lymphoma; see Lymphoma, large-cell

Latex rubber; see Rubber

Leg

Localized, perifollicular cold urticaria (Baxter et al). 1992;26:306-8 (Case rep.)

Multiple linear cylindromas (Martinez et al). 1992;26:821-4 (Case rep.)

Leg ulcer

Nonhealing leg ulcers (Black) (Letter); (Phillips and Rogers) (Reply). 1992;26:792

Nonhealing leg ulcers: a manifestation of basal cell carcinoma (Goldman) (Letter); (Phillips and Rogers) (Reply). 1992;26:791-2

Treatment of leg ulcers with allogeneic cultured keratinocyte-collagen dressings (Taieb et al). 1992;26:1027 (Letter)

Leiomyosarcoma

Leiomyosarcoma of the buttock (Rothenberg). 1992;26:143 (Letter)

Leser-Trélat

The sign of Leser-Trélat in a young woman with osteogenic sarcoma (Barron and Prendiville). 1992;26:344-7 (Case rep.)

Letters

Correspondence. 1992;26:137-44, 275-84, 505-10, 658-60, 789-92, 1027-30

Leukemia, lymphocytic

Cutaneous T-cell lymphoma associated with granular lymphocytic leukemia in its terminal stage (Seno et al). 1992;26:338-42 (Case rep.)

Leukocytes

Cutaneous leukocytoclastic vasculitis associated with active Wegener's granulomatosis (Mangold and Callen). 1992;26:579-84

Leukocytoclastic vasculitis; see Vasculitis

Level of education; see Education

Libya

Xeroderma pigmentosum (Khatiri et al). 1992;26:75-8

Lichen planus

Lichen planus pemphigoides in a 10-year-old girl (Hernando et al). 1992;26:124-5 (Brief comm.)

Presence of anti-basal cell antibodies in oral lichen planus (Lin et al). 1992;26:943-7

Lichens

Acne conglobata and a generalized lichen spinulosus-like eruption in a man seropositive for human immunodeficiency virus (Resnick et al). 1992;26:1013-4 (Brief comm.)

Light

Oxicam-induced photosensitivity (Serrano et al). 1992;26:545-8

Linear IgA dermatosis; see IgA

Lip neoplasms

Prognostic factors for local recurrence, metastasis, and survival rates in squamous cell carcinoma of the skin, ear, and lip: implications for treatment modality selection (Rowe et al). 1992;26:976-90 (Clin. rev.)

Lipomatosis, multiple symmetrical

Acquired symmetric lipomatosis of the soles (Requena et al). 1992;26:860-2 (Case rep.)

Liquid nitrogen; see Nitrogen

Lithium

A double-blind, placebo-controlled, multicenter trial of lithium succinate ointment in the treatment of seborrheic dermatitis (Efalith). 1992;26:452-7 (Therapy)

Lithium-induced psoriasis of the fingernails (Rudolph). 1992;26:135-6 (Brief comm.)

Livedo reticularis; see Vascular diseases

Liver

The effect on liver transaminases by phototoxic drugs in systemic photochemotherapy (Hann et al). 1992;26:646-8 (Brief comm.)

Liver cirrhosis

Serum aminoterminal propeptide of type III procollagen in psoriasis and psoriatic arthritis: relation to liver fibrosis (Kanzler and Gorsulowsky) (Letter); (Zachariae) (Reply). 1992;26:509

Liver diseases

Bile pigment deposition at sweat pores of patients with liver disease (Kanzaki and Tsuda). 1992;26:655-6 (Brief comm.)

Liver fibrosis; see Liver cirrhosis

Liver transplantation

An eruptive vascular proliferation resembling acquired tufted angioma in the recipient of a liver transplant (Chu and LeBoit). 1992;26:322-5 (Case rep.)

Lobular panniculitis; see Panniculitis

Longitudinal melanonychia; see Melanins

Lunulae; see Nails

Lupus

Lupus vulgaris (Marcoval et al). 1992;26:404-7

Lupus erythematosus, chronic cutaneous; see Lupus erythematosus, discoid

Lupus erythematosus, cutaneous

Human papillomavirus type 11 in multiple squamous cell carcinomas in a patient with subacute cutaneous lupus erythematosus (Cohen et al). 1992;26:840-5 (Case rep.)

Lupus erythematosus, discoid

Chronic cutaneous lupus erythematosus presenting as periorbital edema and erythema (Cyran et al). 1992;26:334-8 (Case rep.)
Low-dose intralesional interferon alpha for discoid lupus erythematosus (Martinez et al). 1992;26:494-6 (Brief comm.)

Lupus erythematosus, systemic

Neonatal lupus erythematosus in Japan (Kaneko et al). 1992;26:397-403

Severe sun sensitivity and the presence of antinuclear antibodies in patients with polymorphous light eruption-like lesions (Petzelbauer et al). 1992;26:68-74

Lyell syndrome; see Epidermal necrolysis, toxic

Lyme disease

Minocycline in Lyme disease (Liegner). 1992;26:263-4 (Brief comm.)

Lyme disease—cont'd

Polymerase chain reaction confirmation of *Borrelia burgdorferi* in benign lymphocytic infiltrate of dermis (Rabb et al). 1992;26:267-8 (Brief comm.)

Lymph nodes

Primary cutaneous large-cell anaplastic (Ki-1) lymphoma in a child (Meier et al). 1992;26:813-7 (Case rep.)

Lymphocytes

Lymphocytic infiltrates of the skin in association with cyclosporine therapy (Bagot and Dubertret). 1992;26:283 (Letter)

Polymerase chain reaction confirmation of *Borrelia burgdorferi* in benign lymphocytic infiltrate of dermis (Rabb et al). 1992;26:267-8 (Brief comm.)

Lymphocytic leukemia; see Leukemia, lymphocytic

Lymphocytoma cutis; see Lymphoma, small lymphocytic

Lymphoma

Malignant proliferative angioendotheliomatosis or angiotropic lymphoma associated with a soft-tissue lymphoma (López-Gil et al). 1992;26:101-4 (Case rep.)

Lymphoma, B-cell

The development of B-cell lymphoma in a patient with psoriasis treated with cyclosporine (Koo et al). 1992;26:836-40 (Case rep.)

Primary B-cell lymphoma with histologic features of a T-cell neoplasm (Landa et al). 1992;26:288-92 (Case rep.)

Lymphoma, large-cell

Primary cutaneous large-cell anaplastic (Ki-1) lymphoma in a child (Meier et al). 1992;26:813-7 (Case rep.)

Lymphoma, small lymphocytic

Lymphocytoma cutis: a series of five patients successfully treated with cryosurgery (Kuflik and Schwartz). 1992;26:449-52 (Therapy)

Lymphoma, T-cell

Primary B-cell lymphoma with histologic features of a T-cell neoplasm (Landa et al). 1992;26:288-92 (Case rep.)

Lymphoma, T-cell, cutaneous

Combined treatment with oral etretinate and electron beam therapy in patients with cutaneous T-cell lymphoma (mycosis fungoides and Sézary syndrome) (Jones et al). 1992;26:960-7 (Therapy)

Correlations of unique clinical, immunotypic, and histologic findings in cutaneous gamma/delta T-cell lymphoma (Heald et al). 1992;26:865-70 (Case rep.)

Cutaneous angiocentric T-cell lymphoma associated with Epstein-Barr virus (Tsai et al). 1992;26:31-8

Cutaneous T-cell lymphoma: utility of antibodies to the variable regions of the human T-cell antigen receptor (Hunt et al). 1992;26:552-8

Cutaneous T-cell lymphoma associated with granular lymphocytic leukemia in its terminal stage (Seno et al). 1992;26:338-42 (Case rep.)

Cutaneous T-cell lymphoma and autoimmune hemolytic anemia (de Misa et al). 1992;26:1011-2 (Brief comm.)

Generalized papular xanthomatosis in mycosis fungoides (Darwin et al). 1992;26:828-32 (Case rep.)

Pulsed high-dose corticosteroids and melphalan as an alternative therapy for refractory cutaneous T-cell lymphoma (Fishman et al). 1992;26:130-1 (Brief comm.)

Lymphomatoid papulosis

Immunophenotypic and genotypic characterization of lymphomatoid papulosis (Parks et al). 1992;26:968-75 (Dermatopathology)

M

Malignant melanoma; see Melanoma

Malignant melanoma, desmoplastic; see Melanoma

Mass screening

Practices and beliefs concerning screening family members of patients with melanoma (Geller et al). 1992;26:419-22

Median raphe cyst; see Cysts

Meeting report

Meeting report. 1992;26:636-7

Melanins

Pregnancy-associated hyperpigmentation: longitudinal melanonychia (Fryer and Werth). 1992;26:493-4 (Brief comm.)

The significance of dark skin in photoprotection (Cohn) (Letter); (Morison) (Reply). 1992;26:281-2

Treatment of reticulate acropigmentation of Kitamura with azelaic acid (Kameyama et al). 1992;26:817-20 (Case rep.)

Melanocyte stimulating hormones; see MSH

Melanocytes

Autologous grafting with noncultured melanocytes: a simplified method for treatment of depigmented lesions (Gauthier and Surleve-Bazeille). 1992;26:191-4

Treatment of refractory and stable vitiligo by transplantation of in vitro cultured epidermal autografts bearing melanocytes (Fala-bella et al). 1992;26:230-6 (Therapy)

Melanocytic nevi; see Nevus, pigmented

Melanoma

CPT codes are needed for dermatologic photography (Wagner). 1992;26:788 (Editorial)

Desmoplastic malignant melanoma: rare and difficult to diagnose (Whitaker et al). 1992;26:704-9

Epidemiologic evidence for the role of melanocytic nevi as risk markers and direct precursors of cutaneous malignant melanoma (Krüger et al). 1992;26:920-6

Histologic evaluation of pigmented lesions in Connecticut and its influence on the reporting of melanoma (Bologna et al). 1992;26:198-202

Influence of gender on survival with stage I malignant melanoma (Vossaert et al). 1992;26:429-40

Interclinician agreement on the recognition of selected gross morphologic features of pigmented lesions (Barnhill et al). 1992;26:185-90

Late recurrence of melanoma (Shaw and McCarthy). 1992;26:281 (Letter)

Level of education and the risk of malignant melanoma (Lee et al). 1992;26:59-63

Malignant melanomas with histologic diameters less than 6 mm (Bergman et al). 1992;26:462-6 (Dermatopathology)

Metastatic signet-ring cell melanoma in a patient with an unknown primary tumor (Eckert et al). 1992;26:870-5 (Case rep.)

Practices and beliefs concerning screening family members of patients with melanoma (Geller et al). 1992;26:419-22

Who discovers melanoma? (Koh et al). 1992;26:914-9

Melanosis

What is segmental neurofibromatosis? (Goldberg). 1992;26:638-40 (Brief comm.)

Melanotic macules; see Pigmentation disorders

Melphalan

Pulsed high-dose corticosteroids and melphalan as an alternative therapy for refractory cutaneous T-cell lymphoma (Fishman et al). 1992;26:130-1 (Brief comm.)

Met-enkephalin; see Enkephalin, methionine

Metaplasia

Eccrine squamous syringometaplasia in chemotherapy-induced acral erythema (Rongioletti and Rehora). 1992;26:284 (Letter)

Metastasis; see Neoplasm metastasis

1058 Subject index

Methotrexate

- Monitoring for adverse effects from systemic drugs used in dermatology (Wolverton). 1992;26:661-79 (CME article)
- Subcutaneous administration of methotrexate (Zackheim). 1992;26:1008 (Brief comm.)

Microscopy

- Quantitative nailfold capillary microscopy (Glickman) (Letter); (Mahler and Hunziker) (Reply). 1992;26:790-1

Microscopy, electron

- Treatment of reticulate acropigmentation of Kitamura with azelaic acid (Kameyama et al). 1992;26:817-20 (Case rep.)

Mid dermal elastolysis; see Skin aging

Miliary tuberculosis; see Tuberculosis, miliary

Mineral oil

- Orbital and palpebral paraffinoma (Feldmann et al). 1992;26:833-5 (Case rep.)

Minocycline

- Confluent and reticulated papillomatosis: treatment with minocycline (Sassolas et al). 1992;26:501-2 (Brief comm.)
- Minocycline in Lyme disease (Liegner). 1992;26:263-4 (Brief comm.)

Mites

- Rosacea: a study of clinical patterns, blood flow, and the role of *Demodex folliculorum* (Sibenge and Gawkrödger). 1992;26:590-3

Mohs surgery

- The use of Mohs micrographic surgery for determination of residual tumor in incompletely excised basal cell carcinoma (Bielek et al). 1992;26:754-6 (Derm. surg.)

Molluscum contagiosum

- Polymorphous cutaneous cryptococcosis: nodular, herpes-like, and molluscum-like lesions in a patient with the acquired immunodeficiency syndrome (Manrique et al). 1992;26:122-3 (Brief comm.)

Monoclonal antibodies; see Antibodies, monoclonal

Morris, Malcolm

- Sherlock Holmes, Arthur Conan Doyle, and Malcolm Morris (Caplan). 1992;26:251-4 (Special article)

Mortality

- Influence of gender on survival with stage I malignant melanoma (Vossaert et al). 1992;26:429-40

Mouth diseases

- Oral and labial melanotic macules in a patient infected with human immunodeficiency virus (Cohen and Callen). 1992;26:653-4 (Brief comm.)

MSH

- Plasma α -melanocyte-stimulating hormone, β -endorphin, met-enkephalin, and natural killer cell activity in vitiligo (Mozzanica et al). 1992;26:693-700

Mucinoses

- Does follicular mucinosis in Hodgkin's disease represent a sign of poor prognosis? (Fujita) (Letter); (Stewart and Smoller) (Reply). 1992;26:659-60

Mucins

- Cutaneous toxic mucinoses (Rongioletti and Rebora) (Letter); (Kaufman et al) (Reply). 1992;26:789-80

Mucormycosis

- Combined *Aspergillus* and zygomycotic (*Rhizopus*) infection in a patient with acquired immunodeficiency syndrome (Diamond et al). 1992;26:1017-8 (Brief comm.)

Multiple eruptive benign keratoses; see Keratoses

Multiple myeloma

- Sclerodema and smoldering myeloma (Schmidt et al). 1992;26:319-21 (Case rep.)

Myalgia

- A histopathologic comparison of Shulman's syndrome (diffuse fasciitis with eosinophilia) and the fasciitis associated with the eosinophilia-myalgia syndrome (Feldman et al). 1992;26:95-100 (Dermatopathology)

Mycoses

- Chromoblastomycosis caused by *Exophiala spinifera* (Barba-Gómez et al). 1992;26:367-70 (Case rep.)
- Clinicopathologic spectrum of specific cutaneous lesions of disseminated coccidioidomycosis (Quimby et al). 1992;26:79-85
- Disseminated candidiasis, *Candida* arthritis, and unilateral skin lesions (Marcus et al). 1992;26:295-7 (Case rep.)
- Prevalence of dermatophytosis in patients with diabetes (Lugo-Somolinos and Sánchez). 1992;26:408-10

Mycosis fungoides

- Combined treatment with oral etretinate and electron beam therapy in patients with cutaneous T-cell lymphoma (mycosis fungoides and Sézary syndrome) (Jones et al). 1992;26:960-7 (Therapy)
- Generalized papular xanthomatosis in mycosis fungoides (Darwin et al). 1992;26:828-32 (Case rep.)

Myelin proteins

- Unmasking myelin proteins in neurothekeoma (Aronson). 1992;26:659 (Letter)

Myeloma; see Multiple myeloma

Myositis

- Amyopathic dermatomyositis (Grau et al) (Letter); (Euwer and Sontheimer) (Reply). 1992;26:505-8
- Amyopathic dermatomyositis (dermatomyositis sine myositis) (Callen and Jorizzo) (Letter); (Euwer and Sontheimer) (Reply). 1992;26:506-8

Myxoma

- Unmasking myelin proteins in neurothekeoma (Aronson). 1992;26:659 (Letter)

N

Naftifine

- Double-blind comparison of naftifine cream and clotrimazole/betamethasone dipropionate cream in the treatment of tinea pedis (Smith et al). 1992;26:125-7 (Brief comm.)

Nails

- Geriatric nail disorders: diagnosis and treatment (Cohen and Scher). 1992;26:521-34 (CME article)
- Guidelines of care for alopecia areata (AAD Committee on Guidelines of Care). 1992;26:247-50 (Acad. guidelines)
- Lithium-induced psoriasis of the fingernails (Rudolph). 1992;26:135-6 (Brief comm.)
- Onychomycosis of the toenails caused by *Chaetomium globosum* (Stiller et al). 1992;26:775-6 (Brief comm.)
- Posttreatment itraconazole levels in the nail (Willemssen et al). 1992;26:731-5 (Therapy)
- Pregnancy-associated hyperpigmentation: longitudinal melanonychia (Fryer and Werth). 1992;26:493-4 (Brief comm.)
- Quantitative nailfold capillary microscopy (Glickman) (Letter); (Mahler and Hunziker) (Reply). 1992;26:790-1
- Red lunulae: case report and literature review (Cohen). 1992;26:292-4 (Case rep.)

National Health and Nutrition Examination Survey

- The prevalence of acne on the basis of physical examination (Stern). 1992;26:931-5

Natural killer cells; see Killer cells, natural

Neonate; see Infant, newborn

Neoplasm metastasis

Cutaneous metastasis from squamous cell carcinoma of the cervix (Hayes and Berry). 1992;26:846-50 (Case rep.)

Metastases from basal cell carcinoma of the scrotum (Nahass et al). 1992;26:509-10 (Letter)

Metastatic cutaneous lesions in children and adolescents with a case report of metastatic neuroblastoma (Maher-Wiese et al). 1992;26:620-8 (Clin. rev.)

Metastatic signet-ring cell melanoma in a patient with an unknown primary tumor (Eckert et al). 1992;26:870-5 (Case rep.)

New primary nonmelanoma skin cancer in patients with a history of squamous cell carcinoma of the skin (Frankel et al). 1992;26:720-6

Prognostic factors for local recurrence, metastasis, and survival rates in squamous cell carcinoma of the skin, ear, and lip: implications for treatment modality selection (Rowe et al). 1992;26:976-90 (Clin. rev.)

Umbilical metastasis from urinary bladder carcinoma (Edoute et al). 1992;26:656-7 (Brief comm.)

Neoplasm recurrence, local

Late recurrence of melanoma (Shaw and McCarthy). 1992;26:281 (Letter)

New primary nonmelanoma skin cancer in patients with a history of squamous cell carcinoma of the skin (Frankel et al). 1992;26:720-6

Prognostic factors for local recurrence, metastasis, and survival rates in squamous cell carcinoma of the skin, ear, and lip: implications for treatment modality selection (Rowe et al). 1992;26:976-90 (Clin. rev.)

Neoplasms

Distribution patterns and rates of proliferating cells in cutaneous keratinocytic neoplasms (Saida et al). 1992;26:744-8 (Dermatopathology)

Erythema gyratum repens: a paraneoplastic eruption (Boyd et al). 1992;26:757-62 (Clin. rev.)

Metastatic signet-ring cell melanoma in a patient with an unknown primary tumor (Eckert et al). 1992;26:870-5 (Case rep.)

Seborrheic keratoses and cancer (Lindelöf et al). 1992;26:947-50

Nerve tissue

Demonstration by S-100 protein staining of increased numbers of nerves in the papillary dermis of patients with prurigo nodularis (Harris et al). 1992;26:56-8

Neurilemmoma

Congenital neurilemmomatosis (Sasaki and Nakajima). 1992;26:786-7 (Brief comm.)

Neuroblastoma

Metastatic cutaneous lesions in children and adolescents with a case report of metastatic neuroblastoma (Maher-Wiese et al). 1992;26:620-8 (Clin. rev.)

Neurofibromatosis

What is segmental neurofibromatosis? (Goldberg). 1992;26:638-40 (Brief comm.)

Nevocellular nevi; see Nevus, pigmented

Nevus

How many epidermal nevus syndromes exist? (Atherton) (Letter); (Happle) (Reply). 1992;26:1027-8

Nevus oligemicus: a new case (Plantin et al). 1992;26:268-9 (Brief comm.)

Nevus—cont'd

Oral tetracycline rinse improves symptoms in white sponge nevus (Lim and Ng). 1992;26:1003-5 (Brief comm.)

Nevus, pigmented

Epidemiologic evidence for the role of melanocytic nevi as risk markers and direct precursors of cutaneous malignant melanoma (Krüger et al). 1992;26:920-6

Guidelines of care for nevi I (nevocellular nevi and seborrheic keratoses) (AAD Committee on Guidelines of Care). 1992;26:629-31 (Acad. guidelines)

Interclinician agreement on the recognition of selected gross morphologic features of pigmented lesions (Barnhill et al). 1992;26:185-90

Niacinamide; see Nicotinamide

Nickel

Is systemic nickel important? (Burrows). 1992;26:632-5 (Editorial)

Nickel dermatitis recall in disulfiram therapy for alcohol abuse (Klein and Fowler). 1992;26:645-6 (Brief comm.)

Nicotinamide

Linear IgA bullous dermatosis: successful treatment with tetracycline and niacinamide (Peoples and Fivenson). 1992;26:498-9 (Brief comm.)

Nitrogen

Detection of human papillomavirus DNA in condylomata acuminata treated in vitro with liquid nitrogen, trichloroacetic acid, and podophyllin with the polymerase chain reaction (Zhu et al). 1992;26:710-4

Nocardia infections

Two patients with simultaneous, unusually located primary cutaneous nocardiosis (Harth et al). 1992;26:132-3 (Brief comm.)

Nomenclature

CPT codes are needed for dermatologic photography (Wagner). 1992;26:788 (Editorial)

Poor prognosis or poor sign? (Rothstein). 1992;26:280-1 (Letter)

Nonmelanoma skin cancer; see Skin neoplasms

Nuclear antigen; see Antigens

O

Obituaries

Arthur James Rook (1918-1991) (Wilkinson). 1992;26:1024-6 (In memoriam)

A tribute to Abraham Buschke (Gold and Nürnberg). 1992;26:1019-22 (In memoriam)

Vincent J. Derbes (1912-1991) (Millikan). 1992;26:1023-4 (In memoriam)

Obsessive-compulsive disorder

Dermatology and conditions related to obsessive-compulsive disorder (Stein and Hollander). 1992;26:237-42 (Clin. rev.)

Obsessive-compulsive disorder in patients with chronic pruritic conditions: case studies and discussion (Hatch et al). 1992;26:549-51

Office surgical facilities; see Ambulatory care facilities

Ointments

Comparative study of calcipotriol (MC903) ointment and betamethasone 17-valerate ointment in patients with psoriasis vulgaris (Cunliffe et al). 1992;26:736-43 (Therapy)

Effects of petrolatum on stratum corneum structure and function (Ghadially et al). 1992;26:387-96

OKT6; see Antibodies, monoclonal

Onychomycosis; see Tinea unguium

Oral administration; see Administration, oral

Oral lichen planus; see Lichen planus

1060 *Subject index*

Orbital neoplasms

Orbital and palpebral paraffinoma (Feldmann et al). 1992;26:833-5 (Case rep.)

Osteogenic sarcoma; see Osteosarcoma

Osteosarcoma

The sign of Leser-Trélat in a young woman with osteogenic sarcoma (Barron and Prendiville). 1992;26:344-7 (Case rep.)

Oxicams

Oxicam-induced photosensitivity (Serrano et al). 1992;26:545-8

P

Palm; see Hand

Palmoplantar keratoderma; see Keratoderma, palmoplantar, diffuse

Palms; see Hand

Palpebral neoplasms; see Eyelid neoplasms

Panniculitis

Aspartame-induced lobular panniculitis (Geha) (Letter); (McCauliffe) (Reply). 1992;26:277-8

Papillary dermal elastolysis; see Elastic tissue

Papillary dermis nerves; see Nerve tissue

Papilloma

Confluent and reticulated papillomatosis: treatment with minocycline (Sassolas et al). 1992;26:501-2 (Brief comm.)

Papillomatosis; see Papilloma

Papillomaviruses

Detection of human papillomavirus DNA in condylomata acuminata treated in vitro with liquid nitrogen, trichloroacetic acid, and podophyllin with the polymerase chain reaction (Zhu et al). 1992;26:710-4

Human papillomavirus type 11 in multiple squamous cell carcinomas in a patient with subacute cutaneous lupus erythematosus (Cohen et al). 1992;26:840-5 (Case rep.)

Papular xanthomatosis; see Xanthomatosis

Paraffin

Orbital and palpebral paraffinoma (Feldmann et al). 1992;26:833-5 (Case rep.)

Paraneoplastic syndromes

Erythema gyratum repens: a paraneoplastic eruption (Boyd et al). 1992;26:757-62 (Clin. rev.)

Patch tests

American Academy of Dermatology Patch Testing Survey: use and effectiveness of this procedure (James et al). 1992;26:991-4 (From the Academy)

Patient compliance

Efficacy of a 1-week, twice-daily regimen of terbinafine 1% cream in the treatment of interdigital tinea pedis (Berman et al). 1992;26:956-60 (Therapy)

Practices and beliefs concerning screening family members of patients with melanoma (Geller et al). 1992;26:419-22

Peliosis hepatis

Reversible plane xanthoma, vasculitis, and peliosis hepatis in giant lymph node hyperplasia (Castleman's disease): a case report and review of the cutaneous manifestations of giant lymph node hyperplasia (Sherman et al). 1992;26:105-9 (Case rep.)

Pemphigoid, bullous

Dyshidrosiform pemphigoid: report of three cases (Descamps et al). 1992;26:651-2 (Brief comm.)

Lack of predictive factors for the clinical course of bullous pemphigoid (Venning and Wojnarowska). 1992;26:585-9

Lichen planus pemphigoides in a 10-year-old girl (Hernando et al). 1992;26:124-5 (Brief comm.)

Pemphigoid gestationis; see Herpes gestationis

Pemphigus

Drug-induced pemphigus related to angiotensin-converting enzyme inhibitors (Kaplan et al). 1992;26:364-6 (Case rep.)

Genital benign chronic pemphigus (Hailey-Hailey disease) presenting as condylomas (Langenberg et al). 1992;26:951-5

Pemphigus vulgaris treated with photopheresis (Liang et al). 1992;26:779-80 (Brief comm.)

Penicillin, phenoxymethyl

A therapeutic trial of the use of penicillin V or erythromycin with or without rifampin in the treatment of psoriasis (Vincent et al). 1992;26:458-61 (Therapy)

Penis

The hard penile circumferential fold as the presenting finding in primary syphilis: report of six cases (Goldstein and Fox). 1992;26:700-3

Postcoital appearance of a median raphe cyst (Sharkey et al). 1992;26:273-4 (Brief comm.)

Primary tuberculosis of the glans penis (Konohana et al). 1992;26:1002-3 (Brief comm.)

Pentoxifylline

Chronic leukocytoclastic vasculitis associated with polycythemia vera: effective control with pentoxifylline (Wahba-Yahav). 1992;26:1006-7 (Brief comm.)

Peptides

Serum aminoterminal propeptide of type III procollagen in psoriasis and psoriatic arthritis: relation to liver fibrosis (Kanzler and Gorsulowsky) (Letter); (Zachariae) (Reply). 1992;26:509

Perifollicular cold urticaria; see Urticaria

Periorbital edema; see Edema

Peripheral blood; see Blood

Peritoneal dialysis, continuous ambulatory

Response of uremic follicular hyperkeratosis to peritoneal dialysis (Ostlere et al). 1992;26:782-3 (Brief comm.)

Periumbilical perforating pseudoxanthoma elasticum; see Pseudoxanthoma elasticum

Petrolatum

Effects of petrolatum on stratum corneum structure and function (Ghadially et al). 1992;26:387-96

Phenotype

Immunophenotypic and genotypic characterization of lymphomatoid papulosis (Parks et al). 1992;26:968-75 (Dermatopathology)

Phenylalanine

Scleroderma-like skin indurations in a child with phenylketonuria: a clinicopathologic correlation and review of the literature (Nova et al). 1992;26:329-33 (Case rep.)

Phenylketonuria

Scleroderma-like skin indurations in a child with phenylketonuria: a clinicopathologic correlation and review of the literature (Nova et al). 1992;26:329-33 (Case rep.)

Photochemotherapy

The effect on liver transaminases by phototoxic drugs in systemic photochemotherapy (Hann et al). 1992;26:646-8 (Brief comm.)

Photodamaged skin; see Skin aging

Photography

CPT codes are needed for dermatologic photography (Wagner). 1992;26:788 (Editorial)

Photopheresis; see Immunotherapy

Photoprotection; see Skin aging

Photosensitivity disorders

Actinic prurigo: clinical features and prognosis (Lane et al). 1992;26:683-92

Photosensitivity disorders—cont'd

- HLA typing in actinic prurigo (Duran and Bernal) (Letter); (Lane et al) (Reply). 1992;26:658
- HLA typing in polymorphic light eruption (Ross) (Letter); (Lane et al) (Reply). 1992;26:658-9
- Oxicam-induced photosensitivity (Serrano et al). 1992;26:545-8
- Photolocalized varicella (Boyd et al). 1992;26:772-4 (Brief comm.)
- Photosensitization caused by ibuprofen (Bergner and Przybilla). 1992;26:114-6 (Case rep.)
- Severe sun sensitivity and the presence of antinuclear antibodies in patients with polymorphous light eruption-like lesions (Petzelbauer et al). 1992;26:68-74
- Xeroderma pigmentosum (Khatri et al). 1992;26:75-8

Phototherapy

- Pemphigus vulgaris treated with photopheresis (Liang et al). 1992;26:779-80 (Brief comm.)
- Present status of eyelid phototherapy (Prystowsky et al). 1992;26:607-13 (Therapy)

Physical examination

- The prevalence of acne on the basis of physical examination (Stern). 1992;26:931-5

Pigmentation disorders

- Autologous grafting with noncultured melanocytes: a simplified method for treatment of depigmented lesions (Gauthier and Surleve-Bazeille). 1992;26:191-4
- Dermatopathia pigmentosa reticularis: a report of a family demonstrating autosomal dominant inheritance (Heimer et al). 1992;26:298-301 (Case rep.)
- Histologic evaluation of pigmented lesions in Connecticut and its influence on the reporting of melanoma (Bologna et al). 1992;26:198-202
- Interclinician agreement on the recognition of selected gross morphologic features of pigmented lesions (Barnhill et al). 1992;26:185-90
- Oral and labial melanotic macules in a patient infected with human immunodeficiency virus (Cohen and Callen). 1992;26:653-4 (Brief comm.)
- Periumbilical perforating pseudoxanthoma elasticum (Pruzan et al). 1992;26:642-4 (Brief comm.)
- Pregnancy-associated hyperpigmentation: longitudinal melanonychia (Fryer and Werth). 1992;26:493-4 (Brief comm.)
- Suspected Alezzandrini's syndrome in a diabetic patient with unilateral retinal detachment and ipsilateral vitiligo and poliosis (Hoffman and Dudley). 1992;26:496-7 (Brief comm.)
- Treatment of reticulate acropigmentation of Kitamura with azelaic acid (Kameyama et al). 1992;26:817-20 (Case rep.)

Piroxicam

- Oxicam-induced photosensitivity (Serrano et al). 1992;26:545-8

Pityriasis rubra pilaris

- Pityriasis rubra pilaris: the problem of its classification (Griffiths) (Letter); (Cohen and Prystowsky) (Reply). 1992;26:140-2

Plane xanthoma; see Xanthomatosis

Plantar diseases; see Foot

Plaque psoriasis; see Psoriasis

Plasma-alpha melanocyte stimulating hormones; see MSH

Platelet aggregation

- Erythromelalgia in a patient with thrombotic thrombocytopenic purpura (Yosipovitch et al). 1992;26:825-7 (Case rep.)

Play and playthings

- Squish Ball dermatitis (Brodell and Torrence). 1992;26:641-2 (Brief comm.)

Podophyllin

- Detection of human papillomavirus DNA in condylomata acuminata treated in vitro with liquid nitrogen, trichloroacetic acid, and podophyllin with the polymerase chain reaction (Zhu et al). 1992;26:710-4

Poliosis; see Pigmentation disorders

Polychondritis, relapsing

- Erythema elevatum diutinum in a patient with relapsing polychondritis (Bernard et al). 1992;26:312-5 (Case rep.)
- Relapsing polychondritis: a case diagnosed by direct immunofluorescence and coexisting with pseudocyst of the auricle (Helm et al). 1992;26:315-8 (Case rep.)

Polycythemia vera

- Chronic leukocytoclastic vasculitis associated with polycythemia vera: effective control with pentoxifylline (Wahba-Yahav). 1992;26:1006-7 (Brief comm.)
- Polycythemia rubra vera presenting as livedo reticularis (Maroon). 1992;26:264-5 (Brief comm.)

Polymerase chain reaction

- Detection of human papillomavirus DNA in condylomata acuminata treated in vitro with liquid nitrogen, trichloroacetic acid, and podophyllin with the polymerase chain reaction (Zhu et al). 1992;26:710-4
- Polymerase chain reaction confirmation of *Borrelia burgdorferi* in benign lymphocytic infiltrate of dermis (Rabb et al). 1992;26:267-8 (Brief comm.)

Polymorphic light eruption; see Photosensitivity disorders

Polymorphous cutaneous cryptococcosis; see Cryptococcosis

Polymorphous light eruption

- Severe sun sensitivity and the presence of antinuclear antibodies in patients with polymorphous light eruption-like lesions (Petzelbauer et al). 1992;26:68-74

Polyposis syndrome, familial

- Cutaneous manifestations of gastrointestinal disorders. Part I (Gregory and Ho). 1992;26:153-68 (CME article)

Porphyria

- High-dose hydroxychloroquine treatment of porphyria cutanea tarda (Petersen and Thomsen). 1992;26:614-9 (Therapy)
- Porphyria cutanea tarda in association with human immunodeficiency virus infection in a hemophiliac (Conlan and Hoots). 1992;26:857-9 (Case rep.)

Pregnancy

- Epidemiology of isotretinoin exposure during pregnancy (Dai et al). 1992;26:599-606
- Familial occurrence of pruritic urticarial papules and plaques of pregnancy (Weiss and Hull). 1992;26:715-7
- Fetal risks in herpes gestationis (Shornick and Black). 1992;26:63-8
- Pregnancy-associated hyperpigmentation: longitudinal melanonychia (Fryer and Werth). 1992;26:493-4 (Brief comm.)
- Pruritic urticarial papules and plaques of pregnancy: a severe case requiring early delivery for relief of symptoms (Beltrani and Beltrani). 1992;26:266-7 (Brief comm.)

Primary cutaneous nocardiosis; see Nocardia infections

Procollagen

- Serum aminoterminal propeptide of type III procollagen in psoriasis and psoriatic arthritis: relation to liver fibrosis (Kanzler and Gorusulowsky) (Letter); (Zachariae) (Reply). 1992;26:509

Prognosis

- Poor prognosis or poor sign? (Rothstein). 1992;26:280-1 (Letter)

Proliferative cells; see Cells

Propeptide; see Peptides

Prosthesis

Is systemic nickel important? (Burrows). 1992;26:632-5 (Editorial)

Protein staining; see Stains and staining

Prurigo

Actinic prurigo: clinical features and prognosis (Lane et al). 1992;26:683-92

Demonstration by S-100 protein staining of increased numbers of nerves in the papillary dermis of patients with prurigo nodularis (Harris et al). 1992;26:56-8

HLA typing in actinic prurigo (Duran and Bernal) (Letter); (Lane et al) (Reply). 1992;26:658

HLA typing in polymorphic light eruption (Ross) (Letter); (Lane et al) (Reply). 1992;26:658-9

Prurigo nodularis; see Prurigo

Pruritus

Actinic prurigo: clinical features and prognosis (Lane et al). 1992;26:683-92

Familial occurrence of pruritic urticarial papules and plaques of pregnancy (Weiss and Hull). 1992;26:715-7

Obsessive-compulsive disorder in patients with chronic pruritic conditions: case studies and discussion (Hatch et al). 1992;26:549-51

Pruritic urticarial papules and plaques of pregnancy: a severe case requiring early delivery for relief of symptoms (Beltrani and Beltrani). 1992;26:266-7 (Brief comm.)

Topical capsaicin for treatment of hemodialysis-related pruritus (Breneman et al). 1992;26:91-4 (Therapy)

UVB phototherapy of the pruritic papular eruption of the acquired immunodeficiency syndrome (Pardo et al). 1992;26:423-8

Pseudocyst; see Cysts

Pseudoxanthoma elasticum

Periumbilical perforating pseudoxanthoma elasticum (Pruzan et al). 1992;26:642-4 (Brief comm.)

Pseudoxanthoma elasticum-like papillary dermal elastolysis (Rongioletti and Rebora). 1992;26:648-50 (Brief comm.)

Psoriasis

Alterations in renal function in psoriasis patients treated with cyclosporine, 5 mg/kg/day (Margolis et al). 1992;26:195-7

Comparative study of calcipotriol (MC903) ointment and betamethasone 17-valerate ointment in patients with psoriasis vulgaris (Cunliffe et al). 1992;26:736-43 (Therapy)

Cyclosporine in psoriasis: a multicenter dose-finding study in severe plaque psoriasis (Christophers et al). 1992;26:86-90 (Therapy)

The development of B-cell lymphoma in a patient with psoriasis treated with cyclosporine (Koo et al). 1992;26:36-40 (Case rep.)

Lithium-induced psoriasis of the fingernails (Rudolph). 1992;26:135-6 (Brief comm.)

Morphologic renal changes during cyclosporine treatment of psoriasis (Zachariae et al). 1992;26:415-9

Multiple eruptive benign keratoses associated with cyclosporine therapy for psoriasis (Ross et al). 1992;26:128-9 (Brief comm.)

Serum aminoterminal propeptide of type III procollagen in psoriasis and psoriatic arthritis: relation to liver fibrosis (Kanzler and Gorsulowsky) (Letter); (Zachariae) (Reply). 1992;26:509

A therapeutic trial of the use of penicillin V or erythromycin with or without rifampin in the treatment of psoriasis (Vincent et al). 1992;26:458-61 (Therapy)

Psoriatic arthritis; see Arthritis, psoriatic

Psychology

Dermatology and conditions related to obsessive-compulsive disorder (Stein and Hollander). 1992;26:237-42 (Clin. rev.)

The psychological effects of androgenetic alopecia in men (Cash). 1992;26:926-31

Pulsed high-dose corticosteroids; see Adrenal cortex hormones

Purpura

Infantile acute hemorrhagic edema of the skin (Saraçlar and Tinaztepe) (Letter); (Legrain et al) (Reply). 1992;26:275-6

Seidlmayer's syndrome: postinfectious cockade purpura of early childhood (Cox) (Letter); (Legrain et al) (Reply). 1992;26:275-6

Purpura, thrombotic thrombocytopenic

Erythromelalgia in a patient with thrombotic thrombocytopenic purpura (Yosipovitch et al). 1992;26:825-7 (Case rep.)

PUVA therapy

PUVA and skin cancer (Chuang et al). 1992;26:173-7

Q

Questionnaires

American Academy of Dermatology Patch Testing Survey: use and effectiveness of this procedure (James et al). 1992;26:991-4 (From the Academy)

MD-PhDs in dermatology (Prystowsky). 1992;26:766-71 (Special article)

Practices and beliefs concerning screening family members of patients with melanoma (Geller et al). 1992;26:419-22

Who discovers melanoma? (Koh et al). 1992;26:914-9

R

Radiation

Combined treatment with oral etretinate and electron beam therapy in patients with cutaneous T-cell lymphoma (mycosis fungoides and Sézary syndrome) (Jones et al). 1992;26:960-7 (Therapy)

High-dose UVA1 therapy in the treatment of patients with atopic dermatitis (Krutmann et al). 1992;26:225-30 (Therapy)

Raynaud's disease

Intralesional bleomycin and Raynaud's phenomenon (Gregg). 1992;26:279-80 (Letter)

Receptors, antigen, T-cell

Correlations of unique clinical, immunotypic, and histologic findings in cutaneous gamma/delta T-cell lymphoma (Heald et al). 1992;26:865-70 (Case rep.)

Cutaneous T-cell lymphoma: utility of antibodies to the variable regions of the human T-cell antigen receptor (Hunt et al). 1992;26:552-8

Recurrence of neoplasm; see Neoplasm recurrence, local

Red lunulae; see Nails

Reflex sympathetic dystrophy

Epithelioid hemangioendothelioma associated with reflex sympathetic dystrophy (Malane et al). 1992;26:325-8 (Case rep.)

Refractory cutaneous T-cell lymphoma; see Lymphoma, T-cell, cutaneous

Refractory vitiligo; see Vitiligo

Regional blood flow

Rosacea: a study of clinical patterns, blood flow, and the role of *Demodex folliculorum* (Sibenge and Gawkrödger). 1992;26:590-3

Relapsing polychondritis; see Polychondritis, relapsing

Renal changes; see Kidney

Renal disease; see Kidney failure, chronic

Renal function; see Kidney

Renal transplantation; see Kidney transplantation

Research

MD-PhDs in dermatology (Prystowsky). 1992;26:766-71 (Special article)

Resorcinols

Contact allergy to resorcinol in acne medications: report of three cases (Serrano et al). 1992;26:502-4 (Brief comm.)

Reticulate acropigmentation of Kitamura; see Pigmentation disorders

Reticulated confluent papillomatosis; see Papilloma

Retinal detachment

Suspected Alezzandrini's syndrome in a diabetic patient with unilateral retinal detachment and ipsilateral vitiligo and poliosis (Hoffman and Dudley). 1992;26:496-7 (Brief comm.)

Retinoids

Monitoring for adverse effects from systemic drugs used in dermatology (Wolverton). 1992;26:661-79 (CME article)

Rheumatoid arthritis; see Arthritis, rheumatoid

Rhizopus

Combined *Aspergillus* and zygomycotic (*Rhizopus*) infection in a patient with acquired immunodeficiency syndrome (Diamond et al). 1992;26:1017-8 (Brief comm.)

Rifampin

A therapeutic trial of the use of penicillin V or erythromycin with or without rifampin in the treatment of psoriasis (Vincent et al). 1992;26:458-61 (Therapy)

Rook, Arthur James

Arthur James Rook (1918-1991) (Wilkinson). 1992;26:1024-6 (In memoriam)

Rosacea

Rosacea: a study of clinical patterns, blood flow, and the role of *Demodex folliculorum* (Sibenge and Gawkrödger). 1992;26:590-3
Schirmer testing for dry eyes in patients with rosacea (Gudmundsen et al). 1992;26:211-4

Rubber

Allergic contact dermatitis to latex glove antioxidants: an update (Storrs). 1992;26:144 (Letter)

S

S-100 protein staining; see Stains and staining

Sarcoidosis

Systemic elastolytic granulomatosis with cutaneous, ocular, lymph nodal, and intestinal involvement (Kurose et al). 1992;26:359-63 (Case rep.)

Sarcoma

Epithelioid sarcoma: clinical and histologic characteristics (Zanolli et al). 1992;26:302-5 (Case rep.)

Sarcoma, Kaposi's

The concurrent presence of systemic disease pathogens and cutaneous Kaposi's sarcoma in the same lesion: *Histoplasma capsulatum* and Kaposi's sarcoma coexisting in a single skin lesion in a patient with AIDS (Cole et al). 1992;26:285-7 (Case rep.)

Scalp

Widespread basal cell carcinoma of the scalp treated by dermabrasion (Melandri and Carruthers). 1992;26:270-1 (Brief comm.)

Schirmer test

Schirmer testing for dry eyes in patients with rosacea (Gudmundsen et al). 1992;26:211-4

Sclerodema adutorum

Sclerodema and smoldering myeloma (Schmidt et al). 1992;26:319-21 (Case rep.)

Sclerodactyly; see Scleroderma, circumscribed

Scleroderma, circumscribed

Palmoplantar keratoderma with sclerodactyly (Huriez syndrome) (Patrizi et al). 1992;26:855-7 (Case rep.)

Scleroderma, systemic

Scleroderma-like skin indurations in a child with phenylketonuria: a clinicopathologic correlation and review of the literature (Nova et al). 1992;26:329-33 (Case rep.)

Sclerodermatous chronic graft-versus-host disease (Chosidow et al). 1992;26:49-55

Scopolamine

Eccrine hidrocystomas (Masri-Fridling and Elgart). 1992;26:780-2 (Brief comm.)

Screening; see Mass screening

Scrotum

Basal cell carcinoma of the scrotum (Nahass et al). 1992;26:574-8
Metastases from basal cell carcinoma of the scrotum (Nahass et al). 1992;26:509-10 (Letter)

Scrotal calcinosis (Sarma) (Letter); (Wright) (Reply). 1992;26:280

Sebaceous glands

Sebaceous hyperplasia and basal cell carcinoma in a renal transplant patient receiving cyclosporine (Pakula and Garden). 1992;26:139-40 (Letter)

Sebaceous nevus syndrome

How many epidermal nevus syndromes exist? (Atherton) (Letter); (Happle) (Reply). 1992;26:1027-8

Seborrhea

A double-blind, placebo-controlled, multicenter trial of lithium succinate ointment in the treatment of seborrheic dermatitis (Efalith). 1992;26:452-7 (Therapy)

Guidelines of care for nevi I (nevocellular nevi and seborrheic keratoses) (AAD Committee on Guidelines of Care). 1992;26:629-31 (Acad. guidelines)

Seborrheic keratoses and cancer (Lindelöf et al). 1992;26:947-50

Segmental neurofibromatosis; see Neurofibromatosis

Seidlmayer's syndrome

Seidlmayer's syndrome: postinfectious cockade purpura of early childhood (Cox) (Letter); (Legrain et al) (Reply). 1992;26:275-6

Self-Assessment

Self-Assessment examinations. 1992;26:145-9, 513-7, 793-6

Self-Assessment examinations answers. 1992;26:150-2, 518-20, 797-8

Serum aminoterminal propeptide; see Peptides

Sex characteristics

Influence of gender on survival with stage I malignant melanoma (Vossaert et al). 1992;26:429-40

Sexual intercourse; see Coitus

Sexually transmitted diseases

The hard penile circumferential fold as the presenting finding in primary syphilis: report of six cases (Goldstein and Fox). 1992;26:700-3

Sézary syndrome

Combined treatment with oral etretinate and electron beam therapy in patients with cutaneous T-cell lymphoma (mycosis fungoides and Sézary syndrome) (Jones et al). 1992;26:960-7 (Therapy)

Generalized papular xanthomatosis in mycosis fungoides (Darwin et al). 1992;26:828-32 (Case rep.)

Shulman's syndrome

A histopathologic comparison of Shulman's syndrome (diffuse fasciitis with eosinophilia) and the fasciitis associated with the eosinophilia-myalgia syndrome (Feldman et al). 1992;26:95-100 (Dermatopathology)

Signet-ring cell melanoma; see Melanoma

Signs and symptoms

Poor prognosis or poor sign? (Rothstein). 1992;26:280-1 (Letter)

Skin aging

Mid dermal elastolysis (Maghraoui et al). 1992;26:490-2 (Brief comm.)

Mid-dermal elastolysis with inflammation (Brod et al). 1992;26:882-4 (Case rep.)

Mid dermal elastolysis with wrinkling (Kim and Su). 1992;26:169-73

The significance of dark skin in photoprotection (Cohn) (Letter); (Morison) (Reply). 1992;26:281-2

Tretinoin emollient cream: a new therapy for photodamaged skin (Olsen et al). 1992;26:215-24

Skin diseases, immunology

Differential expression of adhesion molecules on infiltrating cells in inflammatory dermatoses (Boehncke et al). 1992;26:907-13

Skin diseases, psychology

Dermatology and conditions related to obsessive-compulsive disorder (Stein and Hollander). 1992;26:237-42 (Clin. rev.)

Skin diseases, vesiculobullous

Inherited epidermolysis bullosa (Stevanović) (Letter); (Fine) (Reply). 1992;26:278-9

Lichen planus pemphigoides in a 10-year-old girl (Hernando et al). 1992;26:124-5 (Brief comm.)

Linear IgA bullous dermatitis: successful treatment with tetracycline and niacinamide (Peoples and Fivenson). 1992;26:498-9 (Brief comm.)

Linear IgA bullous dermatitis associated with rheumatoid arthritis (Hayakawa et al). 1992;26:110-3 (Case rep.)

Linear IgA dermatitis and thyroid carcinoma (Lacour et al). 1992;26:257-9 (Brief comm.)

Vancomycin-associated linear IgA dermatitis (Carpenter et al). 1992;26:45-8

Skin neoplasms; see also specific neoplasms

Biology of cutaneous squamous cell carcinoma (Kwa et al). 1992;26:1-30 (CME article)

Congenital neurilemmomatosis (Sasaki and Nakajima). 1992;26:786-7 (Brief comm.)

Cryosurgery for skin cancer (Zitelli). 1992;26:283-4 (Letter)

Cutaneous angiocentric T-cell lymphoma associated with Epstein-Barr virus (Tsai et al). 1992;26:31-8

Desmoplastic malignant melanoma: rare and difficult to diagnose (Whitaker et al). 1992;26:704-9

Guidelines of care for basal cell carcinoma (AAD Committee on Guidelines of Care). 1992;26:117-20 (Acad. guidelines)

HLA-DR1 is not a sign of poor prognosis for the development of multiple basal cell carcinomas (Czarnecki et al). 1992;26:717-9

Level of education and the risk of malignant melanoma (Lee et al). 1992;26:59-63

New primary nonmelanoma skin cancer in patients with a history of squamous cell carcinoma of the skin (Frankel et al). 1992;26:720-6

Palmoplantar keratoderma with sclerodactyly (Huriez syndrome) (Patrizi et al). 1992;26:855-7 (Case rep.)

Prognostic factors for local recurrence, metastasis, and survival rates in squamous cell carcinoma of the skin, ear, and lip: implications for treatment modality selection (Rowe et al). 1992;26:976-90 (Clin. rev.)

PUVA and skin cancer (Chuang et al). 1992;26:173-7

Squamous cell carcinoma of the skin (excluding lip and oral mucosa) (Johnson et al). 1992;26:467-84 (Clin. rev.)

Xeroderma pigmentosum (Khatri et al). 1992;26:75-8

Skin pigmentation

Biology of cutaneous squamous cell carcinoma (Kwa et al). 1992;26:1-30 (CME article)

Cutaneous pigmentation after daunorubicin chemotherapy (Anderson et al). 1992;26:255-6 (Brief comm.)

Guidelines of care for nevi I (nevocellular nevi and seborrheic keratoses) (AAD Committee on Guidelines of Care). 1992;26:629-31 (Acad. guidelines)

The significance of dark skin in photoprotection (Cohn) (Letter); (Morison) (Reply). 1992;26:281-2

Skin transplantation

Treatment of refractory and stable vitiligo by transplantation of in vitro cultured epidermal autografts bearing melanocytes (Falbella et al). 1992;26:230-6 (Therapy)

Smoldering myeloma; see Multiple myeloma**Sneddon's syndrome**

Sneddon's syndrome and primary antiphospholipid syndrome: a case report (Manganelli et al). 1992;26:309-11 (Case rep.)

Soft tissue neoplasms

Malignant proliferative angioendotheliomatosis or angiotropic lymphoma associated with a soft-tissue lymphoma (López-Gil et al). 1992;26:101-4 (Case rep.)

Soles; see Foot**Special articles**

Special articles. 1992;26:251-4, 766-71, 995-1001

Spiny keratoderma; see Keratosis palmaris et plantaris**Spiradenoma; see Hidradenoma****Spirolactone**

Spirolactone (Danby) (Letter); (Shaw) (Reply). 1992;26:137-8

Spirolactone in dermatology (Cunliffe and Hull) (Letter); (Shaw) (Reply). 1992;26:137-8

Squamous cell carcinoma; see Carcinoma, squamous cell**Squish Ball; see Play and playthings****Stable vitiligo; see Vitiligo****Stains and staining**

Demonstration by S-100 protein staining of increased numbers of nerves in the papillary dermis of patients with prurigo nodularis (Harris et al). 1992;26:56-8

Staphylococcus aureus

Staphylococcus aureus-induced blistering distal dactylitis in an adult immunosuppressed patient (Zemtsov and Veitschegger). 1992;26:784-5 (Brief comm.)

Steatocystoma multiplex

Relationship between steatocystoma multiplex and eruptive vellus hair cysts (Ohtake et al). 1992;26:876-8 (Case rep.)

Stratum corneum; see Epidermis**Subcutaneous injection; see Injections, subcutaneous****Sun sensitivity; see Photosensitivity disorders****Sunlight**

Measurement of sunscreen UVA protection: an unsensitized human model (Cole and VanFossen). 1992;26:178-84

Mid dermal elastolysis with wrinkling (Kim and Su). 1992;26:169-73

Sunscreening agents

Measurement of sunscreen UVA protection: an unsensitized human model (Cole and VanFossen). 1992;26:178-84

Superior vena cava syndrome

Behçet's disease presenting as superior vena cava syndrome (Thomas et al). 1992;26:863-5 (Case rep.)

Surgery, methods

The use of Mohs micrographic surgery for determination of residual tumor in incompletely excised basal cell carcinoma (Bielek et al). 1992;26:754-6 (Derm. surg.)

Surveys; see Questionnaires**Survival**

Influence of gender on survival with stage I malignant melanoma (Vossaert et al). 1992;26:429-40

Sweat gland neoplasms

Eccrine hidrocystomas (Masri-Fridling and Elgart). 1992;26:780-2 (Brief comm.)

Eccrine syringofibroadenomatosis: a clinical and histologic study and review of the literature (Lui et al). 1992;26:805-13 (Case rep.)

Multiple linear cylindromas (Martinez et al). 1992;26:821-4 (Case rep.)

Sweat glands

Bile pigment deposition at sweat pores of patients with liver disease (Kanzaki and Tsuda). 1992;26:655-6 (Brief comm.)

Symmetric lipomatosis; see Lipomatosis, multiple symmetrical**Syphilis**

First International Congress of Dermatology and Syphilology, Paris, Aug. 5-10, 1889 (Wallach and Tillés). 1992;26:995-1001 (Special article)

Syphilis—cont'd

The hard penile circumferential fold as the presenting finding in primary syphilis: report of six cases (Goldstein and Fox). 1992; 26:700-3

Syringofibroadenomatosis

Ecrrine syringofibroadenomatosis: a clinical and histologic study and review of the literature (Lui et al). 1992;26:805-13 (Case rep.)

Syringometaplasia; see Metaplasia

Systemic drugs, adverse effects; see Drugs, adverse effects

Systemic elastolytic granulomatosis; see Granulomatosis

Systemic lupus erythematosus; see Lupus erythematosus, systemic

T

T-cell antigen receptor; see Receptors, antigen, T-cell

T-cell lymphoma; see Lymphoma, T-cell

T-cell lymphoma, cutaneous; see Lymphoma, T-cell, cutaneous

Tattooing, traumatic; see Wounds and injuries

Technology, medical

High-tech dermatology (Shupack et al). 1992;26:785-6 (Brief comm.)

Telangiectasia, hereditary hemorrhagic

Antibiotic prophylaxis for patients with hereditary hemorrhagic telangiectasia (Chan) (Letter); (Swanson and Dahl) (Reply). 1992;26:282-3

Teratogens

Epidemiology of isotretinoin exposure during pregnancy (Dai et al). 1992;26:599-606

Terbinafine

Efficacy of a 1-week, twice-daily regimen of terbinafine 1% cream in the treatment of interdigital tinea pedis (Berman et al). 1992; 26:956-60 (Therapy)

Tetracycline

Linear IgA bullous dermatosis: successful treatment with tetracycline and niacinamide (Peoples and Fivenson). 1992;26:498-9 (Brief comm.)

Oral tetracycline rinse improves symptoms in white sponge nevus (Lim and Ng). 1992;26:1003-5 (Brief comm.)

Therapy

Therapy. 1992;26:86-94, 225-36, 449-61, 607-19, 731-43, 956-67

Thrombocytopenia

Antiphospholipid antibody syndrome (Wortman) (Letter); (Grob) (Reply). 1992;26:139

Thrombotic thrombocytopenic purpura; see Purpura, thrombotic thrombocytopenic

Thyroglossal cyst

Cutaneous manifestations of thyroid disease (Heymann). 1992;26:885-906 (CME article)

Thyroid diseases

Cutaneous manifestations of thyroid disease (Heymann). 1992; 26:885-906 (CME article)

Thyroid neoplasms

Cutaneous manifestations of thyroid disease (Heymann). 1992; 26:885-906 (CME article)

Linear IgA dermatosis and thyroid carcinoma (Lacour et al). 1992;26:257-9 (Brief comm.)

Ticks

Minocycline in Lyme disease (Liegner). 1992;26:263-4 (Brief comm.)
Polymerase chain reaction confirmation of *Borrelia burgdorferi* in benign lymphocytic infiltrate of dermis (Rabb et al). 1992;26:267-8 (Brief comm.)

Tinea capitis

Combined *Aspergillus* and zygomycotic (*Rhizopus*) infection in a patient with acquired immunodeficiency syndrome (Diamond et al). 1992;26:1017-8 (Brief comm.)

Tinea pedis

Double-blind comparison of naftifine cream and clotrimazole/betamethasone dipropionate cream in the treatment of tinea pedis (Smith et al). 1992;26:125-7 (Brief comm.)

Efficacy of a 1-week, twice-daily regimen of terbinafine 1% cream in the treatment of interdigital tinea pedis (Berman et al). 1992; 26:956-60 (Therapy)

Tinea unguium

Onychomycosis of the toenails caused by *Chaetomium globosum* (Stiller et al). 1992;26:775-6 (Brief comm.)

Posttreatment itraconazole levels in the nail (Willemsen et al). 1992;26:731-5 (Therapy)

Toenails; see Nails

Topical administration; see Administration, topical

Toxic epidermal necrolysis; see Epidermal necrolysis, toxic

Toxic oil syndrome

Cutaneous toxic mucinosis (Rongioletti and Rebora) (Letter); (Kaufman et al) (Reply). 1992;26:789-80

Transaminases; see Aminotransferases

Transitional cell carcinoma; see Carcinoma, transitional cell

Transplantation, autologous

Autologous grafting with noncultured melanocytes: a simplified method for treatment of depigmented lesions (Gauthier and Surleve-Bazeille). 1992;26:191-4

Treatment of refractory and stable vitiligo by transplantation of in vitro cultured epidermal autografts bearing melanocytes (Fala-bella et al). 1992;26:230-6 (Therapy)

Traumatic tattoos; see Wounds and injuries

Tretinoin

Tretinoin emollient cream: a new therapy for photodamaged skin (Olsen et al). 1992;26:215-24

Trichloroacetic acid

Detection of human papillomavirus DNA in condylomata acuminata treated in vitro with liquid nitrogen, trichloroacetic acid, and podophyllin with the polymerase chain reaction (Zhu et al). 1992;26:710-4

Triethanolamine

Therapeutic effect of anthralin (Lawrence and Shuster) (Letter); (Yarrow) (Reply). 1992;26:138-9

Tuberculosis, cutaneous

Lupus vulgaris (Marcoval et al). 1992;26:404-7

Tuberculosis, female genital

Primary tuberculous chancre in a renal transplant patient (Tham and Choong). 1992;26:342-4 (Case rep.)

Tuberculosis, male genital

Primary tuberculosis of the glans penis (Konohana et al). 1992;26:1002-3 (Brief comm.)

Tuberculosis, milary

Acute milary tuberculosis of the skin in acquired immunodeficiency syndrome (Rohatgi et al). 1992;26:356-9 (Case rep.)

Tufted angioma; see Hemangioma

Tumor; see Neoplasms

Tumor markers, biological

Epidemiologic evidence for the role of melanocytic nevi as risk markers and direct precursors of cutaneous malignant melanoma (Krüger et al). 1992;26:920-6

Type III procollagen; see Procollagen

U

Ulcer, leg; see Leg ulcer

Ultraviolet rays

Measurement of sunscreen UVA protection: an unsensitized human model (Cole and VanFossen). 1992;26:178-84

Present status of eyelid phototherapy (Prystowsky et al). 1992; 26:607-13 (Therapy)

Ultraviolet therapy

High-dose UVA1 therapy in the treatment of patients with atopic dermatitis (Krutmann et al). 1992;26:225-30 (Therapy)

UVB phototherapy of the pruritic papular eruption of the acquired immunodeficiency syndrome (Pardo et al). 1992;26:423-8

Umbilicus

Umbilical metastasis from urinary bladder carcinoma (Edoute et al). 1992;26:656-7 (Brief comm.)

Unilateral retinal detachment; see Retinal detachment

Uremic follicular hyperkeratosis; see Keratosis follicularis

Urinary bladder neoplasms; see Bladder neoplasms

Urticaria

Familial occurrence of pruritic urticarial papules and plaques of pregnancy (Weiss and Hull). 1992;26:715-7

Localized, perifollicular cold urticaria (Baxter et al). 1992;26:306-8 (Case rep.)

Pruritic urticarial papules and plaques of pregnancy: a severe case requiring early delivery for relief of symptoms (Beltrani and Beltrani). 1992;26:266-7 (Brief comm.)

Urticarial vasculitis: a histopathologic and clinical review of 72 cases (Mehregan et al). 1992;26:441-8

UVA protection; see Sunscreening agents

UVA1 therapy; see Ultraviolet therapy

UVB therapy; see Ultraviolet therapy

V

Vancomycin

Vancomycin-associated linear IgA dermatosis (Carpenter et al). 1992;26:45-8

Varicella-zoster virus

Photolocalized varicella (Boyd et al). 1992;26:772-4 (Brief comm.)

Vascular diseases

Cutaneous manifestations of gastrointestinal disorders. Part II (Gregory and Ho). 1992;26:371-86 (CME article)

An eruptive vascular proliferation resembling acquired tufted angioma in the recipient of a liver transplant (Chu and LeBoit). 1992;26:322-5 (Case rep.)

Polycythemia rubra vera presenting as livedo reticularis (Maroon). 1992;26:264-5 (Brief comm.)

Sneddon's syndrome and primary antiphospholipid syndrome: a case report (Manganello et al). 1992;26:309-11 (Case rep.)

Vasculitis

Behçet's disease presenting as superior vena cava syndrome (Thomas et al). 1992;26:863-5 (Case rep.)

Chronic leukocytoclastic vasculitis associated with polycythemia vera: effective control with pentoxifylline (Wahba-Yahav). 1992;26:1006-7 (Brief comm.)

Cutaneous leukocytoclastic vasculitis associated with active Wegener's granulomatosis (Mangold and Callen). 1992;26:579-84

Erythema elevatum diutinum: a clinical and histopathologic study of 13 patients (Yiannias et al). 1992;26:38-44

Erythema elevatum diutinum in a patient with relapsing polychondritis (Bernard et al). 1992;26:312-5 (Case rep.)

Reversible plane xanthoma, vasculitis, and peliosis hepatis in giant lymph node hyperplasia (Castleman's disease): a case report and review of the cutaneous manifestations of giant lymph node hyperplasia (Sherman et al). 1992;26:105-9 (Case rep.)

Urticarial vasculitis: a histopathologic and clinical review of 72 cases (Mehregan et al). 1992;26:441-8

Vasculitis—cont'd

Vasculitis occurring after intravenous anistreplase (Burrows and Jones). 1992;26:508 (Letter)

Vasoconstriction

Nevus oligemicus: a new case (Plantin et al). 1992;26:268-9 (Brief comm.)

Vellus hair cysts; see Cysts

Vesiculobullous skin diseases; see Skin diseases, vesiculobullous

Vibrio infections

Vibrio vulnificus infection and iron overload (Kraffert and Hogan). 1992;26:140 (Letter)

Vitiligo

Plasma α -melanocyte-stimulating hormone, β -endorphin, met-enkephalin, and natural killer cell activity in vitiligo (Mozzanica et al). 1992;26:693-700

Suspected Aalezzandrin's syndrome in a diabetic patient with unilateral retinal detachment and ipsilateral vitiligo and poliosis (Hoffman and Dudley). 1992;26:496-7 (Brief comm.)

Treatment of refractory and stable vitiligo by transplantation of in vitro cultured epidermal autografts bearing melanocytes (Falabella et al). 1992;26:230-6 (Therapy)

Vulva

Primary tuberculous chancre in a renal transplant patient (Tham and Choong). 1992;26:342-4 (Case rep.)

W

Warts

Intralesional bleomycin and Raynaud's phenomenon (Gregg). 1992;26:279-80 (Letter)

Wegener's granulomatosis

Cutaneous leukocytoclastic vasculitis associated with active Wegener's granulomatosis (Mangold and Callen). 1992;26:579-84

White sponge nevus; see Nevus

Wounds and injuries

Treatment of traumatic tattoos with various sterile brushes (Böhler et al). 1992;26:749-53 (Derm. surg.)

Wrinkling; see Skin aging

X

Xanthoma, juvenile

CD1 (OKT6)-positive juvenile xanthogranuloma (Andersen et al). 1992;26:850-4 (Case rep.)

Xanthomatosis

Generalized papular xanthomatosis in mycosis fungoides (Darwin et al). 1992;26:828-32 (Case rep.)

Reversible plane xanthoma, vasculitis, and peliosis hepatis in giant lymph node hyperplasia (Castleman's disease): a case report and review of the cutaneous manifestations of giant lymph node hyperplasia (Sherman et al). 1992;26:105-9 (Case rep.)

Xeroderma pigmentosum

Xeroderma pigmentosum (Khatri et al). 1992;26:75-8

Y

Yeasts

A double-blind, placebo-controlled, multicenter trial of lithium succinate ointment in the treatment of seborrheic dermatitis (Efalith). 1992;26:452-7 (Therapy)

Z

Zygomycosis; see Mucormycosis

